



**BY ELECTRONIC MAIL**

December 14, 2022

Library Manager  
Major Hillard Library  
824 Old George Washington Highway North  
Chesapeake, VA 23323  
[vwashing@infopeake.org](mailto:vwashing@infopeake.org)

**RE: Data Repository  
Chesapeake Energy Center  
2701 Vepco Street  
Chesapeake, Virginia 23323**

Dear Library Manager:

Please find attached, one document related to Dominion Energy's Chesapeake Energy Center (CEC) industrial landfill. The Major Hillard Library is the public data repository for information submitted by Dominion Energy to the Virginia Department of Environmental Quality relating to the CEC landfill Corrective Action Monitoring Program (CAMP). Throughout the life of the program, Dominion Energy will place on file with the library copies of associated materials, which should be made available for public viewing until Dominion Energy provides notice. Please include the following document with related CEC materials currently being held for public viewing at the library:

*[Revised to add additional surface water constituents]  
Summary of Corrective Action Monitoring Data  
2022 2<sup>nd</sup> Semi-Annual Monitoring (September 26-30, 2022 and November 2, 2022)  
Chesapeake Energy Center Landfill – Permit No. 440  
Chesapeake, Virginia*

Thank you for your assistance and please do not hesitate to call Kelly Hicks of Dominion Energy's Environmental Department at (804) 273-4903 should there be any questions and/or comments.

Sincerely,

A handwritten signature in black ink, appearing to read "Dennis A. Slade".

Dennis A. Slade  
Manager, Environmental

Attachment

ecc (cover letter only):

Geoff Christe, VA DEQ – [geoff.christe@deq.virginia.gov](mailto:geoff.christe@deq.virginia.gov)  
Rachel Patton, VA DEQ – [rachel.patton@deq.virginia.gov](mailto:rachel.patton@deq.virginia.gov)  
[TRO.LandProtection@deq.virginia.gov](mailto:TRO.LandProtection@deq.virginia.gov)



**Table 1**  
**Summary of Corrective Action Monitoring Data**  
**2022 2nd Semi-Annual Monitoring Event (September 26-30 and November 2, 2022)**  
**Chesapeake Energy Center Industrial Landfill - Permit #440**  
**Chesapeake, Virginia**

**Groundwater Monitoring Wells**

Sample ID: Sample Date:	CECW-3D DUP 9/28/2022				FIELD BLANK 9/28/2022			
	Result	Qual	MDL	RL	Result	Qual	MDL	RL
<b>Primary Performance Parameters (µg/L)</b>								
Antimony, total	<0.57 U		0.57	2.0	<0.57 U		0.57	2.0
Antimony, dissolved	<0.57 U		0.57	2.0	--		--	--
Arsenic, total	<b>220</b>		0.75	5.0	<0.75 U		0.75	5.0
Arsenic, dissolved	<b>200</b>		0.75	5.0	--		--	--
Arsenic III (dissolved)	<b>180 J</b>		9.6	19	--		--	--
Arsenic V (dissolved)	<b>10 J</b>		10	15	--		--	--
Beryllium, total	<0.62 U		0.62	1.0	<0.62 U		0.62	1.0
Beryllium, dissolved	<0.62 U		0.62	1.0	--		--	--
Cobalt, total	<0.19 U		0.19	1.0	<0.19 U		0.19	1.0
Cobalt, dissolved	<0.19 U		0.19	1.0	--		--	--
Selenium, total	<0.89 U		0.89	5.0	<0.89 U		0.89	5.0
Selenium, dissolved	<0.89 U		0.89	5.0	--		--	--
Sulfide, total (mg/L)	<4.3 U		4.3	4.3	<b>3.1</b>		1.4	3.0
Sulfide, dissolved (mg/L)	<2.3 U		2.3	3.0	--		--	--
beta-BHC	<0.0090 U		0.0090	0.049	<0.0089 U		0.0089	0.048
<b>Performance Parameters (µg/L)</b>								
Iron, total	<b>100</b>		47	100	< 47 U		47	100
Iron, dissolved	<b>88 J</b>		47	100	--		--	--
Manganese, total	<b>18</b>		6.2	10	< 6.2 U		6.2	10
<b>Field Measurements</b>								
Dissolved Oxygen (mg/L)	--		--	--	--		--	--
Oxidation Reduction Potential (mV)	--		--	--	--		--	--
pH (S.U.)	--		--	--	--		--	--
Specific Conductance (uS/cm)	--		--	--	--		--	--
Temperature (Degrees Celsius)	--		--	--	--		--	--
Turbidity (NTU)	--		--	--	--		--	--

**Notes**

< = Less than or equal to reporting MDL  
 NS = Not sampled, insufficient water  
 mV = Millivolt  
 S.U. = Standard Unit  
 \* Analytes not sampled at CECW-8 due to low well volume and tidal access

uS/cm = MicroSiemen per centimeter  
 NTU = Nephelometric Turbidity Unit  
**Bold font** = Detected concentration

**Laboratory Data Qualifiers (Qual):**

U = The analyte was not detected above the level of the sample reporting limit.  
 J = Quantitation is approximate due to limitations identified during data validation.  
 UJ = The analyte was not detected; the reporting limit is approximate and may be inaccurate or imprecise.  
 J+ = The result is an estimated quantity; the result may be biased high.

**Table 1**  
**Summary of Corrective Action Monitoring Data**  
**2022 2nd Semi-Annual Monitoring Event (September 26-30 and November 2, 2022)**  
**Chesapeake Energy Center Industrial Landfill - Permit #440**  
**Chesapeake, Virginia**

**Surface Water**

Sample ID: Sample Date:	SW-1 9/28/2022				SW-2 9/28/2022				SW-3 9/28/2022				SW-4 9/28/2022				SW-1 DUP 9/28/2022				FIELD BLANK 9/28/2022			
	Result	Qual	MDL	RL	Result	Qual	MDL	RL	Result	Qual	MDL	RL	Result	Qual	MDL	RL	Result	Qual	MDL	RL	Result	Qual	MDL	RL
<b>Primary Constituents (µg/L)</b>																								
Antimony, total	<0.57	U	0.57	2.0	<0.57	U	0.57	2.0	<b>0.79</b>	J	0.57	2.0	<0.57	U	0.57	2.0	<0.57	U	0.57	2.0	<0.57	U	0.57	2.0
Antimony, dissolved	<0.57	U	0.57	2.0	<0.57	U	0.57	2.0	<b>0.75</b>	J	0.57	2.0	<0.57	U	0.57	2.0	<0.57	U	0.57	2.0	<0.57	U	0.57	2.0
Arsenic, total	<b>1.7</b>	J	0.75	5.0	<b>1.9</b>	J	0.75	5.0	<b>1.9</b>	J	0.75	5.0	<b>1.7</b>	J	0.75	5.0	<b>1.9</b>	J	0.75	5.0	<0.75	U	0.75	5.0
Arsenic, dissolved	<b>1.8</b>	J	0.75	5.0	<b>1.9</b>	J	0.75	5.0	<b>1.6</b>	J	0.75	5.0	<b>1.5</b>	J	0.75	5.0	<b>1.6</b>	J	0.75	5.0	--	--	--	--
Arsenic III (dissolved)	<b>0.27</b>	J	0.26	0.50	<b>0.31</b>	J	0.26	0.50	<2.6	U	0.26	0.50	<2.6	U	0.26	0.50	<b>0.36</b>	J	0.26	0.50	--	--	--	--
Arsenic V (dissolved)	<b>0.58</b>	J	0.35	0.50	<b>0.79</b>	J	0.35	0.50	<b>1.7</b>	J	0.35	0.50	<1.3	U	1.3	1.3	<b>1.0</b>	J	0.35	0.50	--	--	--	--
Beryllium, total	<0.62	U	0.62	1.0	<0.62	U	0.62	1.0	<0.62	U	0.62	1.0	<0.62	U	0.62	1.0	<0.62	U	0.62	1.0	<0.62	U	0.62	1.0
Boron, total	<b>3200</b>		57	100	<b>3100</b>		57	100	<b>3300</b>		57	100	<b>3100</b>		57	100	<b>3000</b>		57	100	<57	U	57	100
Boron, dissolved	<b>3100</b>		57	100	<b>3200</b>		57	100	<b>3300</b>		57	100	<b>3200</b>		57	100	<b>3000</b>		57	100	--	--	--	--
Cadmium, total	<0.20	U	0.20	1.0	<0.20	U	0.20	1.0	<0.20	U	0.20	1.0	<0.20	U	0.20	1.0	<0.20	U	0.20	1.0	<0.20	U	0.20	1.0
Cadmium, dissolved	<0.20	U	0.20	1.0	<0.20	U	0.20	1.0	<0.20	U	0.20	1.0	<0.20	U	0.20	1.0	<0.20	U	0.20	1.0	--	--	--	--
Chromium, total	<0.25	U	2.5	5.0	<0.25	U	2.5	5.0	<0.25	U	2.5	5.0	<0.25	U	2.5	5.0	<0.25	U	2.5	5.0	<0.25	U	2.5	5.0
Chromium, dissolved	<0.25	U	2.5	5.0	<0.25	U	2.5	5.0	<0.25	U	2.5	5.0	<0.25	U	2.5	5.0	<0.25	U	2.5	5.0	--	--	--	--
Chromium hexavalent, total (mg/L)	<0.005	U	0.005	0.005	<0.005	U	0.005	0.005	<0.005	U	0.005	0.005	<0.005	U	0.005	0.005	<0.005	U	0.005	0.005	<0.005	U	0.005	0.005
Chromium hexavalent, dissolved (mg/L)	<0.005	U	0.005	0.005	<0.005	U	0.005	0.005	<0.005	U	0.005	0.005	<0.005	U	0.005	0.005	<0.005	U	0.005	0.005	<0.005	U	0.005	0.005
Chromium trivalent, total (mg/L)	<0.0070	U	0.0070	0.020	<0.0070	U	0.0070	0.020	<0.0070	U	0.0070	0.020	<0.0070	U	0.0070	0.020	<0.0070	U	0.0070	0.020	<0.0070	U	0.0070	0.020
Chromium trivalent, dissolved (mg/L)	<0.0070	U	0.0070	0.020	<0.0070	U	0.0070	0.020	<0.0070	U	0.0070	0.020	<0.0070	U	0.0070	0.020	<0.0070	U	0.0070	0.020	--	--	--	--
Cobalt, total	<b>0.40</b>	J	0.19	1.0	<b>0.64</b>	J	0.19	1.0	<b>0.48</b>	J	0.19	1.0	<b>0.32</b>	J	0.19	1.0	<b>0.35</b>	J	0.19	1.0	<0.19	U	0.19	1.0
Copper, total	<2.4	U	2.4	2.4	<4.1	U	4.1	4.1	<4.0	U	4.0	4.0	<2.8	U	2.8	2.8	<2.4	U	2.4	2.4	<b>2.3</b>	J	1.7	2.0
Copper, dissolved	<2.0	U	2.0	2.0	<1.9	U	1.9	2.0	<2.5	U	2.5	2.5	<2.4	U	2.4	2.4	<1.9	U	1.9	2.0	--	--	--	--
Lead, total	<b>0.53</b>	J	0.45	1.0	<b>1.6</b>	J	0.45	1.0	<0.45	U	0.45	1.0	<0.45	U	0.45	1.0	<b>0.48</b>	J	0.45	1.0	<0.45	U	0.45	1.0
Lead, dissolved	<0.45	U	0.45	1.0	<0.45	U	0.45	1.0	<0.45	U	0.45	1.0	<0.45	U	0.45	1.0	<0.45	U	0.45	1.0	--	--	--	--
Mercury, total	<0.13	U	0.13	0.20	<0.13	U	0.13	0.20	<0.13	U	0.13	0.20	<0.13	U	0.13	0.20	<0.13	U	0.13	0.20	<0.13	U	0.13	0.20
Mercury, dissolved	<0.13	U	0.13	0.20	<0.13	U	0.13	0.20	<0.13	U	0.13	0.20	<0.13	U	0.13	0.20	<0.13	U	0.13	0.20	--	--	--	--
Nickel, total	<1.5	U	1.5	2.0	<b>2.6</b>	J	1.5	2.0	<1.5	U	1.5	2.0	<1.5	U	1.5	2.0	<b>1.5</b>	J	1.5	2.0	<1.5	U	1.5	2.0
Nickel, dissolved	<1.5	U	1.5	2.0	<1.5	U	1.5	2.0	<1.5	U	1.5	2.0	<1.5	U	1.5	2.0	<1.5	U	1.5	2.0	--	--	--	--
Selenium, total	<0.89	U	0.89	5.0	<0.89	U	0.89	5.0	<0.89	U	0.89	5.0	<0.89	U	0.89	5.0	<0.89	U	0.89	5.0	<0.89	U	0.89	5.0
Selenium, dissolved	<0.89	U	0.89	5.0	<0.89	U	0.89	5.0	<0.89	U	0.89	5.0	<0.89	U	0.89	5.0	<0.89	U	0.89	5.0	--	--	--	--
Silver, total	<0.053	U	0.053	1.0	<0.053	U	0.053	1.0	<0.053	U	0.053	1.0	<0.053	U	0.053	1.0	<0.053	U	0.053	1.0	<0.053	U	0.053	1.0
Silver, dissolved	<0.053	U	0.053	1.0	<0.053	U	0.053	1.0	<0.053	U	0.053	1.0	<0.053	U	0.053	1.0	<0.053	U	0.053	1.0	--	--	--	--
Sulfide, total (mg/L)	<1.4	U	1.4	3.0	<1.4	U	1.4	3.0	<1.4	U	1.4	3.0	<1.4	U	1.4	3.0	<1.4	U	1.4	3.0	<1.4	U	1.4	3.0
Thallium, total	<0.20	U	0.20	1.0	<0.20	U	0.20	1.0	<b>0.21</b>	J	0.20	1.0	<0.20	U	0.20	1.0	<0.20	U	0.20	1.0	<0.20	U	0.20	1.0
Thallium, dissolved	<0.20	U	0.20	1.0	<0.20	U	0.20	1.0	<0.20	U	0.20	1.0	<0.20	U	0.20	1.0	<0.20	U	0.20	1.0	--	--	--	--
Zinc, total	<15	U	15	20	<15	U	15	20	<15	U	15	20	<15	U	15	20	<15	U	15	20	<15	U	15	20
Zinc, dissolved	<15	U	15	20	<15	U	15	20	<15	U	15	20	<15	U	15	20	<15	U	15	20	--	--	--	--
beta-BHC	<0.0092	U	0.0092	0.050	<0.0092	U	0.0092	0.050	<0.0093	U	0.0093	0.050	<0.0093	U	0.0093	0.050	<0.0093	U	0.0093	0.050	<0.0092	U	0.0092	0.050
<b>Performance Parameters (µg/L)</b>																								
Iron, total	<b>420</b>		47	100	<b>1600</b>		47	100	<47	U	47	100	<b>330</b>		47	100	<b>430</b>		47	100	<47	U	47	100
Total Suspended Solids (mg/L)	<b>8.2</b>	J	1.0	4.0	<b>70</b>		1.6	6.5	<b>5.1</b>	J+	1.0	4.0	<b>7.5</b>	J+	1.0	4.0	<b>23</b>	J	1.0	4.0	<1.0	U	1.0	4.0
<b>Field Measurements</b>																								
Dissolved Oxygen (mg/L)	7.05		0.01	0.01	6.88		0.01	0.01	7.07		0.01	0.01	8.69		0.01	0.01	--	--	--	--	--	--	--	--
Oxidation Reduction Potential (mV)	72.4		0.1	0.1	72.6		0.1	0.1	81.5		0.1	0.1	77.5		0.1	0.1	--	--	--	--	--	--	--	--
pH (S.U.)	7.46		0.01	0.01	7.57		0.01	0.01	7.59		0.01	0.01	7.59		0.01	0.01	--	--	--	--	--	--	--	--
Specific Conductance (µS/cm)	33483		0.1	0.1	35088		0.1	0.1	35617		0.1	0.1	35595		0.1	0.1	--	--	--	--	--	--	--	--
Temperature (Degrees Celsius)	22.3		0.1	0.1	23.1		0.1	0.1	24.2		0.1	0.1	23.8		0.1	0.1	--	--	--	--	--	--	--	--
Turbidity (NTU)	8.40		0.01	0.01	29.1		0.01	0.01	5.97		0.01	0.01	6.42		0.01	0.01	--	--	--	--	--	--	--	--

**Notes**  
< = Less than or equal to reporting MDL  
NS = Not sampled, insufficient water  
mV = Millivolt  
S.U. = Standard Unit

µS/cm = MicroSiemen per centimeter  
NTU = Nephelometric Turbidity Unit  
**Bold font** = Detected concentration

**Laboratory Data Qualifiers (Qual):**  
U = The analyte was not detected above the level of the sample reporting limit.  
J = Quantitation is approximate due to limitations identified during data validation.  
UJ = The analyte was not detected; the reporting limit is approximate and may be inaccurate or imprecise.  
J+ = The result is an estimated quantity; the result may be biased high.