



# 2021 CCR Annual Groundwater Monitoring and Corrective Action Report

*Mount Storm Power Station  
Phase B Landfill*

Prepared for:



**Virginia Electric and Power Company**

(d/b/a Dominion Energy Virginia)

120 Tredegar Street

Richmond, Virginia 23219

Prepared by:

**Golder Associates USA Inc.**


2108 West Laburnum Ave., Suite 200

Richmond, Virginia, USA 23227

+1 804 934-1784

Reference No. 2013993621

January 31, 2022



# Table of Contents

<b>EXECUTIVE SUMMARY .....</b>	<b>ES-1</b>
<b>1.0 INTRODUCTION .....</b>	<b>1</b>
1.1 Site Location .....	1
1.2 Site History .....	1
1.3 Key Actions .....	1
1.4 Monitoring Program Concerns .....	2
<b>2.0 SITE INFORMATION .....</b>	<b>3</b>
2.1 Monitoring Well Network .....	3
2.1.1 Monitoring Well Installation and Decommissioning Activities.....	3
2.2 Geology and Hydrogeology.....	3
2.2.1 Geology .....	3
2.2.2 Hydrogeology .....	4
2.2.3 Potentiometric Surface Evaluation .....	4
<b>3.0 FIELD ACTIVITIES .....</b>	<b>7</b>
<b>4.0 LABORATORY ANALYTICAL RESULTS .....</b>	<b>8</b>
4.1 2 <sup>nd</sup> Semi-Annual 2020 Assessment Monitoring Program Event .....	8
4.2 1 <sup>st</sup> Semi-Annual 2021 Assessment Monitoring Program Event.....	8
4.3 2 <sup>nd</sup> Semi-Annual 2021 Assessment Monitoring Program Event .....	8
<b>5.0 DATA QUALITY VALIDATION.....</b>	<b>9</b>
5.1 1 <sup>st</sup> Semi-Annual Compliance Event Findings.....	9
5.2 2 <sup>nd</sup> Semi-Annual Compliance Event Findings .....	9
<b>6.0 STATISTICAL EVALUATION OF GROUNDWATER DATA .....</b>	<b>10</b>
6.1 2 <sup>nd</sup> Semi-Annual 2020 Assessment Monitoring Data Evaluations .....	10
6.2 1 <sup>st</sup> Semi-Annual 2021 Assessment Monitoring Data Evaluations.....	10
6.3 2 <sup>nd</sup> Semi-Annual 2021 Assessment Monitoring Data Evaluations.....	10
<b>7.0 CONCLUSIONS .....</b>	<b>11</b>
7.1 Findings.....	11
7.2 Planned Activities.....	11

---

## Table of Contents - Continued

<b>8.0 REFERENCES .....</b>	<b>12</b>
<b>9.0 SIGNATURE SECTION .....</b>	<b>13</b>

### LIST OF TABLES

Table 1	Summary of Historical CCR Static Water Level Data
Table 2	Summary of 2 <sup>nd</sup> Semi-Annual 2020 Assessment Monitoring Program Event Data (October 2020)
Table 3	Summary of 1 <sup>st</sup> Semi-Annual 2021 Assessment Monitoring Program Event Data (April 2021)
Table 4	Summary of 2 <sup>nd</sup> Semi-Annual 2021 Assessment Monitoring Program Event Data (November 2021)

### LIST OF DRAWINGS

Drawing 1	Site Location Map
Drawing 2	Potentiometric Surface Map – April 26, 2021
Drawing 3	Potentiometric Surface Map – November 1, 2021

### LIST OF APPENDICES

Appendix A	First Semi-Annual 2021 Assessment Monitoring Program Event Field Data Sheets, Laboratory Certificates of Analysis, Chain-of-Custody Forms, and Data Validation Forms
Appendix B	Second Semi-Annual 2021 Assessment Monitoring Program Event Field Data Sheets, Laboratory Certificates of Analysis, Chain-of-Custody Forms, and Data Validation Forms
Appendix C	Second Semi-Annual 2020 Assessment Monitoring Program Event Statistical Worksheet

## EXECUTIVE SUMMARY

This *2021 CCR Annual Groundwater Monitoring and Corrective Action Report* (Report) was prepared on behalf of Virginia Electric and Power Company d/b/a Dominion Energy Virginia (Dominion Energy) for the Mt. Storm Power Station (Station) Phase B Landfill (Unit) located in Mt. Storm, West Virginia. The Unit is an active industrial landfill that accepts CCR and is therefore considered an existing landfill under Title 40 Code of Federal Regulations (CFR) Part 257.50 *et seq.* [*Disposal of Coal Combustion Residuals (CCR) from Electric Utilities* (Final Rule; Federal Register Vol. 80, No. 74, 21302-21501 on April 17, 2015, as amended)]. Pursuant to the CCR Rule, the Station operator is required to complete an *Annual Groundwater Monitoring and Corrective Action Report* (Report) by January 31 annually.

The Report documents the status of the CCR groundwater monitoring program for the Unit, summarizes key actions completed, describes issues encountered, actions taken to resolve identified concerns, and projected key activities for calendar year 2021. More specifically, this Report describes the results of the CCR Rule Assessment Monitoring Program (AMP) activities performed in 2021 to comply with CCR Rule requirements, and the progression of future sampling activities pursuant to the CCR Rule and the Unit's *Groundwater Monitoring Plan* (GMP).

In accordance with 40 CFR Part 257.90(e)(6), the following information is being provided as an overview of the current status of groundwater monitoring and corrective action for the Unit:

- i. *At the start of the current annual reporting period, whether the CCR unit was operating under the detection monitoring program in §257.94 or the assessment monitoring program in §257.95.*
  - At the start of 2021, the Unit was operating under the AMP in §257.95.
- ii. *At the end of the current annual reporting period, whether the CCR unit was operating under the detection monitoring program in §257.94 or the assessment monitoring program in §257.95.*
  - At the end of 2021, the Unit was operating under the AMP in §257.95.
- iii. *If it was determined that there was a statistically significant increase over background for one or more constituents listed in appendix III to this part pursuant to §257.94(e).*
  - (A) *Identify those constituents listed in appendix III to this part and the names of the monitoring wells associated with such an increase*
    - In 2021, there were statistically significant increases identified over background for the following Appendix III constituents at the following wells during the second semi-annual 2020 event and the first semi-annual 2021 event:
      - Fluoride – well MW-7
      - pH – wells MW-10, MW-12R, MW-13, MW-14
      - Sulfate – wells MW-7, MW-14
  - (B) *Provide the date when the assessment program was initiated for the CCR unit.*

- The Unit initiated the assessment monitoring program on April 20, 2018.
- iv. *If it was determined that there was a statistically significant level above the groundwater protection standard for one or more constituents listed in appendix IV to this part pursuant to §257.95(g)*
- (A) *Identify those constituents listed in appendix IV to this part and the names of the monitoring wells associated with such an increase*
- In 2021, there were no confirmed statistically significant increases over the groundwater protection standard.
- (B) *Provide the date when the assessment of corrective measures was initiated for the CCR unit*
- Not applicable
- (C) *Provide the date when the public meeting was held for the assessment of corrective measures for the CCR unit*
- Not applicable
- (D) *Provide the date when the assessment of corrective measures was completed for the CCR unit*
- Not applicable
- v. *Whether a remedy was selected pursuant to §257.97 during the current annual reporting period, and if so, the date of the remedy selection*
- Not applicable
- vi. *Whether remedial activities were initiated or are ongoing pursuant to §257.98 during the current annual reporting period*
- Not applicable

Based on the 2021 sampling and data analysis results, Golder recommends that Dominion Energy continue to maintain an AMP at this Unit.

## 1.0 INTRODUCTION

This *2021 CCR Annual Groundwater Monitoring and Corrective Action Report* (Report) was prepared on behalf of Virginia Electric and Power Company d/b/a Dominion Energy Virginia (Dominion Energy) for the Mt. Storm Power Station (Station) Phase B Industrial Landfill (Unit), located in Mt. Storm, West Virginia. The existing Unit is subject to the groundwater monitoring requirements in Title 40 Code of Federal Regulations (CFR) Part 257.50 *et seq.* [Disposal of Coal Combustion Residuals from Electric Utilities (CCR Rule; Federal Register Vol. 80, No. 74, 21302-21501 on April 17, 2015, as amended) (EPA, 2015, 2016, 2018, 2020a, 2020b)]. Pursuant to the CCR Rule, no later than January 31 annually, the owner or operator of a CCR Unit must prepare an annual groundwater monitoring and corrective action report for the CCR Unit documenting the status of groundwater monitoring and corrective action programs for the preceding year.

Golder Associates USA Inc. (Golder) has prepared this Report for the Unit on behalf of Dominion Energy in accordance with CCR Rule Part 257.90(e). This Report presents relevant data evaluations from the second semi-annual 2020 event that were completed in 2021, provides the monitoring data and required data evaluations for the first semi-annual CCR monitoring compliance event performed in April 2021, and provides the monitoring data for the second semi-annual CCR monitoring compliance event performed in November 2021.

### 1.1 Site Location

The Station is located at 436 Dominion Boulevard in Mt. Storm, West Virginia approximately 40 miles south-southwest of Cumberland, Maryland. The Unit is located approximately 2,500 feet to the southwest of the Station on the east side of West Virginia Highway 93 (Power Station Highway). A Site Location Map is presented as Drawing 1.

### 1.2 Site History

The Station and adjoining 1,200-acre Mt. Storm Lake were constructed in 1965. Currently, the CCR generated by the 1,600-megawatt Station is disposed of in the Unit and the adjacent Phase A Landfill, which is addressed in a separate report. The Phase B Landfill was permitted in 1986 as a 155-acre unit for disposal of fly ash and bottom ash that is not beneficially reused. Groundwater monitoring at the Unit, required under the CCR Rule, was initiated in 2016.

### 1.3 Key Actions

Key actions for this Facility to date are as follows:

- Permitted for management of CCR by the West Virginia Department of Environmental Protection (DEP) under Solid Waste/National Discharge Elimination System (NPDES) permit No. WV0110256;

- Initiated the Detection Monitoring Program (DMP) on March 15, 2016, with the collection of eight baseline/background samples and completed the background monitoring activities on August 23, 2017, pursuant to the CCR Rule [257.94(b)];
- Conducted the initial DMP compliance sampling event between October 4 and October 12, 2017, and completed the sample analyses on October 23, 2017, pursuant to the CCR Rule [257.94];
- Placed a copy of the Unit's Groundwater Monitoring Plan (GMP) documenting the design information for the monitoring wells pursuant to the CCR Rule [257.91(e)(1)] in the Station's operating record on October 17, 2017, pursuant to the CCR Rule [257.105(h)(2)];
- Certified the groundwater monitoring system pursuant to the CCR Rule [257.91(e)(1) and posted the Certification in the Station's operating record on October 17, 2017, pursuant to the CCR Rule [257.105(h)(3)]; and
- Certified the selection of a statistical method pursuant to the CCR Rule [257.93(f)(6)] and posted the Certification in the Station's operating record on October 17, 2017, pursuant to the CCR Rule [257.105(h)(4)].
- Placed a notification of a Statistically Significant Increase (SSI) over the Unit's background concentrations under the DMP in the Station's operating record on January 21, 2018;
- Conducted the initial Assessment Monitoring Program (AMP) compliance sampling event on March 19, 2018, and completed the sample analyses on April 20, 2018, pursuant to the CCR Rule [257.95(b)];
- Established groundwater protection standards (GWPS) for detected constituents in Appendix IV of Part 257 on October 17, 2018, pursuant to the CCR Rule [257.95(d)(2)];
- Conducted the first semi-annual 2021 AMP compliance sampling event on April 27-28, 2021, and completed the sample analyses on June 24, 2021 (revised June 29, 2021), pursuant to the CCR Rule [257.95(d)(1)]; and
- Conducted the second semi-annual 2021 AMP compliance sampling event on November 2-3, 2021, and completed the sample analyses on December 15, 2021 (revised December 28, 2021), pursuant to the CCR Rule [257.95(d)(1)].

## 1.4 Monitoring Program Concerns

There were no monitoring program concerns identified during the semi-annual AMP compliance events conducted in 2021.

## 2.0 SITE INFORMATION

The first power generation turbine at the Station went online in September 1965 and was followed by the second turbine in June 1966. The third turbine went online December 1973. The Station is a coal-fired power station with a generating capacity of approximately 1,600 megawatts. The Unit is located on the Station property to the southwest of the power generation facility on the southern side of West Virginia Route 48. The Unit encompasses an approximate permitted disposal area of 155 acres. The Unit is regulated under the provisions of NPDES permit No. WV0110256.

As part of the Station operations, Dominion Energy operates the Unit for CCR storage. The Unit was subject to the groundwater monitoring provisions of the CCR Rule by October 17, 2017.

### 2.1 Monitoring Well Network

The Unit's GMP (AECOM, 2017a) details the design of the CCR Rule groundwater monitoring network. As presented in the GMP, the monitoring network is comprised of two (2) upgradient/background wells (MW-22 and MWFGDW2) and six (6) downgradient monitoring wells (MW-6R, MW-7, MW-10, MW-12R, MW-13, and MW-14) designed to monitor the uppermost aquifer beneath the Unit. The groundwater monitoring well locations relative to the Unit are shown on Drawing 2.

#### 2.1.1 Monitoring Well Installation and Decommissioning Activities

No groundwater monitoring wells associated with the Unit's CCR well network were installed or decommissioned in calendar year 2021.

## 2.2 Geology and Hydrogeology

A summary of the geology and hydrogeology for the Unit and surrounding area is presented in the following sections.

### 2.2.1 Geology

As presented on the West Virginia geologic map, the Station is located within the high plateau region of the Appalachian High Plateau physiographic province (Cardwell, 1968). The high plateau area is underlain by Paleozoic sedimentary rocks (Ordovician to Mississippian age) and the rocks are folded into a sequence of north-easterly trending parallel anticlines and synclines. Locally the area is referred to as the Allegheny Mountains. The Station is located on the eastern limb of the Blackwater Anticline which parallels the Little Blackwater River.



The area is underlain by formations of the Pennsylvanian-age Conemaugh and Allegheny Groups, which include, in descending order:

- Conemaugh Group
  - Buffalo Sandstone
  - Brush Creek shale and sandstone
  - Upper and Lower Mahoning Sandstones
  - Uffington Shale
- Allegheny Group
  - Upper Freeport Coal
  - Bolivar Claystone
  - Upper Freeport Sandstone
  - Lower Freeport Coal

The near surface geology is comprised of unconsolidated colluvium sediments that locally overlie decomposed (saprolitic) sandstone and shale transitioning to fractured competent sandstone and shale interbedded with coal beds. At the Station, the upper Brush Creek and Mahoning coal beds of the Conemaugh Group are absent, while the Upper Freeport and Lower Freeport coal beds of the Allegheny Group are present. The Upper Freeport coal bed is reported to have been mined using a combination of open pit and longwall mining technology, while the Lower Freeport coal bed is reported to be unmined.

### 2.2.2 Hydrogeology

The uppermost aquifer beneath the Unit is present within the weathered sedimentary rocks and colluvial deposits, generally within 9 to 30 feet below ground surface (bgs). The uppermost aquifer is unconfined and extends vertically into the lowered fractured bedrock formations with the uppermost shale formation acting as an aquitard. The groundwater gradient and approximate groundwater flow directions in the uppermost aquifer beneath the Unit are towards the east.

### 2.2.3 Potentiometric Surface Evaluation

Historical static water level data for the Unit are summarized in Table 1. Consistent with the requirements of the CCR Rule, the rate and direction of groundwater flow within the uppermost aquifer beneath the Unit was determined after each sampling event. The Potentiometric Surface Maps presented as Drawings 2 and 3 were prepared using static water level data obtained during the first and second semi-annual AMP events on April 26 and November 1, 2021, respectively. The interpreted data indicates that the hydraulic gradient and estimated

groundwater flow direction remains consistent with previous interpretations. Based on network review and regulatory requirements, Golder believes that the groundwater monitoring wells continue to be operated and maintained so that they perform to the design specifications in the Groundwater Monitoring System Certification for the Unit (AECOM, 2017b) consistent with 40CFR Part 257.91(e)(2) of the CCR Rule.

Using the groundwater contours presented as an overlay on Drawings 2 and 3, the average hydraulic gradient for the uppermost aquifer in the study area was calculated for each monitoring event using the following equations.

The average hydraulic gradient along the ideal flow line beneath the Unit was calculated using the following equation:

$$i = h_L / L$$

Where:  $i$  = hydraulic gradient (unitless)  
 $h_L$  = head loss (elevation difference in feet)  
 $L$  = length (horizontal distance in feet)

The groundwater flow rate was calculated using the following formula:

$$V = ki / \theta$$

Where:  $V$  = Groundwater Velocity (cm/s)  
 $k$  = hydraulic conductivity (cm/s)  
 $i$  = hydraulic gradient (unitless)  
 $\theta$  = assumed porosity (unitless)

Using the estimated effective porosity value of 10% for the weathered and fractured bedrock comprising the uppermost aquifer, the estimated average hydraulic conductivity values for the different matrices of 1.41E-05 centimeters per second (geometric average of available slug test data), and the calculated gradient, the average rate of groundwater flow ( $V_{gw}$ ) for the weathered and fractured bedrock comprising the uppermost aquifer beneath the Unit was calculated and is summarized in the following table.

Groundwater Flow	Hydraulic Conductivity (k, cm/s)	Contour lines (feet amsl)	Flow Length (feet)	Average Gradient (i)	Assumed Porosity ( $\theta$ )	Estimated Groundwater Velocity	
						(cm/s)	(feet/year)
1 <sup>st</sup> Semi-Annual Assessment Monitoring Program Event (April 2021)							
$V_{gw}$	1.41E-05	3540-3280	3,663	7.10E-02	0.10	1.0E-05	10
2 <sup>nd</sup> Semi-Annual Assessment Monitoring Program Event (November 2021)							
$V_{gw}$	1.41E-05	3540-3280	3,364	7.73E-02	0.10	1.1E-05	11

As presented, the estimated average groundwater flow rate in the uppermost aquifer beneath the Unit is approximately 10 to 11 feet per year. The calculated flow rate for the events conducted in 2021 is consistent with previous calculations for the Unit.

### 3.0 FIELD ACTIVITIES

Pursuant to the requirements in 40 CFR 257.95(d)(1) two (2) semi-annual AMP events were completed in 2021 for the Unit for the constituents and parameters listed in Appendix III and Appendix IV of the CCR Rule. Summaries of the AMP sampling events are presented below.

Monitoring Event	Sample Dates	Final Laboratory Package Receipt Date
1 <sup>st</sup> Semi-Annual Assessment Monitoring Program Event	April 27-28, 2021	June 24, 2021 (revised June 29, 2021)
2 <sup>nd</sup> Semi-Annual Assessment Monitoring Program Event	November 2-3, 2021	December 15, 2021 (revised December 28, 2021)

During each of the AMP sampling events, the compliance monitoring wells were sampled in accordance with the procedures presented in the Station's GMP (AECOM, 2017a).

Samples collected during each of the sampling events were shipped via FedEx on ice in secured coolers under chain-of-custody control to Eurofins TestAmerica Laboratories Inc. (TestAmerica) in North Canton, Ohio (#210). Total dissolved solids and radium samples were then shipped to the Pittsburgh, Pennsylvania (#142) and St. Louis, Missouri (#381) locations of TestAmerica for analysis. The three (3) TestAmerica locations are West Virginia Department of Environmental Protection accredited laboratories for CCR Rule Appendix III and IV constituents analyzed.

## 4.0 LABORATORY ANALYTICAL RESULTS

Laboratory analytical results from the AMP sampling events conducted in 2021 are summarized in the following sections.

### 4.1 2<sup>nd</sup> Semi-Annual 2020 Assessment Monitoring Program Event

The groundwater samples collected during the second semi-annual 2020 AMP event were analyzed by TestAmerica for the presence of concentrations of the constituents and parameters listed in Appendix III of the CCR rule and previously detected constituents and parameters of Appendix IV of the CCR Rule. The laboratory certificates of analysis, chain-of-custody forms, and field logs for the sampling event were previously submitted in the 2020 CCR Annual Groundwater Monitoring and Corrective Action Report. A summary of the CCR sampling data for the Unit is presented in Table 2.

### 4.2 1<sup>st</sup> Semi-Annual 2021 Assessment Monitoring Program Event

The groundwater samples collected during the first semi-annual 2021 AMP event were analyzed by TestAmerica for the presence of concentrations of the constituents and parameters listed in Appendix III and Appendix IV of the CCR Rule. The laboratory certificates of analysis, chain-of-custody forms, and field logs for the sampling event are presented in Appendix A. A summary of the CCR sampling data for the Unit is presented in Table 3.

### 4.3 2<sup>nd</sup> Semi-Annual 2021 Assessment Monitoring Program Event

The groundwater samples collected during the second semi-annual 2021 AMP event were analyzed by TestAmerica for the presence of concentrations of the constituents and parameters listed in Appendix III of the CCR rule and previously detected constituents and parameters of Appendix IV of the CCR Rule. The current list of Appendix IV detects is as follows:

- |             |              |                |
|-------------|--------------|----------------|
| ■ Arsenic   | ■ Cobalt     | ■ Selenium     |
| ■ Barium    | ■ Fluoride   | ■ Thallium     |
| ■ Beryllium | ■ Lead       | ■ Total Radium |
| ■ Cadmium   | ■ Lithium    |                |
| ■ Chromium  | ■ Molybdenum |                |

The laboratory certificates of analysis, chain-of-custody forms, and field logs for the sampling event are presented in Appendix B. A summary of the CCR sampling data for the Unit is presented in Table 4.

## 5.0 DATA QUALITY VALIDATION

The Quality Assurance (QA) and quality control (QC) data provided by the laboratory for the AMP sampling events were reviewed to ensure that the analytical results met the project's data quality objectives as outlined in the Station's GMP (AECOM, 2017a). The review process was performed by Environmental Standards, Inc. (ESI) in general accordance with procedures outlined in the National Functional Guidelines for Inorganic Superfund Methods Data Review, January 2017 (EPA, 2017).

### 5.1 1<sup>st</sup> Semi-Annual Compliance Event Findings

The laboratory and field QA/QC data for the first semi-annual 2021 compliance monitoring event samples collected on April 27-28, 2021, were reviewed by ESI in accordance with EPA Protocol. Field QA/QC samples for this event included a field blank and a duplicate sample that was collected from compliance well MWFGDW2 that were collected at the Unit on April 28, 2021. These QA/QC samples were analyzed for the same constituents as the groundwater samples. Based on review of the laboratory-provided QC data and EPA guidance recommendations, the data for this sampling event were determined to meet the data quality objectives for the project and is suitable for use with the applied data qualifiers. It is noted that due to laboratory oversight, total dissolved solids (TDS) analysis for all samples were analyzed past the method holding time. All of the TDS results have been qualified as estimated (J). A copy of the data validation record is included in Appendix A.

### 5.2 2<sup>nd</sup> Semi-Annual Compliance Event Findings

The laboratory and field QA/QC data for the second semi-annual 2021 compliance monitoring event samples collected November 2-3, 2021, were reviewed by ESI in accordance with EPA Protocol. Field QA/QC samples for this event included a field blank and a duplicate sample that was collected from compliance well MW-22 that were collected at the Unit on November 3, 2021. These QA/QC samples were analyzed for the same constituents as the groundwater samples. Based on review of the laboratory-provided QC data and EPA guidance recommendations, the data for this sampling event were determined to meet the data quality objectives for the project and is suitable for use with the applied qualifiers. It is noted that several radium reported results were flagged as estimated due to blank contamination. In addition, several TDS results were qualified as estimated for analysis past the method holding time. A copy of the data validation record is included in Appendix B.

## 6.0 STATISTICAL EVALUATION OF GROUNDWATER DATA

Per 40 CFR Part 257.94(e)(1), the Unit advanced into the AMP in March 2018. Consistent with the CCR Rule requirements the 2021 monitoring results were compared to Facility background concentrations and GWPS established on October 17, 2018 and updated on September 17, 2020.

### 6.1 2<sup>nd</sup> Semi-Annual 2020 Assessment Monitoring Data Evaluations

The results from the Unit's monitoring wells were compared to established background concentrations and SSIs were identified over the Unit's background for the second semi-annual 2020 AMP sampling event. Concentrations above background are identified in Table 2.

The following potential GWPS exceedance was identified for the 2nd semi-annual 2020 AMP sampling event based on a value to-standard evaluation.

Constituent	Federal CCR GWPS	Assessment Monitoring Well	2SA2020 Concentration
Cobalt (µg/L)	6	MW-14	18

Notes: µg/L = Microgram per liter

Pursuant to 40 CFR Subpart 257.95(e,f,g), the second semi-annual 2020 results were evaluated against GWPS. Based on the potential value-to-standard exceedance, the cobalt detection at MW-14 was evaluated with a lower confidence interval statistical approach. As presented in Appendix C, a lower confidence limit of 0.450 ug/L was calculated which is less than the GWPS. Therefore, the potential cobalt GWPS exceedance has been refuted.

### 6.2 1<sup>st</sup> Semi-Annual 2021 Assessment Monitoring Data Evaluations

Pursuant to 40 CFR Subpart 257.95(e,f,g), the results from the Unit's monitoring wells were compared to updated background concentrations and SSIs were identified over the Unit's background for the first semi-annual AMP sampling event. Concentrations above background are identified in Table 3.

As presented in Table 3 there were no GWPS exceedances identified for the first semi-annual 2021 AMP sampling event.

### 6.3 2<sup>nd</sup> Semi-Annual 2021 Assessment Monitoring Data Evaluations

The data for the second semi-annual AMP sampling event are being evaluated against the established GWPS for the Unit and the Facility background concentrations in accordance with the CCR Rule timeframes. The results from those evaluations will be presented in the *2022 Annual Groundwater Monitoring and Corrective Action Report*.

## 7.0 CONCLUSIONS

### 7.1 Findings

The first semi-annual 2021 AMP compliance sampling event was completed on April 27-28, 2021, with sample analyses completed on June 24, 2021 (revised June 29, 2021). The second semi-annual 2021 AMP compliance sampling event was completed on November 2-3, 2021, with sample analyses complete on December 15, 2021 (revised December 28, 2021). These groundwater sampling and analysis activities were conducted in general accordance with the requirements of the Unit's GMP for the CCR network.

Comparisons of the laboratory analytical results from the 2020 second semi-annual and 2021 first semi-annual sampling events established GWPS identified no confirmed GWPS exceedances. Monitoring results from the second semi-annual 2021 AMP event conducted in November 2021 are being evaluated against site-specific GWPS in accordance with the applicable CCR Rule timeframe.

### 7.2 Planned Activities

Based on the results presented herein, Dominion Energy intends to complete the required data evaluations for the second semi-annual 2021 AMP sampling event within the CCR Rule prescribed timeframe and continue semi-annual groundwater monitoring activities in 2022 that are consistent with the provisions in the CCR Rule (part 257.95 *et. seq*) and the Unit's GMP.



## 8.0 REFERENCES

- AECOM. 2017a. *CCR Groundwater Monitoring Plan Phase A Landfill and Phase B Landfill, Mount Storm Power Station, Mt. Storm, West Virginia*. October.
- AECOM. 2017b. *Groundwater Monitoring System Certification per 40 CFR §257.91 (f), Mount Storm Power Station - Phase B Landfill, Mt. Storm, West Virginia*. October.
- Cardwell, D.H., R.B. Erwin, and H.P. Woodward. 1968. *Geologic Map of West Virginia, MAP-1, WV GES, 2 maps*.
- EPA (United States Environmental Protection Agency). 2015. *Federal Register*. Volume 80. No. 74. Friday April 17, 2015. Part II. Environmental Protection Agency. *40 CFR Parts 257 and 261. Hazardous and Solid Waste Management System; Disposal of Coal Combustion Residuals from Electric Utilities; Final Rule*. [EPA-HQ-RCRA-2009-0640; FRL-9919-44-OSWER]. RIN-2050-AE81. April.
- EPA. 2016. *Federal Register*. Volume 81. No. 151. Friday August 5, 2016. Part II. Environmental Protection Agency. *40 CFR Parts 257 and 261. Hazardous and Solid Waste Management System; Disposal of Coal Combustion Residuals from Electric Utilities; Final Rule*. [EPA-HQ-OLEM-2016-0274; FRL-9949-44-OLEM]. August.
- EPA. 2017. *National Functional Guidelines for Inorganic Superfund Methods Data Review*. January.
- EPA. 2018. *Federal Register*. Volume 83. No. 146. Monday July 30, 2018. Part II. Environmental Protection Agency. *40 CFR Parts 257 and 261. Hazardous and Solid Waste Management System; Disposal of Coal Combustion Residuals from Electric Utilities; Final Rule*. [EPA-HQ-OLEM-2017-0286; FRL-9981-18-OLEM]. RIN-2050-AG88. July.
- EPA. 2020a. *Federal Register*. Volume 85. No. 168. Friday, August 28, 2020. Environmental Protection Agency. *40 CFR Part 257. Hazardous and Solid Waste Management System; Disposal of Coal Combustion Residuals from Electric Utilities; A Holistic Approach to Closure Part A: Deadline To Initiate Closure*. [EPA-HQ-OLEM-2019-0172 and EPA-HQ-OLEM-2018-0524; FRL-10013-20-OLEM]. RIN-2050-AH10. August.
- EPA. 2020b. *Federal Register*. Volume 85. No. 219. Thursday, November 12, 2020. Environmental Protection Agency. *40 CFR Part 257. Hazardous and Solid Waste Management System; Disposal of CCR; A Holistic Approach to Closure Part B: Alternate Demonstration for Unlined Surface Impoundments*. [EPA-HQ-OLEM-2019-0173; FRL-10015-88-OLEM]. RIN-2050-AH11. November.

## 9.0 SIGNATURE SECTION

This 2021 Annual CCR Groundwater Monitoring and Corrective Action Report (Report) has been prepared by Golder Associates USA Inc. on behalf of Virginia Electric and Power Company d/b/a Dominion Energy Virginia (Dominion Energy) for the Mt. Storm Power Station Phase B Industrial Landfill. This Report satisfies the reporting requirements specified in Title 40 Code of Federal Regulations (CFR) Part 257.90(e) *et seq.* [*Disposal of Coal Combustion Residuals (CCR) from Electric Utilities (CCR Rule; Federal Register Vol. 80, No. 74, 21302-21501 on April 17, 2015, as amended)*].

Signature

Name & Title



Michael G. Williams, C.P.G. (VA)  
Principal, Senior Hydrogeologist



Crystal Shadle  
Senior Geologist

Golder and the G logo are trademarks of Golder Associates Corporation

[https://golderassociates.sharepoint.com/sites/142954/project files/6 deliverables/phase b/2022-1-xx 2021 phase b amr ccr/2022-01-31 mount storm phase b ccr amr.docx](https://golderassociates.sharepoint.com/sites/142954/project%20files/6%20deliverables/phase%20b/2022-1-xx%202021%20phase%20b%20amr%20ccr/2022-01-31%20mount%20storm%20phase%20b%20ccr%20amr.docx)

# TABLES

TABLE 1				
SUMMARY OF HISTORICAL CCR STATIC WATER LEVEL DATA				
MOUNT STORM POWER STATION PHASE B LANDFILL				
Monitoring Well	Top of Casing Elevation (ft ASML)	Date	Depth to Water (feet)	Static Water Level Elevation (ft AMSL)
MW-22	3569.70	03/15/2016	16.96	3552.74
		06/21/2016	18.72	3550.98
		08/23/2016	19.11	3550.59
		10/12/2016	18.55	3551.15
		04/04/2017	15.97	3553.73
		05/09/2017	15.82	3553.88
		06/20/2017	19.48	3550.22
		08/22/2017	18.79	3550.91
		10/04/2017	22.29	3547.41
		10/12/2017	23.00	3546.70
		03/19/2018	16.85	3552.85
		06/05/2018	15.74	3553.96
		10/29/2018	16.59	3553.11
		04/16/2019	18.40	3551.30
		10/28/2019	24.89	3544.81
		04/13/2020	15.79	3553.91
		10/12/2020	22.61	3547.09
04/26/2021	16.85	3552.85		
11/01/2021	19.65	3550.05		
MWFGDW2	3519.70	03/15/2016	19.48	3500.22
		06/21/2016	22.42	3497.28
		08/23/2016	20.75	3498.95
		10/12/2016	19.54	3500.16
		04/04/2017	18.43	3501.27
		05/09/2017	18.92	3500.78
		06/20/2017	22.70	3497.00
		08/22/2017	23.38	3496.32
		10/12/2017	NM	NM
		03/19/2018	19.21	3500.49
		06/05/2018	28.62	3491.08
		10/29/2018	19.55	3500.15
		04/16/2019	19.59	3500.11
		10/28/2019	20.18	3499.52
		04/13/2020	16.97	3502.73
10/12/2020	BTOP (>25.00)	<3494.70		
04/26/2021	18.50	3501.20		
11/01/2021	19.05	3500.65		

TABLE 1				
SUMMARY OF HISTORICAL CCR STATIC WATER LEVEL DATA				
MOUNT STORM POWER STATION PHASE B LANDFILL				
Monitoring Well	Top of Casing Elevation (ft ASML)	Date	Depth to Water (feet)	Static Water Level Elevation (ft AMSL)
MW-6R	3327.70	03/15/2016	61.00	3266.70
		06/21/2016	61.10	3266.60
		08/23/2016	61.20	3266.50
		10/12/2016	61.18	3266.52
		04/04/2017	61.05	3266.65
		05/09/2017	61.12	3266.58
		06/21/2017	61.20	3266.50
		08/22/2017	61.05	3266.65
		10/04/2017	61.24	3266.46
		10/11/2017	61.30	3266.40
		03/19/2018	61.11	3266.59
		06/05/2018	61.08	3266.62
		10/29/2018	61.15	3266.55
		04/15/2019	61.19	3266.51
		10/28/2019	61.46	3266.24
		04/13/2020	61.10	3266.60
		10/13/2020	61.39	3266.31
04/26/2021	61.13	3266.57		
11/01/2021	61.30	3266.40		
MW-7	3321.86	03/15/2016	26.80	3295.06
		06/21/2016	27.10	3294.76
		08/23/2016	27.50	3294.36
		10/12/2016	26.90	3294.96
		04/04/2017	26.59	3295.27
		05/08/2017	26.45	3295.41
		06/20/2017	27.19	3294.67
		08/22/2017	27.42	3294.44
		10/05/2017	27.73	3294.13
		10/12/2017	27.61	3294.25
		03/19/2018	27.02	3294.84
		06/05/2018	26.56	3295.30
		10/29/2018	26.55	3295.31
		04/15/2019	26.94	3294.92
		10/28/2019	27.49	3294.37
		04/13/2020	26.60	3295.26
		10/13/2020	27.79	3294.07
04/26/2021	26.80	3295.06		
11/01/2021	26.85	3295.01		

TABLE 1				
SUMMARY OF HISTORICAL CCR STATIC WATER LEVEL DATA				
MOUNT STORM POWER STATION PHASE B LANDFILL				
Monitoring Well	Top of Casing Elevation (ft ASML)	Date	Depth to Water (feet)	Static Water Level Elevation (ft AMSL)
MW-10	3406.82	03/15/2016	23.18	3383.64
		06/21/2016	23.70	3383.12
		08/24/2016	23.73	3383.09
		10/12/2016	23.41	3383.41
		04/04/2017	23.33	3383.49
		05/08/2017	23.22	3383.60
		06/21/2017	23.64	3383.18
		08/23/2017	23.75	3383.07
		10/05/2017	29.88	3376.94
		10/12/2017	31.56	3375.26
		03/19/2018	23.59	3383.23
		06/05/2018	23.22	3383.60
		10/29/2018	23.85	3382.97
		04/15/2019	23.24	3383.58
		10/28/2019	23.80	3383.02
		04/13/2020	22.23	3384.59
		10/12/2020	27.40	3379.42
04/26/2021	23.32	3383.50		
11/01/2021	23.12	3383.70		
MW-12R	3294.21	03/15/2016	9.40	3284.81
		06/21/2016	10.49	3283.72
		10/12/2016	10.03	3284.18
		04/05/2017	8.35	3285.86
		05/08/2017	7.60	3286.61
		06/20/2017	17.23	3276.98
		08/22/2017	19.35	3274.86
		08/23/2017	17.79	3276.42
		10/11/2017	21.82	3272.39
		03/19/2018	11.68	3282.53
		06/05/2018	7.56	3286.65
		10/29/2018	7.54	3286.67
		04/15/2019	10.14	3284.07
		10/28/2019	12.78	3281.43
		04/13/2020	6.67	3287.54
10/13/2020	19.02	3275.19		
04/26/2021	10.60	3283.61		
11/01/2021	6.74	3287.47		

TABLE 1				
SUMMARY OF HISTORICAL CCR STATIC WATER LEVEL DATA				
MOUNT STORM POWER STATION PHASE B LANDFILL				
Monitoring Well	Top of Casing Elevation (ft ASML)	Date	Depth to Water (feet)	Static Water Level Elevation (ft AMSL)
MW-13	3313.10	03/15/2016	20.41	3292.69
		06/21/2016	21.85	3291.25
		08/23/2016	24.36	3288.74
		10/12/2016	21.58	3291.52
		04/04/2017	19.63	3293.47
		05/08/2017	19.62	3293.48
		06/20/2017	22.79	3290.31
		08/22/2017	23.11	3289.99
		10/04/2017	26.10	3287.00
		10/12/2017	26.14	3286.96
		03/19/2018	21.73	3291.37
		06/05/2018	19.75	3293.35
		10/29/2018	19.63	3293.47
		04/15/2019	20.23	3292.87
		10/28/2019	22.78	3290.32
		04/13/2020	18.49	3294.61
10/13/2020	25.89	3287.21		
04/26/2021	20.79	3292.31		
11/01/2021	19.77	3293.33		
MW-14	3304.48	03/15/2016	22.24	3282.24
		06/21/2016	24.91	3279.57
		08/23/2016	30.21	3274.27
		10/12/2016	23.64	3280.84
		04/05/2017	20.48	3284.00
		05/08/2017	20.02	3284.46
		06/20/2017	29.82	3274.66
		08/22/2017	29.55	3274.93
		10/04/2017	34.53	3269.95
		10/12/2017	35.32	3269.16
		03/19/2018	25.66	3278.82
		06/05/2018	20.46	3284.02
		10/29/2018	21.41	3283.07
		04/15/2019	24.30	3280.18
		10/28/2019	33.83	3270.65
		04/13/2020	21.44	3283.04
10/13/2020	35.74	3268.74		
04/26/2021	23.78	3280.70		
11/01/2021	23.33	3281.15		
Notes:	ft - Feet			
	ft msl - Feet Above Mean Sea Level			
	BTOP - Below Top of Pump			
	NM - Not measured			





**Table 3**  
**Summary of 1st Semi-Annual 2021 Assessment Monitoring Program Event Data (April 2021)**  
**Phase B Landfill, Mount Storm Power Station**

Parameter Name	Units	CCR Site-Specific BKGD	CCR GWPS	Background Wells																Downgradient Wells																Lab Quality Control				Field Quality Control			
				MW-22 4/28/2021				MWFGDW2 4/28/2021				MW-06R 4/27/2021				MW-07 4/28/2021				MW-10 4/28/2021				MW-12R 4/27/2021				MW-13 4/28/2021				MW-14 4/28/2021				MWFGDW2 DUP 4/28/2021				Field Blank 4/28/2021			
				Result	Qual	MDL	RL	Result	Qual	MDL	RL	Result	Qual	MDL	RL	Result	Qual	MDL	RL	Result	Qual	MDL	RL	Result	Qual	MDL	RL	Result	Qual	MDL	RL	Result	Qual	MDL	RL	Result	Qual	MDL	RL	Result	Qual	MDL	RL
<b>CCR Appendix III Constituents</b>																																											
Boron	ug/L	QL (100)	--	< 23 U	23	100	< 23 U	23	100	< 23 U	23	100	< 23 U	23	100	< 23 U	23	100	< 23 U	23	100	< 23 U	23	100	< 23 U	23	100	< 23 U	23	100	< 23 U	23	100	< 23 U	23	100	< 23 U	23	100				
Calcium	ug/L	120000	--	82000	580	1000	39000	580	1000	68000	580	1000	52000	580	1000	3600	580	1000	< 580 U	580	1000	6400	580	1000	9300	580	1000	38000	580	1000	< 580 U	580	1000	< 580 U	580	1000	< 580 U	580	1000				
Chloride	ug/L	2477	--	880 J	280	1000	920 J	280	1000	450 J	280	1000	900 J	280	1000	610 J	280	1000	470 J	280	1000	580 J	280	1000	390 J	280	1000	1000	280	1000	< 280 U	280	1000	< 280 U	280	1000	< 280 U	280	1000				
Fluoride	mg/L	0.114	4.0	0.044 J	0.024	0.050	0.070	0.024	0.050	0.089	0.024	0.050	0.12	0.024	0.050	0.046 J	0.024	0.050	< 0.024 U	0.024	0.050	0.039 J	0.024	0.050	0.069	0.024	0.050	0.072	0.024	0.050	< 0.024 U	0.024	0.050	< 0.024 U	0.024	0.050	< 0.024 U	0.024	0.050				
pH	SU	6.10 - 8.52	--	6.59	0.01	0.01	6.55	0.01	0.01	6.98	0.01	0.01	7.13	0.01	0.01	4.57	0.01	0.01	4.49	0.01	0.01	4.70	0.01	0.01	4.94	0.01	0.01	--	--	--	--	--	--	--	--	--	--	--					
Sulfate	ug/L	47750	--	25000	350	1000	41000	350	1000	11000	350	1000	54000	350	1000	9400	350	1000	33000	350	1000	33000	350	1000	43000	350	1000	41000	350	1000	< 350 U	350	1000	< 350 U	350	1000	< 350 U	350	1000				
Total Dissolved Solids	mg/L	380	--	270 J	10	10	140 J	10	10	240 J	10	10	200 J	10	10	33 J	10	10	16 J	10	10	59 J	10	10	57 J	10	10	150 J	10	10	< 10 UJ	10	10	< 10 UJ	10	10	< 10 UJ	10	10				
<b>CCR Appendix IV Constituents</b>																																											
Antimony	ug/L	QL (2)	--	< 0.57 U	0.57	2.0	< 0.57 U	0.57	2.0	< 0.57 U	0.57	2.0	< 0.57 U	0.57	2.0	< 0.57 U	0.57	2.0	< 0.57 U	0.57	2.0	< 0.57 U	0.57	2.0	< 0.57 U	0.57	2.0	< 0.57 U	0.57	2.0	< 0.57 U	0.57	2.0	< 0.57 U	0.57	2.0	< 0.57 U	0.57	2.0				
Arsenic	ug/L	QL (5)	10	< 0.75 U	0.75	5.0	< 0.75 U	0.75	5.0	< 0.75 U	0.75	5.0	< 0.75 U	0.75	5.0	< 0.75 U	0.75	5.0	< 0.75 U	0.75	5.0	< 0.75 U	0.75	5.0	< 0.75 U	0.75	5.0	< 0.75 U	0.75	5.0	< 0.75 U	0.75	5.0	< 0.75 U	0.75	5.0	< 0.75 U	0.75	5.0				
Barium	ug/L	495.8	2000	220	2.2	5.0	210	2.2	5.0	350	2.2	5.0	96	2.2	5.0	120	2.2	5.0	14	2.2	5.0	72	2.2	5.0	67	2.2	5.0	210	2.2	5.0	< 2.2 U	2.2	5.0	< 2.2 U	2.2	5.0	< 2.2 U	2.2	5.0				
Beryllium	ug/L	1.6	4	0.48 J	0.31	1.0	< 0.31 U	0.31	1.0	< 0.31 U	0.31	1.0	< 0.31 U	0.31	1.0	0.37 J	0.31	1.0	< 0.31 U	0.31	1.0	0.63 J	0.31	1.0	0.39 J	0.31	1.0	< 0.31 U	0.31	1.0	< 0.31 U	0.31	1.0	< 0.31 U	0.31	1.0	< 0.31 U	0.31	1.0				
Cadmium	ug/L	QL (3)	5	< 0.20 U	0.20	1.0	< 0.20 U	0.20	1.0	< 0.20 U	0.20	1.0	< 0.20 U	0.20	1.0	0.23 J	0.20	1.0	< 0.20 U	0.20	1.0	0.34 J	0.20	1.0	< 0.20 U	0.20	1.0	< 0.20 U	0.20	1.0	< 0.20 U	0.20	1.0	< 0.20 U	0.20	1.0	< 0.20 U	0.20	1.0				
Chromium	ug/L	QL (5)	100	< 0.98 U	0.98	2.0	< 0.98 U	0.98	2.0	< 0.98 U	0.98	2.0	< 0.98 U	0.98	2.0	< 0.98 U	0.98	2.0	< 0.98 U	0.98	2.0	< 0.98 U	0.98	2.0	< 0.98 U	0.98	2.0	< 0.98 U	0.98	2.0	< 0.98 U	0.98	2.0	< 0.98 U	0.98	2.0	< 0.98 U	0.98	2.0				
Cobalt	ug/L	QL (5)	6	0.49 J	0.19	1.0	< 0.19 U	0.19	1.0	0.26 J	0.19	1.0	0.34 J	0.19	1.0	0.39 J	0.19	1.0	1.4	0.19	1.0	1.3	0.19	1.0	0.21 J	0.19	1.0	< 0.19 U	0.19	1.0	< 0.19 U	0.19	1.0	< 0.19 U	0.19	1.0	< 0.19 U	0.19	1.0				
Fluoride	ug/L	114	4000	44 J	24	50	70	24	50	89	24	50	120	24	50	46 J	24	50	< 24 U	24	50	39 J	24	50	69	24	50	72	24	50	< 24 U	24	50	< 24 U	24	50	< 24 U	24	50				
Lead	ug/L	6.3	15	< 0.45 U	0.45	1.0	< 0.45 U	0.45	1.0	< 0.45 U	0.45	1.0	< 0.45 U	0.45	1.0	< 0.45 U	0.45	1.0	< 0.45 U	0.45	1.0	< 0.45 U	0.45	1.0	< 0.45 U	0.45	1.0	< 0.45 U	0.45	1.0	< 0.45 U	0.45	1.0	< 0.45 U	0.45	1.0	< 0.45 U	0.45	1.0				
Lithium	ug/L	QL (50)	40	6.9 J	1.7	8.0	6.1 J	1.7	8.0	< 1.7 U	1.7	8.0	< 1.7 U	1.7	8.0	< 1.7 U	1.7	8.0	< 1.7 U	1.7	8.0	2.7 J	1.7	8.0	2.6 J	1.7	8.0	5.1 J	1.7	8.0	< 1.7 U	1.7	8.0	< 1.7 U	1.7	8.0	< 1.7 U	1.7	8.0				
Mercury	ug/L	QL (0.2)	--	< 0.13 U	0.13	0.20	< 0.13 U	0.13	0.20	< 0.13 U	0.13	0.20	< 0.13 U	0.13	0.20	< 0.13 U	0.13	0.20	< 0.13 U	0.13	0.20	< 0.13 U	0.13	0.20	< 0.13 U	0.13	0.20	< 0.13 U	0.13	0.20	< 0.13 U	0.13	0.20	< 0.13 U	0.13	0.20	< 0.13 U	0.13	0.20				
Molybdenum	ug/L	20	--	< 1.1 U	1.1	10	< 1.1 U	1.1	10	< 1.1 U	1.1	10	< 1.1 U	1.1	10	< 1.1 U	1.1	10	< 1.1 U	1.1	10	< 1.1 U	1.1	10	< 1.1 U	1.1	10	< 1.1 U	1.1	10	< 1.1 U	1.1	10	< 1.1 U	1.1	10	< 1.1 U	1.1	10				
Selenium	ug/L	QL (5)	50	< 0.89 U	0.89	5.0	< 0.89 U	0.89	5.0	< 0.89 U	0.89	5.0	< 0.89 U	0.89	5.0	< 0.89 U	0.89	5.0	< 0.89 U	0.89	5.0	< 0.89 U	0.89	5.0	< 0.89 U	0.89	5.0	< 0.89 U	0.89	5.0	< 0.89 U	0.89	5.0	< 0.89 U	0.89	5.0	< 0.89 U	0.89	5.0				
Thallium	ug/L	QL (1)	2	0.64 J	0.20	1.0	0.32 J	0.20	1.0	< 0.20 U	0.20	1.0	< 0.20 U	0.20	1.0	< 0.20 U	0.20	1.0	< 0.20 U	0.20	1.0	< 0.20 U	0.20	1.0	< 0.20 U	0.20	1.0	< 0.20 U	0.20	1.0	< 0.20 U	0.20	1.0	< 0.20 U	0.20	1.0	< 0.20 U	0.20	1.0				
Radium 226 and 228 (combined)	pCi/L	QL (5)	5	0.263 U	--	--	0.160 U	--	--	0.598 J	--	--	0.766	--	--	0.380 J	--	--	0.501 U	--	--	0.658 J	--	--	0.673 J	--	--	0.408 U	--	--	< 0.0614 U	--	--	< 0.0614 U	--	--	< 0.0614 U	--	--				
<b>Field Parameters</b>																																											
Conductivity	uS/cm	--	--	482.1	0.1	0.1	279.5	0.1	0.1	447.9	0.1	0.1	366.5	0.1	0.1	47.6	0.1	0.1	26.4	0.1	0.1	95.8	0.1	0.1	119.8	0.1	0.1	--	--	--	--	--	--	--	--	--	--	--					
Depth to Water*	ft btoc	--	--	16.85	0.01	0.01	18.5	0.01	0.01	61.13	0.01	0.01	26.80	0.01	0.01	23.32	0.01	0.01	10.60	0.01	0.01	20.79	0.01	0.01	23.78	0.01	0.01	--	--	--	--	--	--	--	--	--	--	--					
Dissolved Oxygen	mg/L	--	--	2.89	0.01	0.01	6.20	0.01	0.01	1.18	0.01	0.01	0.47	0.01	0.01	6.22	0.01	0.01	9.29	0.01	0.01	2.74	0.01	0.01	2.40	0.01	0.01	--	--	--	--	--	--	--	--	--	--	--					
Groundwater Elevation*	ft msl	--	--	3552.85	0.01	0.01	3501.2	0.01	0.01	3266.57	0.01	0.01	3295.06	0.01	0.01	3383.50	0.01	0.01	3283.61	0.01	0.01	3292.31	0.01	0.01	3280.70	0.01	0.01	--	--	--	--	--	--	--	--	--	--	--					
Oxidation Reduction Potential	millivolts	--	--	248.6	0.1	0.1	104.9	0.1	0.1	195.9	0.1	0.1	43.4	0.1	0.1	198.8	0.1	0.1	317.8	0.1	0.1	338.4	0.1	0.1	289.9	0.1	0.1	--	--	--	--	--	--	--	--	--	--	--					
Temperature	C	--	--	9.4	0.01	0.01	8.4	0.01	0.01	10.7	0.01	0.01	10.0	0.01	0.01	10.1	0.01	0.01	8.6	0.01	0.01	11.1	0.01	0.01	11.3	0.01	0.01	--	--	--	--	--	--	--	--	--	--	--					
Turbidity	NTU	--	--	5.8	0.1	0.1	1.6	0.1	0.1	23.41	0.1	0.1	7.46	0.1	0.1	8.20	0.1	0.1	9.58	0.1	0.1	9.7	0.1	0.1	5.5	0.1	0.1	--	--	--	--	--	--	--	--	--	--	--					

**Notes:**

BKGD = Background  
CCR = Coal Combustion Residuals  
GWPS = Groundwater Protection Standards  
QL = Quantitation Limit  
MDL = Method Detection Limit  
RL = Reporting Limit  
mg/L = Milligram per liter  
ug/L = Microgram per liter  
pCi/L = picoCurie per liter  
uS/cm = MicroSiemen per centimeter  
SU = Standard Units  
C = Degrees Celsius  
NTU = Nephelometric Turbidity Unit  
ft btoc = feet below top of casing  
ft msl = feet above mean sea level  
**Bold font = Detected laboratory constituent**  
\* - Groundwater Elevation data collected on April 26, 2021

**Qualifiers (Qual):**

J = Quantitation is approximate due to limitations identified during data validation.  
U = The analyte was analyzed for, but was not detected above the level of the reported sample quantitation limit.  
UJ = This analyte was not detected, but the reporting limit may or may not be higher due to a bias identified during data validation.  
  = Concentration greater than site-specific background  
  = Concentration greater than CCR GWPS and site background

**Table 4**  
**Summary of 2nd Semi-Annual 2021 Assessment Monitoring Program Event Data (November 2021)**  
**Phase B Landfill, Mount Storm Power Station**


Sample ID: Sample Date:	Units	Background Wells																Downgradient Wells												Field Quality Control											
		MW-22 11/3/2021				MWFGDW2 11/3/2021				MW-06R 11/2/2021				MW-07 11/3/2021				MW-10 11/3/2021				MW-12R 11/2/2021				MW-13 11/3/2021				MW-14 11/3/2021				MW-22 - DUP <sup>(1)</sup> 11/3/2021				Field Blank 11/3/2021			
		Result	Qual	MDL	RL	Result	Qual	MDL	RL	Result	Qual	MDL	RL	Result	Qual	MDL	RL	Result	Qual	MDL	RL	Result	Qual	MDL	RL	Result	Qual	MDL	RL	Result	Qual	MDL	RL	Result	Qual	MDL	RL				
<b>CCR Appendix III Constituents</b>																																									
Boron	mg/L	< 0.057	U	0.057	0.10	< 0.057	U	0.057	0.10	< 0.057	U	0.057	0.10	< 0.057	U	0.057	0.10	< 0.057	U	0.057	0.10	< 0.057	U	0.057	0.10	< 0.057	U	0.057	0.10	0.060	J	0.057	0.10	< 0.057	U	0.057	0.10				
Calcium	mg/L	<b>100</b>		0.58	1.0	<b>54</b>		0.58	1.0	<b>71.0</b>		0.58	1.0	<b>55</b>		0.58	1.0	<b>3.8</b>		0.58	1.0	<b>6.7</b>		0.58	1.0	<b>10</b>		0.58	1.0	<b>100</b>		0.58	1.0	< 0.58	U	0.58	1.0				
Chloride	mg/L	<b>0.63</b>	J	0.28	1.0	<b>0.64</b>	J	0.28	1.0	<b>0.42</b>	J	0.28	1.0	<b>0.73</b>	J	0.28	1.0	<b>0.53</b>	J	0.28	1.0	<b>0.52</b>	J	0.28	1.0	< 0.28	U	0.28	1.0	<b>0.33</b>	J	0.28	1.0	<b>0.63</b>	J	0.28	1.0	< 0.28	U	0.28	1.0
Fluoride	mg/L	<b>0.035</b>	J	0.024	0.050	<b>0.062</b>	J	0.024	0.050	<b>0.082</b>	J	0.024	0.050	<b>0.090</b>	J	0.024	0.050	<b>0.028</b>	J	0.024	0.050	< 0.024	U	0.024	0.050	< 0.024	U	0.024	0.050	<b>0.045</b>	J	0.024	0.050	<b>0.033</b>	J	0.024	0.050	< 0.024	U	0.024	0.050
pH	SU	6.57		0.01	0.01	6.48		0.01	0.01	6.57		0.01	0.01	6.44		0.01	0.01	4.42		0.01	0.01	4.34		0.01	0.01	4.56		0.01	0.01	4.78		0.01	0.01	--		--		< 0.01	U	0.01	0.01
Sulfate	mg/L	<b>25</b>		0.35	1.0	<b>36</b>		0.35	1.0	<b>9.3</b>		0.35	1.0	<b>52</b>		0.35	1.0	<b>7.7</b>		0.35	1.0	<b>4.2</b>		0.35	1.0	< 0.35	U	0.35	1.0	<b>43</b>		0.35	1.0	<b>25</b>		0.35	1.0	< 0.35	U	0.35	1.0
Total Dissolved Solids	mg/L	<b>340</b>		10	10	<b>200</b>		10	10	<b>230</b>	J	10	10	<b>210</b>		10	10	<b>36</b>		10	10	<b>17</b>	J	10	10	<b>58</b>		10	10	<b>79</b>		10	10	--		--		< 10	U	10	10
<b>Detected CCR Appendix IV Constituents</b>																																									
Arsenic	ug/L	< 0.75	U	0.75	5.0	< 0.75	U	0.75	5.0	< 0.75	U	0.75	5.0	< 0.75	U	0.75	5.0	< 0.75	U	0.75	5.0	< 0.75	U	0.75	5.0	< 0.75	U	0.75	5.0	< 0.75	U	0.75	5.0	< 0.75	U	0.75	5.0	< 0.75	U	0.75	5.0
Barium	ug/L	<b>310</b>		2.2	5.0	<b>260</b>		2.2	5.0	<b>370</b>		2.2	5.0	<b>99</b>		2.2	5.0	<b>130</b>		2.2	5.0	<b>14</b>		2.2	5.0	<b>80</b>		2.2	5.0	<b>58</b>		2.2	5.0	<b>320</b>		2.2	5.0	< 2.2	U	2.2	5.0
Beryllium	ug/L	< 0.62	U	0.62	1.0	< 0.62	U	0.62	1.0	< 0.62	U	0.62	1.0	< 0.62	U	0.62	1.0	< 0.62	U	0.62	1.0	< 0.62	U	0.62	1.0	<b>0.64</b>	J	0.62	1.0	< 0.62	U	0.62	1.0	< 0.62	U	0.62	1.0	< 0.62	U	0.62	1.0
Cadmium	ug/L	< 0.20	U	0.20	1.0	0.35	J	0.20	1.0	< 0.20	U	0.20	1.0	< 0.20	U	0.20	1.0	<b>0.33</b>	J	0.20	1.0	< 0.20	U	0.20	1.0	<b>0.44</b>	J	0.20	1.0	<b>0.25</b>	J	0.20	1.0	< 0.20	U	0.20	1.0	< 0.20	U	0.20	1.0
Chromium	ug/L	< 2.5	U	2.5	5.0	< 2.5	U	2.5	5.0	< 2.5	U	2.5	5.0	< 2.5	U	2.5	5.0	< 2.5	U	2.5	5.0	< 2.5	U	2.5	5.0	< 2.5	U	2.5	5.0	< 2.5	U	2.5	5.0	< 2.5	U	2.5	5.0	< 2.5	U	2.5	5.0
Cobalt	ug/L	<b>0.30</b>	J	0.19	1.0	0.31	J	0.19	1.0	<b>0.22</b>	J	0.19	1.0	<b>0.26</b>	J	0.19	1.0	<b>4.2</b>		0.19	1.0	<b>1.3</b>		0.19	1.0	<b>1.2</b>		0.19	1.0	<b>0.73</b>	J	0.19	1.0	< 0.19	U	0.19	1.0	< 0.19	U	0.19	1.0
Fluoride	mg/L	<b>0.035</b>	J	0.024	0.050	<b>0.062</b>	J	0.024	0.050	<b>0.082</b>	J	0.024	0.050	<b>0.090</b>	J	0.024	0.050	<b>0.028</b>	J	0.024	0.050	< 0.024	U	0.024	0.050	< 0.024	U	0.024	0.050	<b>0.045</b>	J	0.024	0.050	<b>0.033</b>	J	0.024	0.050	< 0.024	U	0.024	0.050
Lead	ug/L	< 0.45	U	0.45	1.0	< 0.45	U	0.45	1.0	< 0.45	U	0.45	1.0	< 0.45	U	0.45	1.0	< 0.45	U	0.45	1.0	< 0.45	U	0.45	1.0	< 0.45	U	0.45	1.0	< 0.45	U	0.45	1.0	< 0.45	U	0.45	1.0	< 0.45	U	0.45	1.0
Lithium	ug/L	<b>8.3</b>		1.7	8.0	<b>8.3</b>	J	1.7	8.0	<b>2.9</b>	J	1.7	8.0	<b>2.6</b>	J	1.7	8.0	<b>1.8</b>	J	1.7	8.0	< 1.7	U	1.7	8.0	<b>3.9</b>	J	1.7	8.0	<b>4.7</b>	J	1.7	8.0	<b>8.4</b>		1.7	8.0	< 1.7	U	1.7	8.0
Molybdenum	ug/L	< 1.1	U	1.1	5.0	< 1.1	U	1.1	5.0	< 1.1	U	1.1	5.0	< 1.1	U	1.1	5.0	< 1.1	U	1.1	5.0	< 1.1	U	1.1	5.0	< 1.1	U	1.1	5.0	< 1.1	U	1.1	5.0	--		--		< 1.1	U	1.1	5.0
Selenium	ug/L	< 0.89	U	0.89	5.0	1.1	J	0.89	5.0	< 0.89	U	0.89	5.0	< 0.89	U	0.89	5.0	< 0.89	U	0.89	5.0	< 0.89	U	0.89	5.0	< 0.89	U	0.89	5.0	< 0.89	U	0.89	5.0	< 0.89	U	0.89	5.0	< 0.89	U	0.89	5.0
Thallium	ug/L	<b>0.48</b>	J	0.20	1.0	0.83	J	0.20	1.0	< 0.20	U	0.20	1.0	<b>0.21</b>	J	0.20	1.0	< 0.20	U	0.20	1.0	< 0.20	U	0.20	1.0	< 0.20	U	0.20	1.0	< 0.20	U	0.20	1.0	< 0.20	U	0.20	1.0	< 0.20	U	0.20	1.0
Radium 226 and 228 (combined)	pCi/L	0.164	U	--	--	0.567	U	--	--	<b>3.03</b>	J	--	--	0.347	U	--	--	<b>1.27</b>	J	--	--	<b>2.16</b>	J	--	--	<b>1.29</b>	J	--	--	<b>0.969</b>	J	--	--	0.507	U	--	--	<b>0.807</b>	J	--	--
<b>Field Parameters</b>																																									
Conductivity	uS/cm	589		0.1	0.1	341.0		0.1	0.1	548		0.1	0.1	480.7		0.1	0.1	109.7		0.1	0.1	75.8		0.1	0.1	91.3		0.1	0.1	120.9		0.1	0.1	--		--		--		--	
Depth to Water*	ft btoc	19.65		0.01	0.01	19.05		0.01	0.01	61.30		0.01	0.01	26.85		0.01	0.01	23.12		0.01	0.01	6.74		0.01	0.01	19.77		0.01	0.01	23.33		0.01	0.01	--		--		--		--	
Dissolved Oxygen	mg/L	2.33		0.01	0.01	3.83		0.01	0.01	3.30		0.01	0.01	2.49		0.01	0.01	2.56		0.01	0.01	9.37		0.01	0.01	2.63		0.01	0.01	4.96		0.01	0.01	--		--		--		--	
Groundwater Elevation*	ft msl	3550.05		0.01	0.01	3500.65		0.01	0.01	3266.40		0.01	0.01	3295.01		0.01	0.01	3383.70		0.01	0.01	3287.47		0.01	0.01	3293.33		0.01	0.01	3281.15		0.01	0.01	--		--		--		--	
Oxidation Reduction Potential	millivolts	238.7		0.1	0.1	238.7		0.1	0.1	149.4		0.1	0.1	68.2		0.1	0.1	194.1		0.1	0.1	308.7		0.1	0.1	383.0		0.1	0.1	353.8		0.1	0.1	--		--		--		--	
Temperature	C	8.7		0.01	0.01	11.6		0.01	0.01	5.6		0.01	0.01	5.5		0.01	0.01	6.1		0.01	0.01	6.8		0.01	0.01	10.6		0.01	0.01	10.2		0.01	0.01	--		--		--		--	
Turbidity	NTU	9.5		0.1	0.1	0.2		0.1	0.1	1.91		0.1	0.1	1.30		0.1	0.1	1.56		0.1	0.1	5.58		0.1	0.1	9.4		0.1	0.1	9.6		0.1	0.1	--		--		--		--	

**Notes:**  
MDL = Method Detection Limit  
RL = Reporting Limit  
mg/L = Milligram per liter  
ug/L = Microgram per liter  
pCi/L = picoCurie per liter  
uS/cm = MicroSiemen per centimeter  
SU = Standard Units  
C = Degrees Celsius  
NTU = Nephelometric Turbidity Unit  
ft btoc = feet below top of casing  
ft msl = feet above mean sea level  
CCR = Coal Combustion Residuals  
QL = Laboratory quantitation limit (value shown in parentheses is a recent QL and is subject to change)  
\* - Groundwater Elevation data collected on November 1, 2021  
(\*" symbol indicates depth to water is located below indicated top of sample pump elevation)  
**Bold font = Detected constituent**

**Qualifiers (Qual):**  
J = Estimated Result  
U = Radiological sample not detected above the Minimum Detection Concentration


(1) - Field duplicate analyzed with Phase A lab package #2401595192

# DRAWINGS



**REFERENCE**

BASE MAP CONSISTS OF USGS TOPOGRAPHIC QUADRANGLES  
MOUNT STORM LAKE AND GREENLAND GAP, WEST VIRGINIA, DATED 2016.



CLIENT  
**DOMINION ENERGY**

PROJECT  
**MOUNT STORM POWER STATION  
PHASE B LANDFILL**

CONSULTANT

YYYY-MM-DD 2018-12-28

DESIGNED -

PREPARED BPG

REVIEWED MGW

APPROVED MGW

TITLE  
**SITE LOCATION MAP**


PROJECT NO.  
20139936

REV.  
0

DRAWING  
1



Path: G:\Plant Production Data Files\Drawing Data Files\20-13993621\0 - GW Map\Active Drawings\20-13993621.DWG




**LEGEND**

- APPROXIMATE LANDFILL BOUNDARY
- APPROXIMATE STREAM CENTERLINE
- POTENTIOMETRIC SURFACE CONTOUR
- APPROXIMATE GROUNDWATER FLOW LINE
- GROUNDWATER FLOW PATH LENGTH (FEET)
- EXISTING GROUNDWATER MONITORING WELL LOCATION AND IDENTIFICATION
- STATIC GROUNDWATER ELEVATION FOR APRIL 26, 2021 (FEET ABOVE MEAN SEA LEVEL)

**REFERENCE**

1. AERIAL IMAGE TAKEN FROM GOOGLE EARTH PRO ON 05/14/2018. MAP DATA BY: GOOGLE, IMAGERY DATE: 11/19/2013
2. GROUNDWATER CONTOURS BASED ON LINEAR INTERPOLATION BETWEEN AND EXTRAPOLATION FROM KNOWN DATUM, TOPOGRAPHIC CONTOURS, AND KNOWN FIELD CONDITIONS. THEREFORE, GROUNDWATER CONTOURS MAY NOT REFLECT ACTUAL GROUNDWATER CONDITIONS.
3. GROUNDWATER CONTOUR LINES SHOW THE WATER TABLE SHAPE AND ELEVATION. THESE CONTOURS ARE INFERRED LINES FOLLOWING THE GROUNDWATER SURFACE AT A CONSTANT ELEVATION ABOVE SEA LEVEL. THE GROUNDWATER FLOW DIRECTION IS GENERALLY PERPENDICULAR TO THE GROUNDWATER SURFACE CONTOURS, SIMILAR TO THE RELATIONSHIP BETWEEN SURFACE WATER FLOW AND TOPOGRAPHIC CONTOURS.



CLIENT  
DOMINION ENERGY

CONSULTANT	2021-12-08
DESIGNED	MGW
PREPARED	SIB
REVIEWED	MGW
APPROVED	MGW



PROJECT  
MOUNT STORM POWER STATION  
PHASE B LANDFILL

TITLE  
POTENTIOMETRIC SURFACE MAP  
APRIL 26, 2021


PROJECT NO.  
20-13993621

REV.  
0

DRAWING  
2

1" = 1000' IF THIS MEASUREMENT DOES NOT MATCH WHAT IS SHOWN, THE SHEET SIZE HAS BEEN MODIFIED FROM ANSI B

Path: G:\Plant Production Data Files\Drawing Data Files\20-13993621\DWG - GW Map\Active Drawings\20-13993621.DWG




**LEGEND**

- APPROXIMATE LANDFILL BOUNDARY
- APPROXIMATE STREAM CENTERLINE
- POTENTIOMETRIC SURFACE CONTOUR
- APPROXIMATE GROUNDWATER FLOW LINE
- GROUNDWATER FLOW PATH LENGTH (FEET)
- EXISTING GROUNDWATER MONITORING WELL LOCATION AND IDENTIFICATION
- STATIC GROUNDWATER ELEVATION FOR NOVEMBER 01, 2021 (FEET ABOVE MEAN SEA LEVEL)

**REFERENCE**

1. AERIAL IMAGE TAKEN FROM GOOGLE EARTH PRO ON 05/14/2018. MAP DATA BY: GOOGLE, IMAGERY DATE: 11/19/2013
2. GROUNDWATER CONTOURS BASED ON LINEAR INTERPOLATION BETWEEN AND EXTRAPOLATION FROM KNOWN DATUM, TOPOGRAPHIC CONTOURS, AND KNOWN FIELD CONDITIONS. THEREFORE, GROUNDWATER CONTOURS MAY NOT REFLECT ACTUAL GROUNDWATER CONDITIONS.
3. GROUNDWATER CONTOUR LINES SHOW THE WATER TABLE SHAPE AND ELEVATION. THESE CONTOURS ARE INFERRED LINES FOLLOWING THE GROUNDWATER SURFACE AT A CONSTANT ELEVATION ABOVE SEA LEVEL. THE GROUNDWATER FLOW DIRECTION IS GENERALLY PERPENDICULAR TO THE GROUNDWATER SURFACE CONTOURS, SIMILAR TO THE RELATIONSHIP BETWEEN SURFACE WATER FLOW AND TOPOGRAPHIC CONTOURS.



CLIENT  
DOMINION ENERGY

YYYY-MM-DD	2021-12-08
DESIGNED	MGW
PREPARED	SIB
REVIEWED	MGW
APPROVED	MGW



PROJECT  
MOUNT STORM POWER STATION  
PHASE B LANDFILL

TITLE  
POTENTIOMETRIC SURFACE MAP  
NOVEMBER 01, 2021

PROJECT NO.  
20-13993621

REV. 0 DRAWING 3

1" IF THIS MEASUREMENT DOES NOT MATCH WHAT IS SHOWN, THE SHEET SIZE HAS BEEN MODIFIED FROM ANSI B

# **APPENDIX A**

**FIRST SEMI-ANNUAL 2021  
ASSESSMENT MONITORING  
PROGRAM EVENT FIELD DATA  
SHEETS, LABORATORY  
CERTIFICATES OF ANALYSIS,  
CHAIN-OF-CUSTODY FORMS, AND  
DATA VALIDATION FORMS**



Date: 4/26/21

**WELL GAUGING LOG**

Project Name: MSPS Phase A&B

Project No./Task No.: 2013993621

Sampler(s): John England, Collin Megee

Equipment: Water Level Indicator

Well ID	Personnel (initials)	Time	DTW (feet)	DTB (feet)	Well Condition Summary				
					Protective Casing	Well Casing	Label	Lock	Pad Condition
MW-22	JE	1520	16.85	-	OK Damaged	OK Damaged	OK Inadequate	Yes No	OK Damaged
MWFGDW2	JE	1652	18.50	-	OK Damaged	OK Damaged	OK Inadequate	Yes No	OK Damaged
MW-5	CM	1531	36.37	-	XOK Damaged	XOK Damaged	XOK Inadequate	X Yes No	XOK Damaged
MW-6R	CM	1633	61.13	-	XOK Damaged	XOK Damaged	XOK Inadequate	X Yes No	XOK Damaged
MW-7	CM	1610	20.80	-	XOK Damaged	XOK Damaged	XOK Inadequate	X Yes No	XOK Damaged
MW-8	CM	1502	17.97	-	XOK Damaged	XOK Damaged	XOK Inadequate	X Yes No	XOK Damaged
MW-10	CM	1542	23.32	-	XOK Damaged	XOK Damaged	XOK Inadequate	X Yes No	XOK Damaged
MW-12R	CM	1706	10.60	-	XOK Damaged	XOK Damaged	XOK Inadequate	X Yes No	XOK Damaged
MW-13	CM	1617	20.79	-	XOK Damaged	XOK Damaged	XOK Inadequate	X Yes No	XOK Damaged
MW-14	CM	1610	23.78	-	XOK Damaged	XOK Damaged	XOK Inadequate	X Yes No	XOK Damaged
MWFGDW3	CM	1436	13.20	-	XOK Damaged	XOK Damaged	XOK Inadequate	X Yes No	XOK Damaged
MWFGDW4	CM	1428	20.60	-	XOK Damaged	XOK Damaged	XOK Inadequate	X Yes No	XOK Damaged
MWFGDW5	JE	1439	0.00	-	OK Damaged	OK Damaged	OK Inadequate	Yes No	OK Damaged
MWFGDW6	JE	1425	18.00	-	OK Damaged	OK Damaged	OK Inadequate	Yes No	OK Damaged
					OK Damaged	OK Damaged	OK Inadequate	Yes No	OK Damaged
					OK Damaged	OK Damaged	OK Inadequate	Yes No	OK Damaged
					OK Damaged	OK Damaged	OK Inadequate	Yes No	OK Damaged

Observations/Notes: MW-6R - pad is cracked

Signature: [Signature]  
 QA/QC Signature: [Signature]

Date: 4/26/21  
 Date: 4/26/21  
 Page 1 of 1







# GOLDER

## MICROPURGE SAMPLING LOG

Date: 04/27/21Weather: Sunny 70sProject Name: Mt. Storm PSProject No./Task No.: 2.013993621Event: 15A2021 NPDES T Phase BCCRSampler(s): C. MegoeWell ID: MW-6RField Calibration Completed: 04/27/21 @ 0805Well Diameter: 2.0 inchesInitial Depth to Water: 61.10 feetDepth to Bottom: - feetWater Column Thickness: - feet

Equipment Used:  WL Indicator  Turbidity Meter  Air Tank  Dedicated Bladder Pump  
 YSI 956 D94 18L166401  Peristaltic Pump  Compressor  Non-dedicated BP  
 In-Situ -  MP-10 Controller Box  MP-15 Controller Box  -

Time (5 minute int.)	pH (S.U.)	Sp. Cond. (uS/cm) <sup>°C</sup>	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Temp. (°C)	ORP (mV)	DTW (feet)	Flow Rate (mL/min)
Stabilization	+/- 0.1	+/- 3%	if >10, +/- 10%	+/- 10%	+/- 1°C	+/- 10 mV	<0.3 feet	<500
1612	6.47	463.7	28.60	2.84	11.0	223.7	61.40	~400
1615	6.54	462.6	25.08	3.18	10.9	222.0	61.71	~400
1618	6.69	460.5	25.04	3.31	11.0	219.3	61.63	~400
1621	6.78	459.8	24.47	3.07	10.8	215.0	61.70	~400
1624	6.79	457.4	23.61	2.81	10.7	213.5	61.75	~400
1627	6.86	456.0	21.98	2.31	10.9	210.2	61.73	~400
1630	6.88	453.4	23.81	2.03	10.9	207.8	61.75	~400
1633	6.88	451.4	24.65	1.79	11.0	206.4	61.74	~400
1636	6.94	449.2	23.51	1.54	10.8	202.8	61.78	~400
1639	6.95	449.7	22.09	1.39	10.9	200.4	61.70	~400
1642	6.97	448.9	23.35	1.27	10.9	198.0	61.73	~400
1645	6.98	447.9	23.41	1.18	10.7	195.9	61.76	~400
1650			SAMPLE					
1725	7.19	468.0	21.19	1.41	11.3	130.6	61.60	~400

Purge Cycle (End) 20/16m 24/6seconds @ 40 psi Flow Rate (ml/min End): ~400Purge volume (gallons) prior to stabilization monitoring (3/8" I.D. Tube: Vol=Depth to Pump x 0.006 gal/ft): ~20.5Total Purge Volume (Gallons): ~5.0 Purge Water Management: Onsite Containment D.U.SPurge Observations (color, odor, turbidity, sheen): Clear grab samplePurge time: 1606Sample Time: 1650Field Filtered (0.45um):  Yes  NoSample Parameters/Analyte(s):  VSWMR Table 3.1 Column A VOCs  VSWMR Table 3.1 Column A Metals VSWMR Table 3.1 Column B Other: B, Co, Cl, Hg, Ni, Pb, Se, Tl, Radon 226/228, Diss (Al), Sb, As, Ba, Be, Bi, Cd, Cu, Fe, Pb, Mn, Ni, Se, Tl), Cl, Cr, Td, NO2 + NO3 - N, SO4, NH4 - N Tot, TDS, TSSOther Observations / Equipment Operation Problems: Co, Pb, Li, Hg, Mo, Se, Tl, Radon 226/228, Diss (Al), Sb, As, Ba, Be, Bi, Cd, Cu, Fe, Pb, Mn, Ni, Se, Tl), Cl, Cr, Td, NO2 + NO3 - N, SO4, NH4 - N Tot, TDS, TSSSampler Signature: [Signature]Date: 4/26/21Page 1 of 1QA/QC Signature: [Signature]Date: 5/10/21





# MICROPURGE SAMPLING LOG

Date: 2<sup>nd</sup> 04/28/21

Weather: Cloudy, Cloudy, 70's

GOLDER

Project Name: Mt. Storm PS

Project No./Task No.: 2013943621

Event: ISA 2021 NPDES A+B/Phase A+BCCR

Sampler(s): C. Meyer

Well ID: MW-10

Field Calibration Completed: 04/28/21 @ 0755

Well Diameter: 2.0 inches

Initial Depth to Water: 23.9' feet

Depth to Bottom: — feet

Water Column Thickness: — feet

- Equipment Used:
- WL Indicator
  - Turbidity Meter
  - Air Tank
  - Dedicated Bladder Pump
  - YSI 710 DSS 142100401
  - Peristaltic Pump
  - Compressor
  - Non-dedicated BP
  - In-Situ —
  - MP-10 Controller Box
  - MP-15 Controller Box
  -

Time (5 minute int.)	pH (S.U.)	Sp. Cond. (uS/cm) <sup>oC</sup>	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Temp. (°C)	ORP (mV)	DTW (feet)	Flow Rate (mL/min)	
Stabilization	+/- 0.1	+/- 3%	if >10, +/- 10%	+/- 10%	+/- 1°C	+/- 10 mV	<0.3 feet	<500	
1300	5.44	80.9	37.96	1.35	10.1	152.1	24.72	~300	
1303	5.15	66.8	25.34	0.65	9.9	134.9	25.34	~350	
1306	4.91	55.4	18.98	0.59	9.8	145.2	25.73	~350	
1309	4.76	51.1	17.74	2.53	9.8	155.6	26.13	~350	
1312	4.68	49.3	19.43	4.70	9.7	164.7	26.28	~350	
1315	4.64	48.4	15.74	5.62	9.8	171.5	26.36	~350	
1318	4.61	48.1	13.54	5.92	9.8	176.7	27.25	~350	
1321	4.58	47.8	13.09	6.11	9.8	183.0	27.92	~350	
1324	4.59	47.8	12.51	6.17	9.6	184.5	28.10	~350	
1327	4.58	47.7	13.32	6.16	9.8	188.0	28.80	~350	
1330	4.57	47.6	12.75	6.14	9.7	191.4	29.54	~350	
<del>1330</del> 1333	4.59	47.7	12.37	6.03	9.8	193.1	30.03	~350	
1336	4.57	47.6	8.20	6.22	10.1	198.8	30.53	~350	
1341				SAMPLE					
1403	4.65	48.7	6.04	5.73	10.0	211.6	34.14	~350	

Purge Cycle (End): 24/6 Seconds @ 38 psi Flow Rate (ml/min End): ~350

Purge volume (gallons) prior to stabilization monitoring (3/8" I.D. Tube: Vol=Depth to Pump x 0.006 gal/ft): ~0.35

Total Purge Volume (Gallons): ~4.5 Purge Water Management: On site O.H.S

Purge Observations (color, odor, turbidity, sheen): Clear grab sample w/ small amount of Pt<sup>4+</sup>

Purge time: 1255 orange floating solids

Sample Time: 1341 Field Filtered (0.45um):  Yes  No

- Sample Parameters/Analyte(s):
- Petro (DRO)
  - CCR Appendix III
  - CCR Appendix IV
  - Closed 5-year NPDES (Diss [Ba, Bo, Fe, Mn], SO4, TDS, TSS)
  - Phase A&B NPDES (Diss [Al, Sb, As, Ba, Be, Bo, Cd, Cu, Fe, Pb, Mn, Hg, Ni, Se, Ti], Cr Tot, NO2+NO3 N, SO4, NH3-N Tot, TDS, TSS)
  - Variance (Diss [Be, Cd, Cr, Pb, Ni])
  - LWSP IV Detects (As, Ba, Be, Cd, Cr, Co, Pb, Mo, Ti, Rad 226-228)
  - Phase A IV Detects (As, Ba, Be, Cd, Cr, Co, Pb, Li, Se, Rad 226-228)
  - Phase B IV Detects (As, Ba, Be, Cd, Cr, Co, Pb, Li, Mo, Se, Ti, Rad 226-228)

Other Observations / Equipment Operation Problems: \_\_\_\_\_

DTP = 58.51'

Sampler Signature: [Signature] Date: 04/28/21 Page 1 of 1

QA/QC Signature: John England Date: 5/10/21



Date: 4/27/21

Weather: Sunny 70s

Project Name: Mt. Storm Ps Project No./Task No.: 2013993620  
 Event: ISA 2021 NPDES + Phase B CCR Sampler(s): C. Megee  
 Well ID: MW-12R Field Calibration Completed: 4/28/21 @ 0805  
 Well Diameter: 2.0 inches Initial Depth to Water: 10.30 feet  
 Depth to Bottom: \_\_\_\_\_ feet Water Column Thickness: \_\_\_\_\_ feet  
 Equipment Used:  WL Indicator  Turbidity Meter  Air Tank  Dedicated Bladder Pump  
 YSI pro DSS 15 L 1004P  Peristaltic Pump  Compressor  Non-dedicated BP  
 In-Situ \_\_\_\_\_  MP-10 Controller Box  MP-15 Controller Box  \_\_\_\_\_

Time (5 minute int.)	pH (S.U.)	Sp. Cond. (uS/cm) <sup>25°C</sup>	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Temp. (°C)	ORP (mV)	DTW (feet)	Flow Rate (mL/min)
Stabilization	+/- 0.1	+/- 3%	if >10, +/- 10%	+/- 10%	+/- 1°C	+/- 10 mV	<0.3 feet	<500
1435 ~ 1345	4.62	26.6	73.99	9.31	8.4	294.8	10.35	~300
1450	4.52	26.3	30.66	9.28	8.4	300.2	10.28	~300
1455	4.53	26.3	26.72	9.35	8.4	302.6	10.33	~300
1400	4.53	24.87	24.87	9.32	8.5	305.8	10.27	~300
1405	4.53	26.3	21.62	9.36	8.6	308.2	10.30	~300
1410	4.51	26.3	12.94	9.36	12.2	312.0	10.35	~300
1415	4.52	25.9	15.54	9.35	10.4	312.3	10.35	~300
1420	4.51	26.4	13.20	9.25	8.7	314.2	10.26	~300
1425	4.51	26.4	12.17	9.29	8.5	316.6	10.28	~300
1430	4.49	26.4	9.58	9.29	8.6	317.8	10.33	~300
1435				SAMPLE				
1513	4.53	26.9	5.85	9.37	4.2	326.4	10.32	~300

Purge Cycle (End): 24/6 seconds @ 18 psi Flow Rate (ml/min End): ~300  
 Purge volume (gallons) prior to stabilization monitoring (3/8" I.D. Tube: Vol=Depth to Pump x 0.006 gal/ft): ~0.25  
 Total Purge Volume (Gallons): ~4.0 Purge Water Management: On-site containment & D.W.S  
 Purge Observations (color, odor, turbidity, sheen): Clear grab sample  
 Purge time: 1340  
 Sample Time: 1435 Field Filtered (0.45um):  Yes  No

Sample Parameters/Analyte(s):  VSWMR Table 3.1 Column A VOCs  VSWMR Table 3.1 Column A Metals  
 VSWMR Table 3.1 Column B  
 Other: Be, Ca, Cl, pH(E<sub>20</sub>), SO<sub>4</sub>, TDS, Fluoride, Sb, As, Ba, Be, Cd, Chromium

Other Observations / Equipment Operation Problems: Co, Pb, Li, Hg, Mo, Se, Tl, Radium 226/228, Diss/Al, Sb, As, Ba, Be, Bo, Cd, Cu, Fe, Pb, Mn, Hg, Ni, Se, Tl) CT, Cr Tot, NO<sub>2</sub>+NO<sub>3</sub>-N, SO<sub>4</sub>, NH<sub>3</sub>-N, TDS, TSS

Sampler Signature: [Signature] Date: 4/27/21 Page 1 of 1  
 QA/QC Signature: [Signature] Date: 5/10/21











MICROPURGE SAMPLING LOG

Date: 4/28/21
Weather: Cloudy 60s

GOLDER

Project Name: Mt. Storm Project No./Task No.: 2013993621
Event: ISA21 Sampler(s): J. England
Well ID: Dup Field Calibration Completed: 4/28/21 @ 0755
Well Diameter: inches Initial Depth to Water: feet
Depth to Bottom: feet Water Column Thickness: feet
Equipment Used: [ ] WL Indicator [ ] Turbidity Meter [ ] Air Tank [ ] Dedicated Bladder Pump
[ ] YSI [ ] Peristaltic Pump [ ] Compressor [ ] Non-dedicated BP
[ ] In-Situ [ ] MP-10 Controller Box [ ] MP-15 Controller Box

Table with 9 columns: Time (5 minute int.), pH (S.U.), Sp. Cond. (uS/cm), Turbidity (NTU), Dissolved Oxygen (mg/L), Temp. (C), ORP (mV), DTW (feet), Flow Rate (mL/min). Row 1: Stabilization, +/- 0.1, +/- 3%, if >10, +/- 10%, +/- 10%, +/- 1C, +/- 10 mV, <0.3 feet, <500. Row 2: 1200, SAMPLLED.

Purge Cycle (End): @ psi Flow Rate (ml/min End):
Purge volume (gallons) prior to stabilization monitoring (3/8" I.D. Tube: Vol=Depth to Pump x 0.006 gal/ft):
Total Purge Volume (Gallons): Purge Water Management:
Purge Observations (color, odor, turbidity, sheen): Clear grab sample at MWFDGW2

Sample Time: 1200 Field Filtered (0.45um): [x] Yes [ ] No
Sample Parameters/Analyte(s): [ ] Petro (DRO) [x] CCR Appendix III [x] CCR Appendix IV
[ ] Closed 5-year NPDES (Diss [Ba, Bo, Fe, Mn], [x] Phase A&B NPDES (Diss [Al, Sb, As, Ba, Be, Bo, Cd, Cu, Fe, Pb, Mn, Hg, Ni, Se, Tl], Cl, SO4, TDS, TSS) Cr Tot, NO2+NO3 N, SO4, NH3-N Tot, TDS, TSS)
[ ] Variance (Diss [Be, Cd, Cr, [ ] LVWSP IV Detects (As, Ba, Be, Cd, [ ] Phase A IV Detects (As, Ba, [ ] Cd, Cr, Co, Phase B IV Detects (As, Ba, Be, Cd, Cr, Co, Pb, Li, Mo, Se, Pb, Ni)) Cr, Co, Pb, Mo, Tl, Rad 226-228) Pb, Li, Se, Rad 226-228) Tl, Rad 226-228)

Other Observations / Equipment Operation Problems:

Sampler Signature: John England Date: 4/28/21 Page 1 of 1
QA/QC Signature: Date: 5/10/21



## ANALYTICAL REPORT

Eurofins TestAmerica, Canton  
4101 Shuffel Street NW  
North Canton, OH 44720  
Tel: (330)497-9396

Laboratory Job ID: 240-148924-2

Laboratory Sample Delivery Group: Mount Storm Phase B CCR  
Client Project/Site: Mount Storm Phase B CCR  
Revision: 1

**For:**

Dominion Energy Services, Inc.  
5000 Dominion Blvd  
Glen Allen, Virginia 23060

Attn: Kelly Hicks

*Roxanne Cisneros*

Authorized for release by:  
6/29/2021 11:12:13 AM

Roxanne Cisneros, Senior Project Manager  
(615)301-5761

[roxanne.cisneros@Eurofinset.com](mailto:roxanne.cisneros@Eurofinset.com)

### LINKS

Review your project  
results through  
**TotalAccess**

Have a Question?



Visit us at:

[www.eurofinsus.com/Env](http://www.eurofinsus.com/Env)

*This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.*

*Results relate only to the items tested and the sample(s) as received by the laboratory.*

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15



# Table of Contents

Cover Page . . . . .	1
Table of Contents . . . . .	2
Definitions/Glossary . . . . .	3
Case Narrative . . . . .	4
Method Summary . . . . .	6
Sample Summary . . . . .	7
Detection Summary . . . . .	8
Client Sample Results . . . . .	11
Tracer Carrier Summary . . . . .	31
QC Sample Results . . . . .	32
QC Association Summary . . . . .	40
Lab Chronicle . . . . .	44
Certification Summary . . . . .	49
Chain of Custody . . . . .	50
Receipt Checklists . . . . .	68

# Definitions/Glossary

Client: Dominion Energy Services, Inc.  
Project/Site: Mount Storm Phase B CCR

Job ID: 240-148924-2  
SDG: Mount Storm Phase B CCR

## Qualifiers

### Metals

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

### General Chemistry

Qualifier	Qualifier Description
H	Sample was prepped or analyzed beyond the specified holding time
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

### Rad

Qualifier	Qualifier Description
U	Result is less than the sample detection limit.
X	Carrier is outside acceptance limits.

## Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

# Case Narrative

Client: Dominion Energy Services, Inc.  
Project/Site: Mount Storm Phase B CCR

Job ID: 240-148924-2  
SDG: Mount Storm Phase B CCR

## Job ID: 240-148924-2

### Laboratory: Eurofins TestAmerica, Canton

#### Narrative

#### Job Narrative 240-148924-2

#### Comments

Revised Report 6/29/2021 to include Lithium QC.

#### Receipt

The samples were received on 4/30/2021 10:20 AM. Unless otherwise noted below, the samples arrived in good condition, and where required, properly preserved and on ice. The temperatures of the 9 coolers at receipt time were 0.8° C, 2.7° C, 3.8° C, 4.4° C, 4.4° C, 4.9° C, 4.9° C, 5.0° C and 5.4° C.

#### RAD

Method PrecSep\_0: Ra-228 Prep Batch 160-510116: Insufficient sample volume was available to perform a sample duplicate (DUP) for the following samples: 042821NMW22 (240-148924-1), 042821NMWFGDW2 (240-148924-2), 042821NMWFGDW2 (240-148924-2[MSJ]), 042821NMWFGDW2 (240-148924-2[MSD]), 042821NMW10 (240-148924-5), 042821FB (240-148924-7), 042821FD (240-148924-8), 042721NMW6R (240-148924-9), 042821NMW7 (240-148924-10), 042721NMW12R (240-148924-11), 042821NMW13 (240-148924-12) and 042821NMW14 (240-148924-13). A laboratory control sample/ laboratory control sample duplicate (LCS/LCSD) were prepared instead to demonstrate batch precision.

Method PrecSep-21: Ra-226 Prep Batch 160-510114: Insufficient sample volume was available to perform a sample duplicate (DUP) for the following samples: 042821NMW22 (240-148924-1), 042821NMWFGDW2 (240-148924-2), 042821NMWFGDW2 (240-148924-2[MSJ]), 042821NMWFGDW2 (240-148924-2[MSD]), 042821NMW10 (240-148924-5), 042821FB (240-148924-7), 042821FD (240-148924-8), 042721NMW6R (240-148924-9), 042821NMW7 (240-148924-10), 042721NMW12R (240-148924-11), 042821NMW13 (240-148924-12) and 042821NMW14 (240-148924-13). A laboratory control sample/ laboratory control sample duplicate (LCS/LCSD) were prepared instead to demonstrate batch precision.

Method PrecSep\_0: Ra-228 Prep Batch 160-510116: During the in-growth process, the following samples needed to be filtered due to sediment present in the sample: 042821NMW22 (240-148924-1), 042821NMWFGDW2 (240-148924-2), 042821NMWFGDW2 (240-148924-2[MSJ]), 042821NMWFGDW2 (240-148924-2[MSD]), 042721NMW6R (240-148924-9), 042721NMW12R (240-148924-11), 042821NMW13 (240-148924-12) and 042821NMW14 (240-148924-13). This is an indicator of matrix interference.

Method PrecSep-21: Ra-226 Prep Batch 160-510114: During the in-growth process, the following samples needed to be filtered due to sediment present in the sample: 042821NMW22 (240-148924-1), 042821NMWFGDW2 (240-148924-2), 042821NMWFGDW2 (240-148924-2[MSJ]), 042821NMWFGDW2 (240-148924-2[MSD]), 042721NMW6R (240-148924-9), 042721NMW12R (240-148924-11), 042821NMW13 (240-148924-12) and 042821NMW14 (240-148924-13). This is an indicator of matrix interference.

Methods 9320: Radium-228 Batch 510116: Any minimum detectable concentration (MDC), critical value (DLC), or Safe Drinking Water Act detection limit (SDWA DL) is sample-specific unless otherwise stated elsewhere in this narrative. Radiochemistry sample results are reported with the count date/time applied as the Activity Reference Date. 042821NMW22 (240-148924-1), 042821NMWFGDW2 (240-148924-2), 042821NMWFGDW2 (240-148924-2[MSJ]), 042821NMWFGDW2 (240-148924-2[MSD]), 042821NMW10 (240-148924-5), 042821FB (240-148924-7), 042821FD (240-148924-8), 042721NMW6R (240-148924-9), 042821NMW7 (240-148924-10), 042721NMW12R (240-148924-11), 042821NMW13 (240-148924-12), 042821NMW14 (240-148924-13), (LCS 160-510116/1-A), (LCSD 160-510116/2-A) and (MB 160-510116/23-A)

Method 9320: Radium-228 prep batch 160-510116: The following sample had a Yttrium carrier recovery above the 110% QC limit. The sample results are below the MDC and RL. The Yttrium carrier recovery has been truncated to 100% to reduce any potential bias a high carrier recovery may have. The data have been qualified and reported. 042821NMWFGDW2 (240-148924-2)

Method PrecSep\_0: Ra-228 Batch 160-514287: Insufficient sample volume was available to perform a sample duplicate (DUP) for the following samples: 042821NMW22 (240-148924-1). A laboratory control sample/ laboratory control sample duplicate (LCS/LCSD) were prepared instead to demonstrate batch precision.

Methods 9315: Radium 226 prep batch 160-510114: Any minimum detectable concentration (MDC), critical value (DLC), or Safe Drinking Water Act detection limit (SDWA DL) is sample-specific unless otherwise stated elsewhere in this narrative. Radiochemistry sample results are reported with the count date/time applied as the Activity Reference Date.

# Case Narrative

Client: Dominion Energy Services, Inc.  
Project/Site: Mount Storm Phase B CCR

Job ID: 240-148924-2  
SDG: Mount Storm Phase B CCR

## Job ID: 240-148924-2 (Continued)

### Laboratory: Eurofins TestAmerica, Canton (Continued)

042821NMW22 (240-148924-1), 042821NMWFGDW2 (240-148924-2), 042821NMWFGDW2 (240-148924-2[MSJ]), 042821NMWFGDW2 (240-148924-2[MSD]), 042821NMW10 (240-148924-5), 042821FB (240-148924-7), 042821FD (240-148924-8), 042721NMW6R (240-148924-9), 042821NMW7 (240-148924-10), 042721NMW12R (240-148924-11), 042821NMW13 (240-148924-12), 042821NMW14 (240-148924-13), (LCS 160-510114/1-A), (LCSD 160-510114/2-A) and (MB 160-510114/23-A)

Method 9320: Radium-228 Batch 514287: Any minimum detectable concentration (MDC), critical value (DLC), or Safe Drinking Water Act detection limit (SDWA DL) is sample-specific unless otherwise stated elsewhere in this narrative. Radiochemistry sample results are reported with the count date/time applied as the Activity Reference Date. 042821NMW22 (240-148924-1), (LCS 160-514287/1-A), (LCSD 160-514287/2-A) and (MB 160-514287/4-A)

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

### Metals

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

### General Chemistry

Method SM 2540C: The following sample(s) was received with less than 2 days remaining on the holding time or less than one shift (8 hours) remaining on a test with a holding time of 48 hours or less. As such, the laboratory had insufficient time remaining to perform the analysis within holding time: 042821NMW22 (240-148924-1), 042821NMWFGDW2 (240-148924-2), 042821FB (240-148924-7), 042821FD (240-148924-8), 042721NMW6R (240-148924-9), 042821NMW7 (240-148924-10), 042821NMW13 (240-148924-12) and 042821NMW14 (240-148924-13).

Method SM 2540C: The following sample(s) was received with less than 2 days remaining on the holding time or less than one shift (8 hours) remaining on a test with a holding time of 48 hours or less. As such, the laboratory had insufficient time remaining to perform the analysis within holding time: 042821NMW10 (240-148924-5) and 042721NMW12R (240-148924-11).

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

# Method Summary

Client: Dominion Energy Services, Inc.  
Project/Site: Mount Storm Phase B CCR

Job ID: 240-148924-2  
SDG: Mount Storm Phase B CCR

Method	Method Description	Protocol	Laboratory
6010D	Metals (ICP)	SW846	TAL CAN
6020B	Metals (ICP/MS)	SW846	TAL CAN
7470A	Mercury (CVAA)	SW846	TAL CAN
9056A	Anions, Ion Chromatography	SW846	TAL CAN
SM 2540C	Solids, Total Dissolved (TDS)	SM	TAL PIT
9315	Radium-226 (GFPC)	SW846	TAL SL
9320	Radium-228 (GFPC)	SW846	TAL SL
Ra226_Ra228	Combined Radium-226 and Radium-228	TAL-STL	TAL SL
Pos			
3005A	Preparation, Total Recoverable or Dissolved Metals	SW846	TAL CAN
7470A	Preparation, Mercury	SW846	TAL CAN
PrecSep_0	Preparation, Precipitate Separation	None	TAL SL
PrecSep-21	Preparation, Precipitate Separation (21-Day In-Growth)	None	TAL SL

#### Protocol References:

None = None

SM = "Standard Methods For The Examination Of Water And Wastewater"

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

TAL-STL = TestAmerica Laboratories, St. Louis, Facility Standard Operating Procedure.

#### Laboratory References:

TAL CAN = Eurofins TestAmerica, Canton, 4101 Shuffel Street NW, North Canton, OH 44720, TEL (330)497-9396

TAL PIT = Eurofins TestAmerica, Pittsburgh, 301 Alpha Drive, RIDC Park, Pittsburgh, PA 15238, TEL (412)963-7058

TAL SL = Eurofins TestAmerica, St. Louis, 13715 Rider Trail North, Earth City, MO 63045, TEL (314)298-8566



# Sample Summary

Client: Dominion Energy Services, Inc.  
Project/Site: Mount Storm Phase B CCR

Job ID: 240-148924-2  
SDG: Mount Storm Phase B CCR

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Asset ID
240-148924-1	042821NMW22	Water	04/28/21 09:20	04/30/21 10:20	
240-148924-2	042821NMWFGDW2	Water	04/28/21 10:40	04/30/21 10:20	
240-148924-5	042821NMW10	Water	04/28/21 13:41	04/30/21 10:20	
240-148924-7	042821FB	Water	04/28/21 16:00	04/30/21 10:20	
240-148924-8	042821FD	Water	04/28/21 12:00	04/30/21 10:20	
240-148924-9	042721NMW6R	Water	04/27/21 16:50	04/30/21 10:20	
240-148924-10	042821NMW7	Water	04/28/21 15:04	04/30/21 10:20	
240-148924-11	042721NMW12R	Water	04/27/21 14:35	04/30/21 10:20	
240-148924-12	042821NMW13	Water	04/28/21 15:20	04/30/21 10:20	
240-148924-13	042821NMW14	Water	04/28/21 13:55	04/30/21 10:20	

# Detection Summary

Client: Dominion Energy Services, Inc.  
Project/Site: Mount Storm Phase B CCR

Job ID: 240-148924-2  
SDG: Mount Storm Phase B CCR

## Client Sample ID: 042821NMW22

## Lab Sample ID: 240-148924-1

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Barium	220		5.0	2.2	ug/L	1		6020B	Total Recoverable
Beryllium	0.48	J	1.0	0.31	ug/L	1		6020B	Total Recoverable
Calcium	82000		1000	580	ug/L	1		6020B	Total Recoverable
Cobalt	0.49	J	1.0	0.19	ug/L	1		6020B	Total Recoverable
Lithium	6.9	J	8.0	1.7	ug/L	1		6020B	Total Recoverable
Thallium	0.64	J	1.0	0.20	ug/L	1		6020B	Total Recoverable
Chloride	880	J	1000	280	ug/L	1		9056A	Total/NA
Fluoride	44	J	50	24	ug/L	1		9056A	Total/NA
Sulfate	25000		1000	350	ug/L	1		9056A	Total/NA
Total Dissolved Solids	270	H	10	10	mg/L	1		SM 2540C	Total/NA

## Client Sample ID: 042821NMWFGDW2

## Lab Sample ID: 240-148924-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Barium	210		5.0	2.2	ug/L	1		6020B	Total Recoverable
Calcium	39000		1000	580	ug/L	1		6020B	Total Recoverable
Lithium	6.1	J	8.0	1.7	ug/L	1		6020B	Total Recoverable
Thallium	0.32	J	1.0	0.20	ug/L	1		6020B	Total Recoverable
Chloride	920	J	1000	280	ug/L	1		9056A	Total/NA
Fluoride	70		50	24	ug/L	1		9056A	Total/NA
Sulfate	41000		1000	350	ug/L	1		9056A	Total/NA
Total Dissolved Solids	140	H	10	10	mg/L	1		SM 2540C	Total/NA

## Client Sample ID: 042821NMW10

## Lab Sample ID: 240-148924-5

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Barium	120		5.0	2.2	ug/L	1		6020B	Total Recoverable
Beryllium	0.37	J	1.0	0.31	ug/L	1		6020B	Total Recoverable
Cadmium	0.23	J	1.0	0.20	ug/L	1		6020B	Total Recoverable
Calcium	3600		1000	580	ug/L	1		6020B	Total Recoverable
Cobalt	0.39	J	1.0	0.19	ug/L	1		6020B	Total Recoverable
Chloride	610	J	1000	280	ug/L	1		9056A	Total/NA
Fluoride	46	J	50	24	ug/L	1		9056A	Total/NA
Sulfate	9400		1000	350	ug/L	1		9056A	Total/NA
Total Dissolved Solids	33	H	10	10	mg/L	1		SM 2540C	Total/NA

## Client Sample ID: 042821FB

## Lab Sample ID: 240-148924-7

No Detections.

This Detection Summary does not include radiochemical test results.

Eurofins TestAmerica, Canton

# Detection Summary

Client: Dominion Energy Services, Inc.  
Project/Site: Mount Storm Phase B CCR

Job ID: 240-148924-2  
SDG: Mount Storm Phase B CCR

## Client Sample ID: 042821FD

## Lab Sample ID: 240-148924-8

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Barium	210		5.0	2.2	ug/L	1		6020B	Total Recoverable
Calcium	38000		1000	580	ug/L	1		6020B	Total Recoverable
Lithium	5.1	J	8.0	1.7	ug/L	1		6020B	Total Recoverable
Chloride	1000		1000	280	ug/L	1		9056A	Total/NA
Fluoride	72		50	24	ug/L	1		9056A	Total/NA
Sulfate	41000		1000	350	ug/L	1		9056A	Total/NA
Total Dissolved Solids	150	H	10	10	mg/L	1		SM 2540C	Total/NA

## Client Sample ID: 042721NMW6R

## Lab Sample ID: 240-148924-9

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Barium	350		5.0	2.2	ug/L	1		6020B	Total Recoverable
Calcium	68000		1000	580	ug/L	1		6020B	Total Recoverable
Cobalt	0.26	J	1.0	0.19	ug/L	1		6020B	Total Recoverable
Chloride	450	J	1000	280	ug/L	1		9056A	Total/NA
Fluoride	89		50	24	ug/L	1		9056A	Total/NA
Sulfate	11000		1000	350	ug/L	1		9056A	Total/NA
Total Dissolved Solids	240	H	10	10	mg/L	1		SM 2540C	Total/NA

## Client Sample ID: 042821NMW7

## Lab Sample ID: 240-148924-10

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Barium	96		5.0	2.2	ug/L	1		6020B	Total Recoverable
Calcium	52000		1000	580	ug/L	1		6020B	Total Recoverable
Cobalt	0.34	J	1.0	0.19	ug/L	1		6020B	Total Recoverable
Chloride	900	J	1000	280	ug/L	1		9056A	Total/NA
Fluoride	120		50	24	ug/L	1		9056A	Total/NA
Sulfate	54000		1000	350	ug/L	1		9056A	Total/NA
Total Dissolved Solids	200	H	10	10	mg/L	1		SM 2540C	Total/NA

## Client Sample ID: 042721NMW12R

## Lab Sample ID: 240-148924-11

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Barium	14		5.0	2.2	ug/L	1		6020B	Total Recoverable
Cobalt	1.4		1.0	0.19	ug/L	1		6020B	Total Recoverable
Chloride	470	J	1000	280	ug/L	1		9056A	Total/NA
Sulfate	5700		1000	350	ug/L	1		9056A	Total/NA
Total Dissolved Solids	16	H	10	10	mg/L	1		SM 2540C	Total/NA

## Client Sample ID: 042821NMW13

## Lab Sample ID: 240-148924-12

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Barium	72		5.0	2.2	ug/L	1		6020B	Total Recoverable

This Detection Summary does not include radiochemical test results.

Eurofins TestAmerica, Canton

# Detection Summary

Client: Dominion Energy Services, Inc.  
 Project/Site: Mount Storm Phase B CCR

Job ID: 240-148924-2  
 SDG: Mount Storm Phase B CCR

## Client Sample ID: 042821NMW13 (Continued)

## Lab Sample ID: 240-148924-12

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Beryllium	0.63	J	1.0	0.31	ug/L	1		6020B	Total Recoverable
Cadmium	0.34	J	1.0	0.20	ug/L	1		6020B	Total Recoverable
Calcium	6400		1000	580	ug/L	1		6020B	Total Recoverable
Cobalt	1.3		1.0	0.19	ug/L	1		6020B	Total Recoverable
Lithium	2.7	J	8.0	1.7	ug/L	1		6020B	Total Recoverable
Chloride	580	J	1000	280	ug/L	1		9056A	Total/NA
Fluoride	39	J	50	24	ug/L	1		9056A	Total/NA
Sulfate	33000		1000	350	ug/L	1		9056A	Total/NA
Total Dissolved Solids	59	H	10	10	mg/L	1		SM 2540C	Total/NA

## Client Sample ID: 042821NMW14

## Lab Sample ID: 240-148924-13

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Barium	67		5.0	2.2	ug/L	1		6020B	Total Recoverable
Beryllium	0.39	J	1.0	0.31	ug/L	1		6020B	Total Recoverable
Calcium	9300		1000	580	ug/L	1		6020B	Total Recoverable
Cobalt	0.21	J	1.0	0.19	ug/L	1		6020B	Total Recoverable
Lithium	2.6	J	8.0	1.7	ug/L	1		6020B	Total Recoverable
Chloride	390	J	1000	280	ug/L	1		9056A	Total/NA
Fluoride	69		50	24	ug/L	1		9056A	Total/NA
Sulfate	43000		1000	350	ug/L	1		9056A	Total/NA
Total Dissolved Solids	57	H	10	10	mg/L	1		SM 2540C	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins TestAmerica, Canton

# Client Sample Results

Client: Dominion Energy Services, Inc.  
Project/Site: Mount Storm Phase B CCR

Job ID: 240-148924-2  
SDG: Mount Storm Phase B CCR

**Client Sample ID: 042821NMW22**

**Lab Sample ID: 240-148924-1**

Date Collected: 04/28/21 09:20

Matrix: Water

Date Received: 04/30/21 10:20

**Method: 6010D - Metals (ICP) - Total Recoverable**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Boron	<23		100	23	ug/L		05/11/21 14:00	05/13/21 06:45	1

**Method: 6020B - Metals (ICP/MS) - Total Recoverable**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.57		2.0	0.57	ug/L		05/11/21 14:00	05/12/21 11:06	1
Arsenic	<0.75		5.0	0.75	ug/L		05/11/21 14:00	05/12/21 11:06	1
Barium	220		5.0	2.2	ug/L		05/11/21 14:00	05/12/21 11:06	1
Beryllium	0.48	J	1.0	0.31	ug/L		05/11/21 14:00	05/12/21 11:06	1
Cadmium	<0.20		1.0	0.20	ug/L		05/11/21 14:00	05/12/21 11:06	1
Calcium	82000		1000	580	ug/L		05/11/21 14:00	05/12/21 11:06	1
Chromium	<0.98		2.0	0.98	ug/L		05/11/21 14:00	05/12/21 11:06	1
Cobalt	0.49	J	1.0	0.19	ug/L		05/11/21 14:00	05/12/21 11:06	1
Lead	<0.45		1.0	0.45	ug/L		05/11/21 14:00	05/12/21 11:06	1
Lithium	6.9	J	8.0	1.7	ug/L		05/11/21 14:00	05/12/21 11:06	1
Molybdenum	<1.1		10	1.1	ug/L		05/11/21 14:00	05/12/21 11:06	1
Selenium	<0.89		5.0	0.89	ug/L		05/11/21 14:00	05/12/21 11:06	1
Thallium	0.64	J	1.0	0.20	ug/L		05/11/21 14:00	05/12/21 11:06	1

**Method: 7470A - Mercury (CVAA)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.13		0.20	0.13	ug/L		05/11/21 14:00	05/12/21 15:38	1

**General Chemistry**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	880	J	1000	280	ug/L			05/13/21 02:25	1
Fluoride	44	J	50	24	ug/L			05/13/21 02:25	1
Sulfate	25000		1000	350	ug/L			05/13/21 02:25	1
Total Dissolved Solids	270	H	10	10	mg/L			05/11/21 17:32	1

**Method: 9315 - Radium-226 (GFPC)**

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.0920	U	0.0977	0.0980	1.00	0.157	pCi/L	05/17/21 14:25	06/14/21 18:35	1
<b>Carrier</b>	<b>%Yield</b>	<b>Qualifier</b>	<b>Limits</b>					<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
Ba Carrier	77.8		40 - 110					05/17/21 14:25	06/14/21 18:35	1

**Method: 9320 - Radium-228 (GFPC)**

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.171	U	0.326	0.326	1.00	0.558	pCi/L	06/15/21 09:12	06/23/21 10:02	1
<b>Carrier</b>	<b>%Yield</b>	<b>Qualifier</b>	<b>Limits</b>					<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
Ba Carrier	57.0		40 - 110					06/15/21 09:12	06/23/21 10:02	1
Y Carrier	90.1		40 - 110					06/15/21 09:12	06/23/21 10:02	1

Eurofins TestAmerica, Canton

# Client Sample Results

Client: Dominion Energy Services, Inc.  
 Project/Site: Mount Storm Phase B CCR

Job ID: 240-148924-2  
 SDG: Mount Storm Phase B CCR

**Client Sample ID: 042821NMW22**

**Lab Sample ID: 240-148924-1**

Date Collected: 04/28/21 09:20

Matrix: Water

Date Received: 04/30/21 10:20

**Method: Ra226\_Ra228 Pos - Combined Radium-226 and Radium-228**

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium 226 and 228	0.263	U	0.340	0.340	5.00	0.558	pCi/L		06/23/21 22:50	1

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15

# Client Sample Results

Client: Dominion Energy Services, Inc.  
Project/Site: Mount Storm Phase B CCR

Job ID: 240-148924-2  
SDG: Mount Storm Phase B CCR

**Client Sample ID: 042821NMWFGDW2**

**Lab Sample ID: 240-148924-2**

Date Collected: 04/28/21 10:40

Matrix: Water

Date Received: 04/30/21 10:20

**Method: 6010D - Metals (ICP) - Total Recoverable**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Boron	<23		100	23	ug/L		05/11/21 14:00	05/12/21 18:19	1

**Method: 6020B - Metals (ICP/MS) - Total Recoverable**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.57		2.0	0.57	ug/L		05/11/21 14:00	05/12/21 10:52	1
Arsenic	<0.75		5.0	0.75	ug/L		05/11/21 14:00	05/12/21 10:52	1
<b>Barium</b>	<b>210</b>		5.0	2.2	ug/L		05/11/21 14:00	05/12/21 10:52	1
Beryllium	<0.31		1.0	0.31	ug/L		05/11/21 14:00	05/12/21 10:52	1
Cadmium	<0.20		1.0	0.20	ug/L		05/11/21 14:00	05/12/21 10:52	1
<b>Calcium</b>	<b>39000</b>		1000	580	ug/L		05/11/21 14:00	05/12/21 10:52	1
Chromium	<0.98		2.0	0.98	ug/L		05/11/21 14:00	05/12/21 10:52	1
Cobalt	<0.19		1.0	0.19	ug/L		05/11/21 14:00	05/12/21 10:52	1
Lead	<0.45		1.0	0.45	ug/L		05/11/21 14:00	05/12/21 10:52	1
<b>Lithium</b>	<b>6.1 J</b>		8.0	1.7	ug/L		05/11/21 14:00	05/12/21 10:52	1
Molybdenum	<1.1		10	1.1	ug/L		05/11/21 14:00	05/12/21 10:52	1
Selenium	<0.89		5.0	0.89	ug/L		05/11/21 14:00	05/12/21 10:52	1
<b>Thallium</b>	<b>0.32 J</b>		1.0	0.20	ug/L		05/11/21 14:00	05/12/21 10:52	1

**Method: 7470A - Mercury (CVAA)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.13		0.20	0.13	ug/L		05/11/21 14:00	05/12/21 15:27	1

**General Chemistry**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
<b>Chloride</b>	<b>920 J</b>		1000	280	ug/L			05/13/21 03:25	1
<b>Fluoride</b>	<b>70</b>		50	24	ug/L			05/13/21 03:25	1
<b>Sulfate</b>	<b>41000</b>		1000	350	ug/L			05/13/21 03:25	1
<b>Total Dissolved Solids</b>	<b>140 H</b>		10	10	mg/L			05/11/21 17:32	1

**Method: 9315 - Radium-226 (GFPC)**

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.142	U	0.109	0.110	1.00	0.163	pCi/L	05/17/21 14:25	06/14/21 18:36	1
<b>Carrier</b>	<b>%Yield</b>	<b>Qualifier</b>	<b>Limits</b>					<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
Ba Carrier	81.1		40 - 110					05/17/21 14:25	06/14/21 18:36	1

**Method: 9320 - Radium-228 (GFPC)**

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.0185	U	0.240	0.240	1.00	0.427	pCi/L	05/17/21 15:19	06/08/21 11:14	1
<b>Carrier</b>	<b>%Yield</b>	<b>Qualifier</b>	<b>Limits</b>					<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
Ba Carrier	81.1		40 - 110					05/17/21 15:19	06/08/21 11:14	1
Y Carrier	136	X	40 - 110					05/17/21 15:19	06/08/21 11:14	1

Eurofins TestAmerica, Canton

# Client Sample Results

Client: Dominion Energy Services, Inc.  
 Project/Site: Mount Storm Phase B CCR

Job ID: 240-148924-2  
 SDG: Mount Storm Phase B CCR

**Client Sample ID: 042821NMWFGDW2**

**Lab Sample ID: 240-148924-2**

Date Collected: 04/28/21 10:40

Matrix: Water

Date Received: 04/30/21 10:20

**Method: Ra226\_Ra228 Pos - Combined Radium-226 and Radium-228**

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium 226 and 228	0.160	U	0.264	0.264	5.00	0.427	pCi/L		06/15/21 16:57	1

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15



# Client Sample Results

Client: Dominion Energy Services, Inc.  
Project/Site: Mount Storm Phase B CCR

Job ID: 240-148924-2  
SDG: Mount Storm Phase B CCR

**Client Sample ID: 042821NMW10**

**Lab Sample ID: 240-148924-5**

Date Collected: 04/28/21 13:41

Matrix: Water

Date Received: 04/30/21 10:20

### Method: 6010D - Metals (ICP) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Boron	<23		100	23	ug/L		05/11/21 14:00	05/13/21 05:14	1

### Method: 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.57		2.0	0.57	ug/L		05/11/21 14:00	05/12/21 11:19	1
Arsenic	<0.75		5.0	0.75	ug/L		05/11/21 14:00	05/12/21 11:19	1
Barium	120		5.0	2.2	ug/L		05/11/21 14:00	05/12/21 11:19	1
Beryllium	0.37	J	1.0	0.31	ug/L		05/11/21 14:00	05/12/21 11:19	1
Cadmium	0.23	J	1.0	0.20	ug/L		05/11/21 14:00	05/12/21 11:19	1
Calcium	3600		1000	580	ug/L		05/11/21 14:00	05/12/21 11:19	1
Chromium	<0.98		2.0	0.98	ug/L		05/11/21 14:00	05/12/21 11:19	1
Cobalt	0.39	J	1.0	0.19	ug/L		05/11/21 14:00	05/12/21 11:19	1
Lead	<0.45		1.0	0.45	ug/L		05/11/21 14:00	05/12/21 11:19	1
Lithium	<1.7		8.0	1.7	ug/L		05/11/21 14:00	05/12/21 11:19	1
Molybdenum	<1.1		10	1.1	ug/L		05/11/21 14:00	05/12/21 11:19	1
Selenium	<0.89		5.0	0.89	ug/L		05/11/21 14:00	05/12/21 11:19	1
Thallium	<0.20		1.0	0.20	ug/L		05/11/21 14:00	05/12/21 11:19	1

### Method: 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.13		0.20	0.13	ug/L		05/11/21 14:00	05/12/21 15:44	1

### General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	610	J	1000	280	ug/L			05/13/21 02:45	1
Fluoride	46	J	50	24	ug/L			05/13/21 02:45	1
Sulfate	9400		1000	350	ug/L			05/13/21 02:45	1
Total Dissolved Solids	33	H	10	10	mg/L			05/12/21 16:00	1

### Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.177		0.121	0.122	1.00	0.173	pCi/L	05/17/21 14:25	06/14/21 18:37	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	72.1		40 - 110					05/17/21 14:25	06/14/21 18:37	1

### Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.203	U	0.287	0.288	1.00	0.481	pCi/L	05/17/21 15:19	06/08/21 11:14	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	72.1		40 - 110					05/17/21 15:19	06/08/21 11:14	1
Y Carrier	88.6		40 - 110					05/17/21 15:19	06/08/21 11:14	1

Eurofins TestAmerica, Canton

# Client Sample Results

Client: Dominion Energy Services, Inc.  
 Project/Site: Mount Storm Phase B CCR

Job ID: 240-148924-2  
 SDG: Mount Storm Phase B CCR

**Client Sample ID: 042821NMW10**

**Lab Sample ID: 240-148924-5**

Date Collected: 04/28/21 13:41

Matrix: Water

Date Received: 04/30/21 10:20

**Method: Ra226\_Ra228 Pos - Combined Radium-226 and Radium-228**

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium 226 and 228	0.380	U	0.311	0.313	5.00	0.481	pCi/L		06/15/21 16:57	1

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15

# Client Sample Results

Client: Dominion Energy Services, Inc.  
Project/Site: Mount Storm Phase B CCR

Job ID: 240-148924-2  
SDG: Mount Storm Phase B CCR

**Client Sample ID: 042821FB**

**Lab Sample ID: 240-148924-7**

Date Collected: 04/28/21 16:00

Matrix: Water

Date Received: 04/30/21 10:20

### Method: 6010D - Metals (ICP) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Boron	<23		100	23	ug/L		05/11/21 14:00	05/13/21 05:23	1

### Method: 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.57		2.0	0.57	ug/L		05/11/21 14:00	05/12/21 11:24	1
Arsenic	<0.75		5.0	0.75	ug/L		05/11/21 14:00	05/12/21 11:24	1
Barium	<2.2		5.0	2.2	ug/L		05/11/21 14:00	05/12/21 11:24	1
Beryllium	<0.31		1.0	0.31	ug/L		05/11/21 14:00	05/12/21 11:24	1
Cadmium	<0.20		1.0	0.20	ug/L		05/11/21 14:00	05/12/21 11:24	1
Calcium	<580		1000	580	ug/L		05/11/21 14:00	05/12/21 11:24	1
Chromium	<0.98		2.0	0.98	ug/L		05/11/21 14:00	05/12/21 11:24	1
Cobalt	<0.19		1.0	0.19	ug/L		05/11/21 14:00	05/12/21 11:24	1
Lead	<0.45		1.0	0.45	ug/L		05/11/21 14:00	05/12/21 11:24	1
Lithium	<1.7		8.0	1.7	ug/L		05/11/21 14:00	05/12/21 11:24	1
Molybdenum	<1.1		10	1.1	ug/L		05/11/21 14:00	05/12/21 11:24	1
Selenium	<0.89		5.0	0.89	ug/L		05/11/21 14:00	05/12/21 11:24	1
Thallium	<0.20		1.0	0.20	ug/L		05/11/21 14:00	05/12/21 11:24	1

### Method: 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.13		0.20	0.13	ug/L		05/11/21 14:00	05/12/21 15:48	1

### General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<280		1000	280	ug/L			05/13/21 03:05	1
Fluoride	<24		50	24	ug/L			05/13/21 03:05	1
Sulfate	<350		1000	350	ug/L			05/13/21 03:05	1
Total Dissolved Solids	<10	H	10	10	mg/L			05/11/21 17:32	1

### Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.0614	U	0.0803	0.0805	1.00	0.134	pCi/L	05/17/21 14:25	06/14/21 18:37	1
<i>Carrier</i>	<i>%Yield</i>	<i>Qualifier</i>	<i>Limits</i>					<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
<i>Ba Carrier</i>	88.3		40 - 110					05/17/21 14:25	06/14/21 18:37	1

### Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	-0.0709	U	0.220	0.220	1.00	0.409	pCi/L	05/17/21 15:19	06/08/21 11:15	1
<i>Carrier</i>	<i>%Yield</i>	<i>Qualifier</i>	<i>Limits</i>					<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
<i>Ba Carrier</i>	88.3		40 - 110					05/17/21 15:19	06/08/21 11:15	1
<i>Y Carrier</i>	89.3		40 - 110					05/17/21 15:19	06/08/21 11:15	1

Eurofins TestAmerica, Canton

# Client Sample Results

Client: Dominion Energy Services, Inc.  
Project/Site: Mount Storm Phase B CCR

Job ID: 240-148924-2  
SDG: Mount Storm Phase B CCR

**Client Sample ID: 042821FB**

**Lab Sample ID: 240-148924-7**

Date Collected: 04/28/21 16:00

Matrix: Water

Date Received: 04/30/21 10:20

**Method: Ra226\_Ra228 Pos - Combined Radium-226 and Radium-228**

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium 226 and 228	0.0614	U	0.234	0.234	5.00	0.409	pCi/L		06/15/21 16:57	1

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

# Client Sample Results

Client: Dominion Energy Services, Inc.  
Project/Site: Mount Storm Phase B CCR

Job ID: 240-148924-2  
SDG: Mount Storm Phase B CCR

**Client Sample ID: 042821FD**

**Lab Sample ID: 240-148924-8**

Date Collected: 04/28/21 12:00

Matrix: Water

Date Received: 04/30/21 10:20

**Method: 6010D - Metals (ICP) - Total Recoverable**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Boron	<23		100	23	ug/L		05/11/21 14:00	05/13/21 05:27	1

**Method: 6020B - Metals (ICP/MS) - Total Recoverable**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.57		2.0	0.57	ug/L		05/11/21 14:00	05/12/21 11:27	1
Arsenic	<0.75		5.0	0.75	ug/L		05/11/21 14:00	05/12/21 11:27	1
<b>Barium</b>	<b>210</b>		5.0	2.2	ug/L		05/11/21 14:00	05/12/21 11:27	1
Beryllium	<0.31		1.0	0.31	ug/L		05/11/21 14:00	05/12/21 11:27	1
Cadmium	<0.20		1.0	0.20	ug/L		05/11/21 14:00	05/12/21 11:27	1
<b>Calcium</b>	<b>38000</b>		1000	580	ug/L		05/11/21 14:00	05/12/21 11:27	1
Chromium	<0.98		2.0	0.98	ug/L		05/11/21 14:00	05/12/21 11:27	1
Cobalt	<0.19		1.0	0.19	ug/L		05/11/21 14:00	05/12/21 11:27	1
Lead	<0.45		1.0	0.45	ug/L		05/11/21 14:00	05/12/21 11:27	1
<b>Lithium</b>	<b>5.1 J</b>		8.0	1.7	ug/L		05/11/21 14:00	05/12/21 11:27	1
Molybdenum	<1.1		10	1.1	ug/L		05/11/21 14:00	05/12/21 11:27	1
Selenium	<0.89		5.0	0.89	ug/L		05/11/21 14:00	05/12/21 11:27	1
Thallium	<0.20		1.0	0.20	ug/L		05/11/21 14:00	05/12/21 11:27	1

**Method: 7470A - Mercury (CVAA)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.13		0.20	0.13	ug/L		05/11/21 14:00	05/12/21 15:50	1

**General Chemistry**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
<b>Chloride</b>	<b>1000</b>		1000	280	ug/L			05/13/21 04:26	1
<b>Fluoride</b>	<b>72</b>		50	24	ug/L			05/13/21 04:26	1
<b>Sulfate</b>	<b>41000</b>		1000	350	ug/L			05/13/21 04:26	1
<b>Total Dissolved Solids</b>	<b>150 H</b>		10	10	mg/L			05/11/21 17:32	1

**Method: 9315 - Radium-226 (GFPC)**

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.132	U	0.0972	0.0979	1.00	0.141	pCi/L	05/17/21 14:25	06/14/21 18:38	1
<b>Carrier</b>	<b>%Yield</b>	<b>Qualifier</b>	<b>Limits</b>					<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
Ba Carrier	82.9		40 - 110					05/17/21 14:25	06/14/21 18:38	1

**Method: 9320 - Radium-228 (GFPC)**

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.276	U	0.262	0.263	1.00	0.422	pCi/L	05/17/21 15:19	06/08/21 11:15	1
<b>Carrier</b>	<b>%Yield</b>	<b>Qualifier</b>	<b>Limits</b>					<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
Ba Carrier	82.9		40 - 110					05/17/21 15:19	06/08/21 11:15	1
Y Carrier	87.5		40 - 110					05/17/21 15:19	06/08/21 11:15	1

Eurofins TestAmerica, Canton

# Client Sample Results

Client: Dominion Energy Services, Inc.  
Project/Site: Mount Storm Phase B CCR

Job ID: 240-148924-2  
SDG: Mount Storm Phase B CCR

**Client Sample ID: 042821FD**

**Lab Sample ID: 240-148924-8**

Date Collected: 04/28/21 12:00

Matrix: Water

Date Received: 04/30/21 10:20

**Method: Ra226\_Ra228 Pos - Combined Radium-226 and Radium-228**

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium 226 and 228	0.408	U	0.279	0.281	5.00	0.422	pCi/L		06/15/21 16:57	1

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15

# Client Sample Results

Client: Dominion Energy Services, Inc.  
Project/Site: Mount Storm Phase B CCR

Job ID: 240-148924-2  
SDG: Mount Storm Phase B CCR

**Client Sample ID: 042721NMW6R**

**Lab Sample ID: 240-148924-9**

Date Collected: 04/27/21 16:50

Matrix: Water

Date Received: 04/30/21 10:20

**Method: 6010D - Metals (ICP) - Total Recoverable**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Boron	<23		100	23	ug/L		05/11/21 14:00	05/13/21 05:40	1

**Method: 6020B - Metals (ICP/MS) - Total Recoverable**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.57		2.0	0.57	ug/L		05/11/21 14:00	05/12/21 11:29	1
Arsenic	<0.75		5.0	0.75	ug/L		05/11/21 14:00	05/12/21 11:29	1
<b>Barium</b>	<b>350</b>		5.0	2.2	ug/L		05/11/21 14:00	05/12/21 11:29	1
Beryllium	<0.31		1.0	0.31	ug/L		05/11/21 14:00	05/12/21 11:29	1
Cadmium	<0.20		1.0	0.20	ug/L		05/11/21 14:00	05/12/21 11:29	1
<b>Calcium</b>	<b>68000</b>		1000	580	ug/L		05/11/21 14:00	05/12/21 11:29	1
Chromium	<0.98		2.0	0.98	ug/L		05/11/21 14:00	05/12/21 11:29	1
<b>Cobalt</b>	<b>0.26 J</b>		1.0	0.19	ug/L		05/11/21 14:00	05/12/21 11:29	1
Lead	<0.45		1.0	0.45	ug/L		05/11/21 14:00	05/12/21 11:29	1
Lithium	<1.7		8.0	1.7	ug/L		05/11/21 14:00	05/12/21 11:29	1
Molybdenum	<1.1		10	1.1	ug/L		05/11/21 14:00	05/12/21 11:29	1
Selenium	<0.89		5.0	0.89	ug/L		05/11/21 14:00	05/12/21 11:29	1
Thallium	<0.20		1.0	0.20	ug/L		05/11/21 14:00	05/12/21 11:29	1

**Method: 7470A - Mercury (CVAA)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.13		0.20	0.13	ug/L		05/11/21 14:00	05/12/21 15:52	1

**General Chemistry**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
<b>Chloride</b>	<b>450 J</b>		1000	280	ug/L			05/13/21 04:46	1
<b>Fluoride</b>	<b>89</b>		50	24	ug/L			05/13/21 04:46	1
<b>Sulfate</b>	<b>11000</b>		1000	350	ug/L			05/13/21 04:46	1
<b>Total Dissolved Solids</b>	<b>240 H</b>		10	10	mg/L			05/11/21 17:32	1

**Method: 9315 - Radium-226 (GFPC)**

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
<b>Radium-226</b>	<b>0.322</b>		0.125	0.128	1.00	0.144	pCi/L	05/17/21 14:25	06/14/21 18:37	1
<b>Carrier</b>	<b>%Yield</b>	<b>Qualifier</b>	<b>Limits</b>					<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
Ba Carrier	89.5		40 - 110					05/17/21 14:25	06/14/21 18:37	1

**Method: 9320 - Radium-228 (GFPC)**

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.276	U	0.274	0.275	1.00	0.445	pCi/L	05/17/21 15:19	06/08/21 11:19	1
<b>Carrier</b>	<b>%Yield</b>	<b>Qualifier</b>	<b>Limits</b>					<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
Ba Carrier	89.5		40 - 110					05/17/21 15:19	06/08/21 11:19	1
Y Carrier	85.2		40 - 110					05/17/21 15:19	06/08/21 11:19	1

Eurofins TestAmerica, Canton

# Client Sample Results

Client: Dominion Energy Services, Inc.  
 Project/Site: Mount Storm Phase B CCR

Job ID: 240-148924-2  
 SDG: Mount Storm Phase B CCR

**Client Sample ID: 042721NMW6R**  
 Date Collected: 04/27/21 16:50  
 Date Received: 04/30/21 10:20

**Lab Sample ID: 240-148924-9**  
 Matrix: Water

**Method: Ra226\_Ra228 Pos - Combined Radium-226 and Radium-228**

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium 226 and 228	0.598		0.301	0.303	5.00	0.445	pCi/L		06/15/21 16:57	1

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15



# Client Sample Results

Client: Dominion Energy Services, Inc.  
Project/Site: Mount Storm Phase B CCR

Job ID: 240-148924-2  
SDG: Mount Storm Phase B CCR

**Client Sample ID: 042821NMW7**

**Lab Sample ID: 240-148924-10**

Date Collected: 04/28/21 15:04

Matrix: Water

Date Received: 04/30/21 10:20

**Method: 6010D - Metals (ICP) - Total Recoverable**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Boron	<23		100	23	ug/L		05/11/21 14:00	05/13/21 05:44	1

**Method: 6020B - Metals (ICP/MS) - Total Recoverable**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.57		2.0	0.57	ug/L		05/11/21 14:00	05/12/21 11:32	1
Arsenic	<0.75		5.0	0.75	ug/L		05/11/21 14:00	05/12/21 11:32	1
<b>Barium</b>	<b>96</b>		5.0	2.2	ug/L		05/11/21 14:00	05/12/21 11:32	1
Beryllium	<0.31		1.0	0.31	ug/L		05/11/21 14:00	05/12/21 11:32	1
Cadmium	<0.20		1.0	0.20	ug/L		05/11/21 14:00	05/12/21 11:32	1
<b>Calcium</b>	<b>52000</b>		1000	580	ug/L		05/11/21 14:00	05/12/21 11:32	1
Chromium	<0.98		2.0	0.98	ug/L		05/11/21 14:00	05/12/21 11:32	1
<b>Cobalt</b>	<b>0.34 J</b>		1.0	0.19	ug/L		05/11/21 14:00	05/12/21 11:32	1
Lead	<0.45		1.0	0.45	ug/L		05/11/21 14:00	05/12/21 11:32	1
Lithium	<1.7		8.0	1.7	ug/L		05/11/21 14:00	05/12/21 11:32	1
Molybdenum	<1.1		10	1.1	ug/L		05/11/21 14:00	05/12/21 11:32	1
Selenium	<0.89		5.0	0.89	ug/L		05/11/21 14:00	05/12/21 11:32	1
Thallium	<0.20		1.0	0.20	ug/L		05/11/21 14:00	05/12/21 11:32	1

**Method: 7470A - Mercury (CVAA)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.13		0.20	0.13	ug/L		05/11/21 14:00	05/12/21 15:54	1

**General Chemistry**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
<b>Chloride</b>	<b>900 J</b>		1000	280	ug/L			05/13/21 05:06	1
<b>Fluoride</b>	<b>120</b>		50	24	ug/L			05/13/21 05:06	1
<b>Sulfate</b>	<b>54000</b>		1000	350	ug/L			05/13/21 05:06	1
<b>Total Dissolved Solids</b>	<b>200 H</b>		10	10	mg/L			05/11/21 17:32	1

**Method: 9315 - Radium-226 (GFPC)**

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
<b>Radium-226</b>	<b>0.155</b>		0.0991	0.100	1.00	0.136	pCi/L	05/17/21 14:25	06/14/21 21:05	1
<b>Carrier</b>	<b>%Yield</b>	<b>Qualifier</b>	<b>Limits</b>					<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
Ba Carrier	82.9		40 - 110					05/17/21 14:25	06/14/21 21:05	1

**Method: 9320 - Radium-228 (GFPC)**

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
<b>Radium-228</b>	<b>0.611</b>		0.329	0.333	1.00	0.492	pCi/L	05/17/21 15:19	06/08/21 11:19	1
<b>Carrier</b>	<b>%Yield</b>	<b>Qualifier</b>	<b>Limits</b>					<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
Ba Carrier	82.9		40 - 110					05/17/21 15:19	06/08/21 11:19	1
Y Carrier	86.0		40 - 110					05/17/21 15:19	06/08/21 11:19	1

Eurofins TestAmerica, Canton

# Client Sample Results

Client: Dominion Energy Services, Inc.  
 Project/Site: Mount Storm Phase B CCR

Job ID: 240-148924-2  
 SDG: Mount Storm Phase B CCR

**Client Sample ID: 042821NMW7**  
**Date Collected: 04/28/21 15:04**  
**Date Received: 04/30/21 10:20**

**Lab Sample ID: 240-148924-10**  
**Matrix: Water**

**Method: Ra226\_Ra228 Pos - Combined Radium-226 and Radium-228**

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium 226 and 228	0.766		0.344	0.348	5.00	0.492	pCi/L		06/15/21 16:57	1

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15

# Client Sample Results

Client: Dominion Energy Services, Inc.  
Project/Site: Mount Storm Phase B CCR

Job ID: 240-148924-2  
SDG: Mount Storm Phase B CCR

**Client Sample ID: 042721NMW12R**

**Lab Sample ID: 240-148924-11**

Date Collected: 04/27/21 14:35

Matrix: Water

Date Received: 04/30/21 10:20

### Method: 6010D - Metals (ICP) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Boron	<23		100	23	ug/L		05/11/21 14:00	05/13/21 05:49	1

### Method: 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.57		2.0	0.57	ug/L		05/11/21 14:00	05/12/21 11:34	1
Arsenic	<0.75		5.0	0.75	ug/L		05/11/21 14:00	05/12/21 11:34	1
<b>Barium</b>	<b>14</b>		5.0	2.2	ug/L		05/11/21 14:00	05/12/21 11:34	1
Beryllium	<0.31		1.0	0.31	ug/L		05/11/21 14:00	05/12/21 11:34	1
Cadmium	<0.20		1.0	0.20	ug/L		05/11/21 14:00	05/12/21 11:34	1
Calcium	<580		1000	580	ug/L		05/11/21 14:00	05/12/21 11:34	1
Chromium	<0.98		2.0	0.98	ug/L		05/11/21 14:00	05/12/21 11:34	1
<b>Cobalt</b>	<b>1.4</b>		1.0	0.19	ug/L		05/11/21 14:00	05/12/21 11:34	1
Lead	<0.45		1.0	0.45	ug/L		05/11/21 14:00	05/12/21 11:34	1
Lithium	<1.7		8.0	1.7	ug/L		05/11/21 14:00	05/12/21 11:34	1
Molybdenum	<1.1		10	1.1	ug/L		05/11/21 14:00	05/12/21 11:34	1
Selenium	<0.89		5.0	0.89	ug/L		05/11/21 14:00	05/12/21 11:34	1
Thallium	<0.20		1.0	0.20	ug/L		05/11/21 14:00	05/12/21 11:34	1

### Method: 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.13		0.20	0.13	ug/L		05/11/21 14:00	05/12/21 15:56	1

### General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
<b>Chloride</b>	<b>470</b>	<b>J</b>	1000	280	ug/L			05/13/21 06:06	1
Fluoride	<24		50	24	ug/L			05/13/21 06:06	1
<b>Sulfate</b>	<b>5700</b>		1000	350	ug/L			05/13/21 06:06	1
<b>Total Dissolved Solids</b>	<b>16</b>	<b>H</b>	10	10	mg/L			05/12/21 17:35	1

### Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.0936	U	0.0783	0.0788	1.00	0.115	pCi/L	05/17/21 14:25	06/14/21 21:05	1
<b>Carrier</b>	<b>%Yield</b>	<b>Qualifier</b>	<b>Limits</b>					<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
Ba Carrier	87.1		40 - 110					05/17/21 14:25	06/14/21 21:05	1

### Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.407	U	0.268	0.270	1.00	0.410	pCi/L	05/17/21 15:19	06/08/21 11:19	1
<b>Carrier</b>	<b>%Yield</b>	<b>Qualifier</b>	<b>Limits</b>					<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
Ba Carrier	87.1		40 - 110					05/17/21 15:19	06/08/21 11:19	1
Y Carrier	85.2		40 - 110					05/17/21 15:19	06/08/21 11:19	1

Eurofins TestAmerica, Canton

# Client Sample Results

Client: Dominion Energy Services, Inc.  
 Project/Site: Mount Storm Phase B CCR

Job ID: 240-148924-2  
 SDG: Mount Storm Phase B CCR

**Client Sample ID: 042721NMW12R**

**Lab Sample ID: 240-148924-11**

Date Collected: 04/27/21 14:35

Matrix: Water

Date Received: 04/30/21 10:20

**Method: Ra226\_Ra228 Pos - Combined Radium-226 and Radium-228**

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium 226 and 228	0.501		0.279	0.281	5.00	0.410	pCi/L		06/15/21 16:57	1

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15

# Client Sample Results

Client: Dominion Energy Services, Inc.  
Project/Site: Mount Storm Phase B CCR

Job ID: 240-148924-2  
SDG: Mount Storm Phase B CCR

**Client Sample ID: 042821NMW13**

**Lab Sample ID: 240-148924-12**

Date Collected: 04/28/21 15:20

Matrix: Water

Date Received: 04/30/21 10:20

**Method: 6010D - Metals (ICP) - Total Recoverable**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Boron	<23		100	23	ug/L		05/11/21 14:00	05/13/21 05:53	1

**Method: 6020B - Metals (ICP/MS) - Total Recoverable**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.57		2.0	0.57	ug/L		05/11/21 14:00	05/12/21 11:37	1
Arsenic	<0.75		5.0	0.75	ug/L		05/11/21 14:00	05/12/21 11:37	1
Barium	72		5.0	2.2	ug/L		05/11/21 14:00	05/12/21 11:37	1
Beryllium	0.63	J	1.0	0.31	ug/L		05/11/21 14:00	05/12/21 11:37	1
Cadmium	0.34	J	1.0	0.20	ug/L		05/11/21 14:00	05/12/21 11:37	1
Calcium	6400		1000	580	ug/L		05/11/21 14:00	05/12/21 11:37	1
Chromium	<0.98		2.0	0.98	ug/L		05/11/21 14:00	05/12/21 11:37	1
Cobalt	1.3		1.0	0.19	ug/L		05/11/21 14:00	05/12/21 11:37	1
Lead	<0.45		1.0	0.45	ug/L		05/11/21 14:00	05/12/21 11:37	1
Lithium	2.7	J	8.0	1.7	ug/L		05/11/21 14:00	05/12/21 11:37	1
Molybdenum	<1.1		10	1.1	ug/L		05/11/21 14:00	05/12/21 11:37	1
Selenium	<0.89		5.0	0.89	ug/L		05/11/21 14:00	05/12/21 11:37	1
Thallium	<0.20		1.0	0.20	ug/L		05/11/21 14:00	05/12/21 11:37	1

**Method: 7470A - Mercury (CVAA)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.13		0.20	0.13	ug/L		05/11/21 14:00	05/12/21 16:02	1

**General Chemistry**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	580	J	1000	280	ug/L			05/13/21 06:26	1
Fluoride	39	J	50	24	ug/L			05/13/21 06:26	1
Sulfate	33000		1000	350	ug/L			05/13/21 06:26	1
Total Dissolved Solids	59	H	10	10	mg/L			05/11/21 17:32	1

**Method: 9315 - Radium-226 (GFPC)**

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.332		0.123	0.126	1.00	0.127	pCi/L	05/17/21 14:25	06/14/21 21:03	1
<i>Carrier</i>	<i>%Yield</i>	<i>Qualifier</i>	<i>Limits</i>					<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
<i>Ba Carrier</i>	85.3		40 - 110					05/17/21 14:25	06/14/21 21:03	1

**Method: 9320 - Radium-228 (GFPC)**

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.326	U	0.283	0.285	1.00	0.453	pCi/L	05/17/21 15:19	06/08/21 11:19	1
<i>Carrier</i>	<i>%Yield</i>	<i>Qualifier</i>	<i>Limits</i>					<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
<i>Ba Carrier</i>	85.3		40 - 110					05/17/21 15:19	06/08/21 11:19	1
<i>Y Carrier</i>	86.0		40 - 110					05/17/21 15:19	06/08/21 11:19	1

Eurofins TestAmerica, Canton

# Client Sample Results

Client: Dominion Energy Services, Inc.  
 Project/Site: Mount Storm Phase B CCR

Job ID: 240-148924-2  
 SDG: Mount Storm Phase B CCR

**Client Sample ID: 042821NMW13**

**Lab Sample ID: 240-148924-12**

Date Collected: 04/28/21 15:20

Matrix: Water

Date Received: 04/30/21 10:20

**Method: Ra226\_Ra228 Pos - Combined Radium-226 and Radium-228**

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium 226 and 228	0.658		0.309	0.312	5.00	0.453	pCi/L		06/15/21 16:57	1

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15

# Client Sample Results

Client: Dominion Energy Services, Inc.  
Project/Site: Mount Storm Phase B CCR

Job ID: 240-148924-2  
SDG: Mount Storm Phase B CCR

**Client Sample ID: 042821NMW14**

**Lab Sample ID: 240-148924-13**

Date Collected: 04/28/21 13:55

Matrix: Water

Date Received: 04/30/21 10:20

**Method: 6010D - Metals (ICP) - Total Recoverable**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Boron	<23		100	23	ug/L		05/11/21 14:00	05/13/21 05:58	1

**Method: 6020B - Metals (ICP/MS) - Total Recoverable**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.57		2.0	0.57	ug/L		05/11/21 14:00	05/12/21 11:39	1
Arsenic	<0.75		5.0	0.75	ug/L		05/11/21 14:00	05/12/21 11:39	1
Barium	67		5.0	2.2	ug/L		05/11/21 14:00	05/12/21 11:39	1
Beryllium	0.39	J	1.0	0.31	ug/L		05/11/21 14:00	05/12/21 11:39	1
Cadmium	<0.20		1.0	0.20	ug/L		05/11/21 14:00	05/12/21 11:39	1
Calcium	9300		1000	580	ug/L		05/11/21 14:00	05/12/21 11:39	1
Chromium	<0.98		2.0	0.98	ug/L		05/11/21 14:00	05/12/21 11:39	1
Cobalt	0.21	J	1.0	0.19	ug/L		05/11/21 14:00	05/12/21 11:39	1
Lead	<0.45		1.0	0.45	ug/L		05/11/21 14:00	05/12/21 11:39	1
Lithium	2.6	J	8.0	1.7	ug/L		05/11/21 14:00	05/12/21 11:39	1
Molybdenum	<1.1		10	1.1	ug/L		05/11/21 14:00	05/12/21 11:39	1
Selenium	<0.89		5.0	0.89	ug/L		05/11/21 14:00	05/12/21 11:39	1
Thallium	<0.20		1.0	0.20	ug/L		05/11/21 14:00	05/12/21 11:39	1

**Method: 7470A - Mercury (CVAA)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.13		0.20	0.13	ug/L		05/11/21 14:00	05/12/21 16:05	1

**General Chemistry**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	390	J	1000	280	ug/L			05/13/21 06:46	1
Fluoride	69		50	24	ug/L			05/13/21 06:46	1
Sulfate	43000		1000	350	ug/L			05/13/21 06:46	1
Total Dissolved Solids	57	H	10	10	mg/L			05/11/21 17:32	1

**Method: 9315 - Radium-226 (GFPC)**

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.108	U	0.0909	0.0914	1.00	0.137	pCi/L	05/17/21 14:25	06/14/21 21:04	1
<i>Carrier</i>	<i>%Yield</i>	<i>Qualifier</i>	<i>Limits</i>					<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
<i>Ba Carrier</i>	86.5		40 - 110					05/17/21 14:25	06/14/21 21:04	1

**Method: 9320 - Radium-228 (GFPC)**

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.564		0.294	0.299	1.00	0.434	pCi/L	05/17/21 15:19	06/08/21 11:19	1
<i>Carrier</i>	<i>%Yield</i>	<i>Qualifier</i>	<i>Limits</i>					<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
<i>Ba Carrier</i>	86.5		40 - 110					05/17/21 15:19	06/08/21 11:19	1
<i>Y Carrier</i>	87.9		40 - 110					05/17/21 15:19	06/08/21 11:19	1

# Client Sample Results

Client: Dominion Energy Services, Inc.  
 Project/Site: Mount Storm Phase B CCR

Job ID: 240-148924-2  
 SDG: Mount Storm Phase B CCR

**Client Sample ID: 042821NMW14**

**Lab Sample ID: 240-148924-13**

Date Collected: 04/28/21 13:55

Matrix: Water

Date Received: 04/30/21 10:20

**Method: Ra226\_Ra228 Pos - Combined Radium-226 and Radium-228**

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium 226 and 228	0.673		0.308	0.313	5.00	0.434	pCi/L		06/15/21 16:57	1

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15



## Tracer/Carrier Summary

Client: Dominion Energy Services, Inc.  
Project/Site: Mount Storm Phase B CCR

Job ID: 240-148924-2  
SDG: Mount Storm Phase B CCR

### Method: 9315 - Radium-226 (GFPC)

Matrix: Water

Prep Type: Total/NA

			Percent Yield (Acceptance Limits)			
Lab Sample ID	Client Sample ID	Ba (40-110)				
240-148924-1	042821NMW22	77.8				
240-148924-2	042821NMWFGDW2	81.1				
240-148924-2 MS	042821NMWFGDW2	78.4				
240-148924-2 MSD	042821NMWFGDW2	79.3				
240-148924-5	042821NMW10	72.1				
240-148924-7	042821FB	88.3				
240-148924-8	042821FD	82.9				
240-148924-9	042721NMW6R	89.5				
240-148924-10	042821NMW7	82.9				
240-148924-11	042721NMW12R	87.1				
240-148924-12	042821NMW13	85.3				
240-148924-13	042821NMW14	86.5				
LCS 160-510114/1-A	Lab Control Sample	75.7				
LCSD 160-510114/2-A	Lab Control Sample Dup	61.6				
MB 160-510114/23-A	Method Blank	88.9				
<b>Tracer/Carrier Legend</b>						
Ba = Ba Carrier						

### Method: 9320 - Radium-228 (GFPC)

Matrix: Water

Prep Type: Total/NA

			Percent Yield (Acceptance Limits)			
Lab Sample ID	Client Sample ID	Ba (40-110)	Y (40-110)			
240-148924-1	042821NMW22	57.0	90.1			
240-148924-2	042821NMWFGDW2	81.1	136 X			
240-148924-2 MS	042821NMWFGDW2	78.4	89.7			
240-148924-2 MSD	042821NMWFGDW2	79.3	87.9			
240-148924-5	042821NMW10	72.1	88.6			
240-148924-7	042821FB	88.3	89.3			
240-148924-8	042821FD	82.9	87.5			
240-148924-9	042721NMW6R	89.5	85.2			
240-148924-10	042821NMW7	82.9	86.0			
240-148924-11	042721NMW12R	87.1	85.2			
240-148924-12	042821NMW13	85.3	86.0			
240-148924-13	042821NMW14	86.5	87.9			
LCS 160-510116/1-A	Lab Control Sample	75.7	84.1			
LCS 160-514287/1-A	Lab Control Sample	72.0	85.2			
LCSD 160-510116/2-A	Lab Control Sample Dup	61.6	81.5			
LCSD 160-514287/2-A	Lab Control Sample Dup	66.4	86.4			
MB 160-510116/23-A	Method Blank	88.9	80.4			
MB 160-514287/4-A	Method Blank	68.2	87.5			
<b>Tracer/Carrier Legend</b>						
Ba = Ba Carrier						
Y = Y Carrier						

# QC Sample Results

Client: Dominion Energy Services, Inc.  
Project/Site: Mount Storm Phase B CCR

Job ID: 240-148924-2  
SDG: Mount Storm Phase B CCR

## Method: 6010D - Metals (ICP)

**Lab Sample ID: MB 240-485076/1-A**  
**Matrix: Water**  
**Analysis Batch: 485588**

**Client Sample ID: Method Blank**  
**Prep Type: Total Recoverable**  
**Prep Batch: 485076**

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Boron	<23		100	23	ug/L		05/11/21 14:00	05/12/21 18:11	1

**Lab Sample ID: LCS 240-485076/2-A**  
**Matrix: Water**  
**Analysis Batch: 485588**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total Recoverable**  
**Prep Batch: 485076**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Boron	1000	986		ug/L		99	80 - 120

**Lab Sample ID: 240-148924-1 MS**  
**Matrix: Water**  
**Analysis Batch: 485588**

**Client Sample ID: 042821NMW22**  
**Prep Type: Total Recoverable**  
**Prep Batch: 485076**

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Boron	<23		1000	1060		ug/L		106	75 - 125

**Lab Sample ID: 240-148924-1 MSD**  
**Matrix: Water**  
**Analysis Batch: 485588**

**Client Sample ID: 042821NMW22**  
**Prep Type: Total Recoverable**  
**Prep Batch: 485076**

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	Limit
Boron	<23		1000	1020		ug/L		102	75 - 125	4	20

**Lab Sample ID: 240-148924-2 MS**  
**Matrix: Water**  
**Analysis Batch: 485588**

**Client Sample ID: 042821NMWFGDW2**  
**Prep Type: Total Recoverable**  
**Prep Batch: 485076**

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Boron	<23		1000	1050		ug/L		105	75 - 125

**Lab Sample ID: 240-148924-2 MSD**  
**Matrix: Water**  
**Analysis Batch: 485588**

**Client Sample ID: 042821NMWFGDW2**  
**Prep Type: Total Recoverable**  
**Prep Batch: 485076**

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	Limit
Boron	<23		1000	1050		ug/L		105	75 - 125	0	20

## Method: 6020B - Metals (ICP/MS)

**Lab Sample ID: MB 240-485076/1-A**  
**Matrix: Water**  
**Analysis Batch: 485542**

**Client Sample ID: Method Blank**  
**Prep Type: Total Recoverable**  
**Prep Batch: 485076**

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.57		2.0	0.57	ug/L		05/11/21 14:00	05/12/21 10:47	1
Arsenic	<0.75		5.0	0.75	ug/L		05/11/21 14:00	05/12/21 10:47	1
Barium	<2.2		5.0	2.2	ug/L		05/11/21 14:00	05/12/21 10:47	1
Beryllium	<0.31		1.0	0.31	ug/L		05/11/21 14:00	05/12/21 10:47	1
Cadmium	<0.20		1.0	0.20	ug/L		05/11/21 14:00	05/12/21 10:47	1
Calcium	<580		1000	580	ug/L		05/11/21 14:00	05/12/21 10:47	1

Eurofins TestAmerica, Canton

# QC Sample Results

Client: Dominion Energy Services, Inc.  
Project/Site: Mount Storm Phase B CCR

Job ID: 240-148924-2  
SDG: Mount Storm Phase B CCR

## Method: 6020B - Metals (ICP/MS) (Continued)

**Lab Sample ID: MB 240-485076/1-A**  
**Matrix: Water**  
**Analysis Batch: 485542**

**Client Sample ID: Method Blank**  
**Prep Type: Total Recoverable**  
**Prep Batch: 485076**

Analyte	MB MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Chromium	<0.98		2.0	0.98	ug/L		05/11/21 14:00	05/12/21 10:47	1
Cobalt	<0.19		1.0	0.19	ug/L		05/11/21 14:00	05/12/21 10:47	1
Lead	<0.45		1.0	0.45	ug/L		05/11/21 14:00	05/12/21 10:47	1
Lithium	<1.7		8.0	1.7	ug/L		05/11/21 14:00	05/12/21 10:47	1
Molybdenum	<1.1		10	1.1	ug/L		05/11/21 14:00	05/12/21 10:47	1
Selenium	<0.89		5.0	0.89	ug/L		05/11/21 14:00	05/12/21 10:47	1
Thallium	<0.20		1.0	0.20	ug/L		05/11/21 14:00	05/12/21 10:47	1

**Lab Sample ID: LCS 240-485076/3-A**  
**Matrix: Water**  
**Analysis Batch: 485542**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total Recoverable**  
**Prep Batch: 485076**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Arsenic	1000	913		ug/L		91	80 - 120
Barium	1000	939		ug/L		94	80 - 120
Beryllium	500	453		ug/L		91	80 - 120
Cadmium	500	478		ug/L		96	80 - 120
Calcium	25000	23800		ug/L		95	80 - 120
Chromium	500	486		ug/L		97	80 - 120
Cobalt	500	487		ug/L		97	80 - 120
Lead	500	494		ug/L		99	80 - 120
Lithium	500	462		ug/L		92	80 - 120
Molybdenum	500	477		ug/L		95	80 - 120
Selenium	1000	930		ug/L		93	80 - 120
Thallium	1000	979		ug/L		98	80 - 120

**Lab Sample ID: 240-148924-2 MS**  
**Matrix: Water**  
**Analysis Batch: 485542**

**Client Sample ID: 042821NMWFGDW2**  
**Prep Type: Total Recoverable**  
**Prep Batch: 485076**

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Arsenic	<0.75		1000	986		ug/L		99	80 - 120
Barium	210		1000	1270		ug/L		106	80 - 120
Beryllium	<0.31		500	492		ug/L		98	80 - 120
Cadmium	<0.20		500	507		ug/L		101	80 - 120
Calcium	39000		25000	60800		ug/L		87	80 - 120
Chromium	<0.98		500	515		ug/L		103	80 - 120
Cobalt	<0.19		500	519		ug/L		104	80 - 120
Lead	<0.45		500	531		ug/L		106	80 - 120
Lithium	6.1	J	500	510		ug/L		101	80 - 120
Molybdenum	<1.1		500	512		ug/L		102	80 - 120
Selenium	<0.89		1000	988		ug/L		99	80 - 120
Thallium	0.32	J	1000	1040		ug/L		104	80 - 120

# QC Sample Results

Client: Dominion Energy Services, Inc.  
Project/Site: Mount Storm Phase B CCR

Job ID: 240-148924-2  
SDG: Mount Storm Phase B CCR

## Method: 6020B - Metals (ICP/MS) (Continued)

**Lab Sample ID: 240-148924-2 MSD**  
**Matrix: Water**  
**Analysis Batch: 485542**

**Client Sample ID: 042821NMWFGDW2**  
**Prep Type: Total Recoverable**  
**Prep Batch: 485076**

Analyte	Sample	Sample	Spike	MSD	MSD	Unit	D	%Rec	%Rec.	RPD	Limit
	Result	Qualifier	Added	Result	Qualifier				Limits		
Antimony	<0.57		100	101		ug/L		101	80 - 120	3	20
Arsenic	<0.75		1000	969		ug/L		97	80 - 120	2	20
Barium	210		1000	1240		ug/L		103	80 - 120	2	20
Beryllium	<0.31		500	480		ug/L		96	80 - 120	3	20
Cadmium	<0.20		500	497		ug/L		99	80 - 120	2	20
Calcium	39000		25000	61200		ug/L		89	80 - 120	1	20
Chromium	<0.98		500	498		ug/L		100	80 - 120	3	20
Cobalt	<0.19		500	508		ug/L		102	80 - 120	2	20
Lead	<0.45		500	521		ug/L		104	80 - 120	2	20
Lithium	6.1	J	500	501		ug/L		99	80 - 120	2	20
Molybdenum	<1.1		500	510		ug/L		102	80 - 120	0	20
Selenium	<0.89		1000	963		ug/L		96	80 - 120	3	20
Thallium	0.32	J	1000	1020		ug/L		102	80 - 120	2	20

## Method: 7470A - Mercury (CVAA)

**Lab Sample ID: MB 240-485078/1-A**  
**Matrix: Water**  
**Analysis Batch: 485541**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**  
**Prep Batch: 485078**

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Mercury	<0.13		0.20	0.13	ug/L		05/11/21 14:00	05/12/21 15:23	1

**Lab Sample ID: LCS 240-485078/2-A**  
**Matrix: Water**  
**Analysis Batch: 485541**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**  
**Prep Batch: 485078**

Analyte	Spike Added	LCS	LCS	Unit	D	%Rec	%Rec.
		Result	Qualifier				Limits
Mercury	5.00	5.21		ug/L		104	80 - 120

**Lab Sample ID: 240-148924-2 MS**  
**Matrix: Water**  
**Analysis Batch: 485541**

**Client Sample ID: 042821NMWFGDW2**  
**Prep Type: Total/NA**  
**Prep Batch: 485078**

Analyte	Sample	Sample	Spike	MS	MS	Unit	D	%Rec	%Rec.
	Result	Qualifier	Added	Result	Qualifier				Limits
Mercury	<0.13		1.00	1.11		ug/L		111	80 - 120

**Lab Sample ID: 240-148924-2 MSD**  
**Matrix: Water**  
**Analysis Batch: 485541**

**Client Sample ID: 042821NMWFGDW2**  
**Prep Type: Total/NA**  
**Prep Batch: 485078**

Analyte	Sample	Sample	Spike	MSD	MSD	Unit	D	%Rec	%Rec.	RPD	Limit
	Result	Qualifier	Added	Result	Qualifier				Limits		
Mercury	<0.13		1.00	1.06		ug/L		106	80 - 120	5	20

# QC Sample Results

Client: Dominion Energy Services, Inc.  
Project/Site: Mount Storm Phase B CCR

Job ID: 240-148924-2  
SDG: Mount Storm Phase B CCR

## Method: 9056A - Anions, Ion Chromatography

**Lab Sample ID: MB 240-485485/3**  
**Matrix: Water**  
**Analysis Batch: 485485**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<280		1000	280	ug/L			05/12/21 18:22	1
Fluoride	<24		50	24	ug/L			05/12/21 18:22	1
Sulfate	<350		1000	350	ug/L			05/12/21 18:22	1

**Lab Sample ID: LCS 240-485485/4**  
**Matrix: Water**  
**Analysis Batch: 485485**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride	50000	51100		ug/L		102	90 - 110
Fluoride	2500	2670		ug/L		107	90 - 110
Sulfate	50000	51200		ug/L		102	90 - 110

**Lab Sample ID: 240-148924-2 MS**  
**Matrix: Water**  
**Analysis Batch: 485485**

**Client Sample ID: 042821NMWFGDW2**  
**Prep Type: Total/NA**

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride	920	J	50000	55100		ug/L		108	80 - 120
Fluoride	70		2500	2870		ug/L		112	80 - 120
Sulfate	41000		50000	93900		ug/L		106	80 - 120

**Lab Sample ID: 240-148924-2 MSD**  
**Matrix: Water**  
**Analysis Batch: 485485**

**Client Sample ID: 042821NMWFGDW2**  
**Prep Type: Total/NA**

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Chloride	920	J	50000	54300		ug/L		107	80 - 120	2	15
Fluoride	70		2500	2820		ug/L		110	80 - 120	2	15
Sulfate	41000		50000	92900		ug/L		104	80 - 120	1	15

## Method: SM 2540C - Solids, Total Dissolved (TDS)

**Lab Sample ID: MB 180-356535/2**  
**Matrix: Water**  
**Analysis Batch: 356535**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	<10		10	10	mg/L			05/11/21 17:32	1

**Lab Sample ID: LCS 180-356535/1**  
**Matrix: Water**  
**Analysis Batch: 356535**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Total Dissolved Solids	486	454		mg/L		93	80 - 120

Eurofins TestAmerica, Canton

# QC Sample Results

Client: Dominion Energy Services, Inc.  
Project/Site: Mount Storm Phase B CCR

Job ID: 240-148924-2  
SDG: Mount Storm Phase B CCR

## Method: SM 2540C - Solids, Total Dissolved (TDS) (Continued)

**Lab Sample ID: 180-121224-A-1 DU**  
**Matrix: Water**  
**Analysis Batch: 356535**

**Client Sample ID: Duplicate**  
**Prep Type: Total/NA**

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Total Dissolved Solids	830		858		mg/L		3	10

**Lab Sample ID: 180-121224-A-2 DU**  
**Matrix: Water**  
**Analysis Batch: 356535**

**Client Sample ID: Duplicate**  
**Prep Type: Total/NA**

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Total Dissolved Solids	1300		1280		mg/L		0.9	10

**Lab Sample ID: MB 180-356700/2**  
**Matrix: Water**  
**Analysis Batch: 356700**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	<10		10	10	mg/L			05/12/21 15:58	1

**Lab Sample ID: LCS 180-356700/1**  
**Matrix: Water**  
**Analysis Batch: 356700**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Total Dissolved Solids	486	450		mg/L		93	80 - 120

**Lab Sample ID: 180-121217-A-8 DU**  
**Matrix: Water**  
**Analysis Batch: 356700**

**Client Sample ID: Duplicate**  
**Prep Type: Total/NA**

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Total Dissolved Solids	2500		2520		mg/L		0.5	10

## Method: 9315 - Radium-226 (GFPC)

**Lab Sample ID: MB 160-510114/23-A**  
**Matrix: Water**  
**Analysis Batch: 514248**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**  
**Prep Batch: 510114**

Analyte	MB Result	MB Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	-0.01000	U	0.0723	0.0723	1.00	0.148	pCi/L	05/17/21 14:25	06/14/21 21:04	1
Carrier	MB %Yield	MB Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	88.9		40 - 110					05/17/21 14:25	06/14/21 21:04	1

**Lab Sample ID: LCS 160-510114/1-A**  
**Matrix: Water**  
**Analysis Batch: 514216**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**  
**Prep Batch: 510114**

Analyte	Spike Added	LCS Result	LCS Qual	Total Uncert. (2σ+/-)	RL	MDC	Unit	%Rec	%Rec. Limits
Radium-226	11.3	10.63		1.15	1.00	0.148	pCi/L	94	75 - 125

Eurofins TestAmerica, Canton

# QC Sample Results

Client: Dominion Energy Services, Inc.  
Project/Site: Mount Storm Phase B CCR

Job ID: 240-148924-2  
SDG: Mount Storm Phase B CCR

## Method: 9315 - Radium-226 (GFPC) (Continued)

Carrier	LCS %Yield	LCS Qualifier	Limits
Ba Carrier	75.7		40 - 110

Lab Sample ID: LCSD 160-510114/2-A  
Matrix: Water  
Analysis Batch: 514216

Client Sample ID: Lab Control Sample Dup  
Prep Type: Total/NA  
Prep Batch: 510114

Analyte	Spike Added	LCSD Result	LCSD Qual	Total Uncert. (2σ+/-)	RL	MDC	Unit	%Rec	%Rec. Limits	RER	RER Limit
Radium-226	11.3	10.62		1.18	1.00	0.157	pCi/L	94	75 - 125	0.01	1

Carrier	LCS %Yield	LCS Qualifier	Limits
Ba Carrier	61.6		40 - 110

Lab Sample ID: 240-148924-2 MS  
Matrix: Water  
Analysis Batch: 514232

Client Sample ID: 042821NMWFGDW2  
Prep Type: Total/NA  
Prep Batch: 510114

Analyte	Sample Result	Sample Qual	Spike Added	MS Result	MS Qual	Total Uncert. (2σ+/-)	RL	MDC	Unit	%Rec	%Rec. Limits
Radium-226	0.142	U	11.3	10.43		1.13	1.00	0.177	pCi/L	91	75 - 138

Carrier	MS %Yield	MS Qualifier	Limits
Ba Carrier	78.4		40 - 110

Lab Sample ID: 240-148924-2 MSD  
Matrix: Water  
Analysis Batch: 514232

Client Sample ID: 042821NMWFGDW2  
Prep Type: Total/NA  
Prep Batch: 510114

Analyte	Sample Result	Sample Qual	Spike Added	MSD Result	MSD Qual	Total Uncert. (2σ+/-)	RL	MDC	Unit	%Rec	%Rec. Limits	RER	RER Limit
Radium-226	0.142	U	11.3	10.03		1.08	1.00	0.161	pCi/L	87	75 - 138	0.18	1

Carrier	MSD %Yield	MSD Qualifier	Limits
Ba Carrier	79.3		40 - 110

## Method: 9320 - Radium-228 (GFPC)

Lab Sample ID: MB 160-510116/23-A  
Matrix: Water  
Analysis Batch: 513354

Client Sample ID: Method Blank  
Prep Type: Total/NA  
Prep Batch: 510116

Analyte	MB Result	MB Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.1362	U	0.268	0.268	1.00	0.458	pCi/L	05/17/21 15:19	06/08/21 11:20	1

Carrier	MB %Yield	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
Ba Carrier	88.9		40 - 110	05/17/21 15:19	06/08/21 11:20	1
Y Carrier	80.4		40 - 110	05/17/21 15:19	06/08/21 11:20	1

# QC Sample Results

Client: Dominion Energy Services, Inc.  
Project/Site: Mount Storm Phase B CCR

Job ID: 240-148924-2  
SDG: Mount Storm Phase B CCR

## Method: 9320 - Radium-228 (GFPC) (Continued)

**Lab Sample ID: LCS 160-510116/1-A**  
**Matrix: Water**  
**Analysis Batch: 513343**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**  
**Prep Batch: 510116**

Analyte	Spike Added	LCS Result	LCS Qual	Total Uncert. (2σ+/-)	RL	MDC	Unit	%Rec	%Rec. Limits		
Radium-228	9.65	10.19		1.24	1.00	0.442	pCi/L	106	75 - 125		
<b>Carrier</b>	<b>%Yield</b>	<b>LCS Qualifier</b>	<b>Limits</b>								
Ba Carrier	75.7		40 - 110								
Y Carrier	84.1		40 - 110								

**Lab Sample ID: LCSD 160-510116/2-A**  
**Matrix: Water**  
**Analysis Batch: 513343**

**Client Sample ID: Lab Control Sample Dup**  
**Prep Type: Total/NA**  
**Prep Batch: 510116**

Analyte	Spike Added	LCSD Result	LCSD Qual	Total Uncert. (2σ+/-)	RL	MDC	Unit	%Rec	%Rec. Limits		RER	RER Limit
Radium-228	9.65	10.70		1.39	1.00	0.729	pCi/L	111	75 - 125	0.20	1	
<b>Carrier</b>	<b>%Yield</b>	<b>LCSD Qualifier</b>	<b>Limits</b>									
Ba Carrier	61.6		40 - 110									
Y Carrier	81.5		40 - 110									

**Lab Sample ID: 240-148924-2 MS**  
**Matrix: Water**  
**Analysis Batch: 513343**

**Client Sample ID: 042821NMWFGDW2**  
**Prep Type: Total/NA**  
**Prep Batch: 510116**

Analyte	Sample Result	Sample Qual	Spike Added	MS Result	MS Qual	Total Uncert. (2σ+/-)	RL	MDC	Unit	%Rec	%Rec. Limits	
Radium-228	0.0185	U	9.65	9.657		1.17	1.00	0.468	pCi/L	100	45 - 150	
<b>Carrier</b>	<b>%Yield</b>	<b>MS Qualifier</b>	<b>Limits</b>									
Ba Carrier	78.4		40 - 110									
Y Carrier	89.7		40 - 110									

**Lab Sample ID: 240-148924-2 MSD**  
**Matrix: Water**  
**Analysis Batch: 513343**

**Client Sample ID: 042821NMWFGDW2**  
**Prep Type: Total/NA**  
**Prep Batch: 510116**

Analyte	Sample Result	Sample Qual	Spike Added	MSD Result	MSD Qual	Total Uncert. (2σ+/-)	RL	MDC	Unit	%Rec	%Rec. Limits		RER	RER Limit
Radium-228	0.0185	U	9.64	8.637		1.07	1.00	0.431	pCi/L	89	45 - 150	0.46	1	
<b>Carrier</b>	<b>%Yield</b>	<b>MSD Qualifier</b>	<b>Limits</b>											
Ba Carrier	79.3		40 - 110											
Y Carrier	87.9		40 - 110											



# QC Sample Results

Client: Dominion Energy Services, Inc.  
Project/Site: Mount Storm Phase B CCR

Job ID: 240-148924-2  
SDG: Mount Storm Phase B CCR

## Method: 9320 - Radium-228 (GFPC) (Continued)

**Lab Sample ID: MB 160-514287/4-A**  
**Matrix: Water**  
**Analysis Batch: 515625**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**  
**Prep Batch: 514287**

Analyte	MB	MB	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
	Result	Qualifier	Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	0.4245	U	0.313	0.316	1.00	0.489	pCi/L	06/15/21 09:12	06/23/21 10:02	1
Carrier	MB %Yield	MB Qualifier	Limits				Prepared		Analyzed	
Ba Carrier	68.2		40 - 110				06/15/21 09:12		06/23/21 10:02	
Y Carrier	87.5		40 - 110				06/15/21 09:12		06/23/21 10:02	

**Lab Sample ID: LCS 160-514287/1-A**  
**Matrix: Water**  
**Analysis Batch: 515625**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**  
**Prep Batch: 514287**

Analyte	Spike Added	LCS Result	LCS Qual	Total	RL	MDC	Unit	%Rec	%Rec.
				Uncert. (2σ+/-)					Limits
Radium-228	9.60	10.67		1.29	1.00	0.522	pCi/L	111	75 - 125
Carrier	LCS %Yield	LCS Qualifier	Limits						
Ba Carrier	72.0		40 - 110						
Y Carrier	85.2		40 - 110						

**Lab Sample ID: LCSD 160-514287/2-A**  
**Matrix: Water**  
**Analysis Batch: 515625**

**Client Sample ID: Lab Control Sample Dup**  
**Prep Type: Total/NA**  
**Prep Batch: 514287**

Analyte	Spike Added	LCSD Result	LCSD Qual	Total	RL	MDC	Unit	%Rec	%Rec.	RER	RER Limit
				Uncert. (2σ+/-)					Limits	0.05	1
Radium-228	9.60	10.54		1.30	1.00	0.564	pCi/L	110	75 - 125	0.05	1
Carrier	LCSD %Yield	LCSD Qualifier	Limits								
Ba Carrier	66.4		40 - 110								
Y Carrier	86.4		40 - 110								

# QC Association Summary

Client: Dominion Energy Services, Inc.  
Project/Site: Mount Storm Phase B CCR

Job ID: 240-148924-2  
SDG: Mount Storm Phase B CCR

## Metals

### Prep Batch: 485076

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-148924-1	042821NMW22	Total Recoverable	Water	3005A	
240-148924-2	042821NMWFGDW2	Total Recoverable	Water	3005A	
240-148924-5	042821NMW10	Total Recoverable	Water	3005A	
240-148924-7	042821FB	Total Recoverable	Water	3005A	
240-148924-8	042821FD	Total Recoverable	Water	3005A	
240-148924-9	042721NMW6R	Total Recoverable	Water	3005A	
240-148924-10	042821NMW7	Total Recoverable	Water	3005A	
240-148924-11	042721NMW12R	Total Recoverable	Water	3005A	
240-148924-12	042821NMW13	Total Recoverable	Water	3005A	
240-148924-13	042821NMW14	Total Recoverable	Water	3005A	
MB 240-485076/1-A	Method Blank	Total Recoverable	Water	3005A	
LCS 240-485076/2-A	Lab Control Sample	Total Recoverable	Water	3005A	
LCS 240-485076/3-A	Lab Control Sample	Total Recoverable	Water	3005A	
240-148924-1 MS	042821NMW22	Total Recoverable	Water	3005A	
240-148924-1 MSD	042821NMW22	Total Recoverable	Water	3005A	
240-148924-2 MS	042821NMWFGDW2	Total Recoverable	Water	3005A	
240-148924-2 MS	042821NMWFGDW2	Total Recoverable	Water	3005A	
240-148924-2 MSD	042821NMWFGDW2	Total Recoverable	Water	3005A	
240-148924-2 MSD	042821NMWFGDW2	Total Recoverable	Water	3005A	

### Prep Batch: 485078

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-148924-1	042821NMW22	Total/NA	Water	7470A	
240-148924-2	042821NMWFGDW2	Total/NA	Water	7470A	
240-148924-5	042821NMW10	Total/NA	Water	7470A	
240-148924-7	042821FB	Total/NA	Water	7470A	
240-148924-8	042821FD	Total/NA	Water	7470A	
240-148924-9	042721NMW6R	Total/NA	Water	7470A	
240-148924-10	042821NMW7	Total/NA	Water	7470A	
240-148924-11	042721NMW12R	Total/NA	Water	7470A	
240-148924-12	042821NMW13	Total/NA	Water	7470A	
240-148924-13	042821NMW14	Total/NA	Water	7470A	
MB 240-485078/1-A	Method Blank	Total/NA	Water	7470A	
LCS 240-485078/2-A	Lab Control Sample	Total/NA	Water	7470A	
240-148924-2 MS	042821NMWFGDW2	Total/NA	Water	7470A	
240-148924-2 MSD	042821NMWFGDW2	Total/NA	Water	7470A	

### Analysis Batch: 485541

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-148924-1	042821NMW22	Total/NA	Water	7470A	485078
240-148924-2	042821NMWFGDW2	Total/NA	Water	7470A	485078
240-148924-5	042821NMW10	Total/NA	Water	7470A	485078
240-148924-7	042821FB	Total/NA	Water	7470A	485078
240-148924-8	042821FD	Total/NA	Water	7470A	485078
240-148924-9	042721NMW6R	Total/NA	Water	7470A	485078
240-148924-10	042821NMW7	Total/NA	Water	7470A	485078
240-148924-11	042721NMW12R	Total/NA	Water	7470A	485078
240-148924-12	042821NMW13	Total/NA	Water	7470A	485078
240-148924-13	042821NMW14	Total/NA	Water	7470A	485078
MB 240-485078/1-A	Method Blank	Total/NA	Water	7470A	485078
LCS 240-485078/2-A	Lab Control Sample	Total/NA	Water	7470A	485078

Eurofins TestAmerica, Canton

# QC Association Summary

Client: Dominion Energy Services, Inc.  
Project/Site: Mount Storm Phase B CCR

Job ID: 240-148924-2  
SDG: Mount Storm Phase B CCR

## Metals (Continued)

### Analysis Batch: 485541 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-148924-2 MS	042821NMWFGDW2	Total/NA	Water	7470A	485078
240-148924-2 MSD	042821NMWFGDW2	Total/NA	Water	7470A	485078

### Analysis Batch: 485542

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-148924-1	042821NMW22	Total Recoverable	Water	6020B	485076
240-148924-2	042821NMWFGDW2	Total Recoverable	Water	6020B	485076
240-148924-5	042821NMW10	Total Recoverable	Water	6020B	485076
240-148924-7	042821FB	Total Recoverable	Water	6020B	485076
240-148924-8	042821FD	Total Recoverable	Water	6020B	485076
240-148924-9	042721NMW6R	Total Recoverable	Water	6020B	485076
240-148924-10	042821NMW7	Total Recoverable	Water	6020B	485076
240-148924-11	042721NMW12R	Total Recoverable	Water	6020B	485076
240-148924-12	042821NMW13	Total Recoverable	Water	6020B	485076
240-148924-13	042821NMW14	Total Recoverable	Water	6020B	485076
MB 240-485076/1-A	Method Blank	Total Recoverable	Water	6020B	485076
LCS 240-485076/3-A	Lab Control Sample	Total Recoverable	Water	6020B	485076
240-148924-2 MS	042821NMWFGDW2	Total Recoverable	Water	6020B	485076
240-148924-2 MSD	042821NMWFGDW2	Total Recoverable	Water	6020B	485076

### Analysis Batch: 485588

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-148924-1	042821NMW22	Total Recoverable	Water	6010D	485076
240-148924-2	042821NMWFGDW2	Total Recoverable	Water	6010D	485076
240-148924-5	042821NMW10	Total Recoverable	Water	6010D	485076
240-148924-7	042821FB	Total Recoverable	Water	6010D	485076
240-148924-8	042821FD	Total Recoverable	Water	6010D	485076
240-148924-9	042721NMW6R	Total Recoverable	Water	6010D	485076
240-148924-10	042821NMW7	Total Recoverable	Water	6010D	485076
240-148924-11	042721NMW12R	Total Recoverable	Water	6010D	485076
240-148924-12	042821NMW13	Total Recoverable	Water	6010D	485076
240-148924-13	042821NMW14	Total Recoverable	Water	6010D	485076
MB 240-485076/1-A	Method Blank	Total Recoverable	Water	6010D	485076
LCS 240-485076/2-A	Lab Control Sample	Total Recoverable	Water	6010D	485076
240-148924-1 MS	042821NMW22	Total Recoverable	Water	6010D	485076
240-148924-1 MSD	042821NMW22	Total Recoverable	Water	6010D	485076
240-148924-2 MS	042821NMWFGDW2	Total Recoverable	Water	6010D	485076
240-148924-2 MSD	042821NMWFGDW2	Total Recoverable	Water	6010D	485076

## General Chemistry

### Analysis Batch: 356535

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-148924-1	042821NMW22	Total/NA	Water	SM 2540C	
240-148924-2	042821NMWFGDW2	Total/NA	Water	SM 2540C	
240-148924-7	042821FB	Total/NA	Water	SM 2540C	
240-148924-8	042821FD	Total/NA	Water	SM 2540C	
240-148924-9	042721NMW6R	Total/NA	Water	SM 2540C	
240-148924-10	042821NMW7	Total/NA	Water	SM 2540C	
240-148924-12	042821NMW13	Total/NA	Water	SM 2540C	
240-148924-13	042821NMW14	Total/NA	Water	SM 2540C	

Eurofins TestAmerica, Canton

# QC Association Summary

Client: Dominion Energy Services, Inc.  
Project/Site: Mount Storm Phase B CCR

Job ID: 240-148924-2  
SDG: Mount Storm Phase B CCR

## General Chemistry (Continued)

### Analysis Batch: 356535 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MB 180-356535/2	Method Blank	Total/NA	Water	SM 2540C	
LCS 180-356535/1	Lab Control Sample	Total/NA	Water	SM 2540C	
180-121224-A-1 DU	Duplicate	Total/NA	Water	SM 2540C	
180-121224-A-2 DU	Duplicate	Total/NA	Water	SM 2540C	

### Analysis Batch: 356700

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-148924-5	042821NMW10	Total/NA	Water	SM 2540C	
240-148924-11	042721NMW12R	Total/NA	Water	SM 2540C	
MB 180-356700/2	Method Blank	Total/NA	Water	SM 2540C	
LCS 180-356700/1	Lab Control Sample	Total/NA	Water	SM 2540C	
180-121217-A-8 DU	Duplicate	Total/NA	Water	SM 2540C	

### Analysis Batch: 485485

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-148924-1	042821NMW22	Total/NA	Water	9056A	
240-148924-2	042821NMWFGDW2	Total/NA	Water	9056A	
240-148924-5	042821NMW10	Total/NA	Water	9056A	
240-148924-7	042821FB	Total/NA	Water	9056A	
240-148924-8	042821FD	Total/NA	Water	9056A	
240-148924-9	042721NMW6R	Total/NA	Water	9056A	
240-148924-10	042821NMW7	Total/NA	Water	9056A	
240-148924-11	042721NMW12R	Total/NA	Water	9056A	
240-148924-12	042821NMW13	Total/NA	Water	9056A	
240-148924-13	042821NMW14	Total/NA	Water	9056A	
MB 240-485485/3	Method Blank	Total/NA	Water	9056A	
LCS 240-485485/4	Lab Control Sample	Total/NA	Water	9056A	
240-148924-2 MS	042821NMWFGDW2	Total/NA	Water	9056A	
240-148924-2 MSD	042821NMWFGDW2	Total/NA	Water	9056A	

## Rad

### Prep Batch: 510114

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-148924-1	042821NMW22	Total/NA	Water	PrecSep-21	
240-148924-2	042821NMWFGDW2	Total/NA	Water	PrecSep-21	
240-148924-5	042821NMW10	Total/NA	Water	PrecSep-21	
240-148924-7	042821FB	Total/NA	Water	PrecSep-21	
240-148924-8	042821FD	Total/NA	Water	PrecSep-21	
240-148924-9	042721NMW6R	Total/NA	Water	PrecSep-21	
240-148924-10	042821NMW7	Total/NA	Water	PrecSep-21	
240-148924-11	042721NMW12R	Total/NA	Water	PrecSep-21	
240-148924-12	042821NMW13	Total/NA	Water	PrecSep-21	
240-148924-13	042821NMW14	Total/NA	Water	PrecSep-21	
MB 160-510114/23-A	Method Blank	Total/NA	Water	PrecSep-21	
LCS 160-510114/1-A	Lab Control Sample	Total/NA	Water	PrecSep-21	
LCSD 160-510114/2-A	Lab Control Sample Dup	Total/NA	Water	PrecSep-21	
240-148924-2 MS	042821NMWFGDW2	Total/NA	Water	PrecSep-21	
240-148924-2 MSD	042821NMWFGDW2	Total/NA	Water	PrecSep-21	

Eurofins TestAmerica, Canton

# QC Association Summary

Client: Dominion Energy Services, Inc.  
Project/Site: Mount Storm Phase B CCR

Job ID: 240-148924-2  
SDG: Mount Storm Phase B CCR

## Rad

### Prep Batch: 510116

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-148924-2	042821NMWFGDW2	Total/NA	Water	PrecSep_0	
240-148924-5	042821NMW10	Total/NA	Water	PrecSep_0	
240-148924-7	042821FB	Total/NA	Water	PrecSep_0	
240-148924-8	042821FD	Total/NA	Water	PrecSep_0	
240-148924-9	042721NMW6R	Total/NA	Water	PrecSep_0	
240-148924-10	042821NMW7	Total/NA	Water	PrecSep_0	
240-148924-11	042721NMW12R	Total/NA	Water	PrecSep_0	
240-148924-12	042821NMW13	Total/NA	Water	PrecSep_0	
240-148924-13	042821NMW14	Total/NA	Water	PrecSep_0	
MB 160-510116/23-A	Method Blank	Total/NA	Water	PrecSep_0	
LCS 160-510116/1-A	Lab Control Sample	Total/NA	Water	PrecSep_0	
LCSD 160-510116/2-A	Lab Control Sample Dup	Total/NA	Water	PrecSep_0	
240-148924-2 MS	042821NMWFGDW2	Total/NA	Water	PrecSep_0	
240-148924-2 MSD	042821NMWFGDW2	Total/NA	Water	PrecSep_0	

### Prep Batch: 514287

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-148924-1	042821NMW22	Total/NA	Water	PrecSep_0	
MB 160-514287/4-A	Method Blank	Total/NA	Water	PrecSep_0	
LCS 160-514287/1-A	Lab Control Sample	Total/NA	Water	PrecSep_0	
LCSD 160-514287/2-A	Lab Control Sample Dup	Total/NA	Water	PrecSep_0	

# Lab Chronicle

Client: Dominion Energy Services, Inc.  
Project/Site: Mount Storm Phase B CCR

Job ID: 240-148924-2  
SDG: Mount Storm Phase B CCR

**Client Sample ID: 042821NMW22**

**Lab Sample ID: 240-148924-1**

**Date Collected: 04/28/21 09:20**

**Matrix: Water**

**Date Received: 04/30/21 10:20**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total Recoverable	Prep	3005A			485076	05/11/21 14:00	MRL	TAL CAN
Total Recoverable	Analysis	6010D		1	485588	05/13/21 06:45	KLC	TAL CAN
Total Recoverable	Prep	3005A			485076	05/11/21 14:00	MRL	TAL CAN
Total Recoverable	Analysis	6020B		1	485542	05/12/21 11:06	DTN	TAL CAN
Total/NA	Prep	7470A			485078	05/11/21 14:00	MRL	TAL CAN
Total/NA	Analysis	7470A		1	485541	05/12/21 15:38	SLD	TAL CAN
Total/NA	Analysis	9056A		1	485485	05/13/21 02:25	JMB	TAL CAN
Total/NA	Analysis	SM 2540C		1	356535	05/11/21 17:32	KMM	TAL PIT
Total/NA	Prep	PrecSep-21			510114	05/17/21 14:25	MJ	TAL SL
Total/NA	Analysis	9315		1	514248	06/14/21 18:35	SCB	TAL SL
Total/NA	Prep	PrecSep_0			514287	06/15/21 09:12	MJ	TAL SL
Total/NA	Analysis	9320		1	515625	06/23/21 10:02	ANW	TAL SL
Total/NA	Analysis	Ra226_Ra228 Pos		1	515772	06/23/21 22:50	SCB	TAL SL

**Client Sample ID: 042821NMWFGDW2**

**Lab Sample ID: 240-148924-2**

**Date Collected: 04/28/21 10:40**

**Matrix: Water**

**Date Received: 04/30/21 10:20**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total Recoverable	Prep	3005A			485076	05/11/21 14:00	MRL	TAL CAN
Total Recoverable	Analysis	6010D		1	485588	05/12/21 18:19	KLC	TAL CAN
Total Recoverable	Prep	3005A			485076	05/11/21 14:00	MRL	TAL CAN
Total Recoverable	Analysis	6020B		1	485542	05/12/21 10:52	DTN	TAL CAN
Total/NA	Prep	7470A			485078	05/11/21 14:00	MRL	TAL CAN
Total/NA	Analysis	7470A		1	485541	05/12/21 15:27	SLD	TAL CAN
Total/NA	Analysis	9056A		1	485485	05/13/21 03:25	JMB	TAL CAN
Total/NA	Analysis	SM 2540C		1	356535	05/11/21 17:32	KMM	TAL PIT
Total/NA	Prep	PrecSep-21			510114	05/17/21 14:25	MJ	TAL SL
Total/NA	Analysis	9315		1	514232	06/14/21 18:36	SCB	TAL SL
Total/NA	Prep	PrecSep_0			510116	05/17/21 15:19	MJ	TAL SL
Total/NA	Analysis	9320		1	513343	06/08/21 11:14	AK	TAL SL
Total/NA	Analysis	Ra226_Ra228 Pos		1	514474	06/15/21 16:57	SCB	TAL SL

**Client Sample ID: 042821NMW10**

**Lab Sample ID: 240-148924-5**

**Date Collected: 04/28/21 13:41**

**Matrix: Water**

**Date Received: 04/30/21 10:20**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total Recoverable	Prep	3005A			485076	05/11/21 14:00	MRL	TAL CAN
Total Recoverable	Analysis	6010D		1	485588	05/13/21 05:14	KLC	TAL CAN
Total Recoverable	Prep	3005A			485076	05/11/21 14:00	MRL	TAL CAN
Total Recoverable	Analysis	6020B		1	485542	05/12/21 11:19	DTN	TAL CAN
Total/NA	Prep	7470A			485078	05/11/21 14:00	MRL	TAL CAN
Total/NA	Analysis	7470A		1	485541	05/12/21 15:44	SLD	TAL CAN

Eurofins TestAmerica, Canton

# Lab Chronicle

Client: Dominion Energy Services, Inc.  
Project/Site: Mount Storm Phase B CCR

Job ID: 240-148924-2  
SDG: Mount Storm Phase B CCR

**Client Sample ID: 042821NMW10**

**Lab Sample ID: 240-148924-5**

**Date Collected: 04/28/21 13:41**

**Matrix: Water**

**Date Received: 04/30/21 10:20**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	9056A		1	485485	05/13/21 02:45	JMB	TAL CAN
Total/NA	Analysis	SM 2540C		1	356700	05/12/21 16:00	GRB	TAL PIT
Total/NA	Prep	PrecSep-21			510114	05/17/21 14:25	MJ	TAL SL
Total/NA	Analysis	9315		1	514232	06/14/21 18:37	SCB	TAL SL
Total/NA	Prep	PrecSep_0			510116	05/17/21 15:19	MJ	TAL SL
Total/NA	Analysis	9320		1	513343	06/08/21 11:14	AK	TAL SL
Total/NA	Analysis	Ra226_Ra228 Pos		1	514474	06/15/21 16:57	SCB	TAL SL

**Client Sample ID: 042821FB**

**Lab Sample ID: 240-148924-7**

**Date Collected: 04/28/21 16:00**

**Matrix: Water**

**Date Received: 04/30/21 10:20**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total Recoverable	Prep	3005A			485076	05/11/21 14:00	MRL	TAL CAN
Total Recoverable	Analysis	6010D		1	485588	05/13/21 05:23	KLC	TAL CAN
Total Recoverable	Prep	3005A			485076	05/11/21 14:00	MRL	TAL CAN
Total Recoverable	Analysis	6020B		1	485542	05/12/21 11:24	DTN	TAL CAN
Total/NA	Prep	7470A			485078	05/11/21 14:00	MRL	TAL CAN
Total/NA	Analysis	7470A		1	485541	05/12/21 15:48	SLD	TAL CAN
Total/NA	Analysis	9056A		1	485485	05/13/21 03:05	JMB	TAL CAN
Total/NA	Analysis	SM 2540C		1	356535	05/11/21 17:32	KMM	TAL PIT
Total/NA	Prep	PrecSep-21			510114	05/17/21 14:25	MJ	TAL SL
Total/NA	Analysis	9315		1	514232	06/14/21 18:37	SCB	TAL SL
Total/NA	Prep	PrecSep_0			510116	05/17/21 15:19	MJ	TAL SL
Total/NA	Analysis	9320		1	513343	06/08/21 11:15	AK	TAL SL
Total/NA	Analysis	Ra226_Ra228 Pos		1	514474	06/15/21 16:57	SCB	TAL SL

**Client Sample ID: 042821FD**

**Lab Sample ID: 240-148924-8**

**Date Collected: 04/28/21 12:00**

**Matrix: Water**

**Date Received: 04/30/21 10:20**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total Recoverable	Prep	3005A			485076	05/11/21 14:00	MRL	TAL CAN
Total Recoverable	Analysis	6010D		1	485588	05/13/21 05:27	KLC	TAL CAN
Total Recoverable	Prep	3005A			485076	05/11/21 14:00	MRL	TAL CAN
Total Recoverable	Analysis	6020B		1	485542	05/12/21 11:27	DTN	TAL CAN
Total/NA	Prep	7470A			485078	05/11/21 14:00	MRL	TAL CAN
Total/NA	Analysis	7470A		1	485541	05/12/21 15:50	SLD	TAL CAN
Total/NA	Analysis	9056A		1	485485	05/13/21 04:26	JMB	TAL CAN
Total/NA	Analysis	SM 2540C		1	356535	05/11/21 17:32	KMM	TAL PIT
Total/NA	Prep	PrecSep-21			510114	05/17/21 14:25	MJ	TAL SL
Total/NA	Analysis	9315		1	514232	06/14/21 18:38	SCB	TAL SL
Total/NA	Prep	PrecSep_0			510116	05/17/21 15:19	MJ	TAL SL
Total/NA	Analysis	9320		1	513343	06/08/21 11:15	AK	TAL SL

Eurofins TestAmerica, Canton

# Lab Chronicle

Client: Dominion Energy Services, Inc.  
Project/Site: Mount Storm Phase B CCR

Job ID: 240-148924-2  
SDG: Mount Storm Phase B CCR

**Client Sample ID: 042821FD**

**Lab Sample ID: 240-148924-8**

**Date Collected: 04/28/21 12:00**

**Matrix: Water**

**Date Received: 04/30/21 10:20**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Ra226_Ra228 Pos		1	514474	06/15/21 16:57	SCB	TAL SL

**Client Sample ID: 042721NMW6R**

**Lab Sample ID: 240-148924-9**

**Date Collected: 04/27/21 16:50**

**Matrix: Water**

**Date Received: 04/30/21 10:20**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total Recoverable	Prep	3005A			485076	05/11/21 14:00	MRL	TAL CAN
Total Recoverable	Analysis	6010D		1	485588	05/13/21 05:40	KLC	TAL CAN
Total Recoverable	Prep	3005A			485076	05/11/21 14:00	MRL	TAL CAN
Total Recoverable	Analysis	6020B		1	485542	05/12/21 11:29	DTN	TAL CAN
Total/NA	Prep	7470A			485078	05/11/21 14:00	MRL	TAL CAN
Total/NA	Analysis	7470A		1	485541	05/12/21 15:52	SLD	TAL CAN
Total/NA	Analysis	9056A		1	485485	05/13/21 04:46	JMB	TAL CAN
Total/NA	Analysis	SM 2540C		1	356535	05/11/21 17:32	KMM	TAL PIT
Total/NA	Prep	PrecSep-21			510114	05/17/21 14:25	MJ	TAL SL
Total/NA	Analysis	9315		1	514232	06/14/21 18:37	SCB	TAL SL
Total/NA	Prep	PrecSep_0			510116	05/17/21 15:19	MJ	TAL SL
Total/NA	Analysis	9320		1	513354	06/08/21 11:19	ANW	TAL SL
Total/NA	Analysis	Ra226_Ra228 Pos		1	514474	06/15/21 16:57	SCB	TAL SL

**Client Sample ID: 042821NMW7**

**Lab Sample ID: 240-148924-10**

**Date Collected: 04/28/21 15:04**

**Matrix: Water**

**Date Received: 04/30/21 10:20**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total Recoverable	Prep	3005A			485076	05/11/21 14:00	MRL	TAL CAN
Total Recoverable	Analysis	6010D		1	485588	05/13/21 05:44	KLC	TAL CAN
Total Recoverable	Prep	3005A			485076	05/11/21 14:00	MRL	TAL CAN
Total Recoverable	Analysis	6020B		1	485542	05/12/21 11:32	DTN	TAL CAN
Total/NA	Prep	7470A			485078	05/11/21 14:00	MRL	TAL CAN
Total/NA	Analysis	7470A		1	485541	05/12/21 15:54	SLD	TAL CAN
Total/NA	Analysis	9056A		1	485485	05/13/21 05:06	JMB	TAL CAN
Total/NA	Analysis	SM 2540C		1	356535	05/11/21 17:32	KMM	TAL PIT
Total/NA	Prep	PrecSep-21			510114	05/17/21 14:25	MJ	TAL SL
Total/NA	Analysis	9315		1	514216	06/14/21 21:05	FLC	TAL SL
Total/NA	Prep	PrecSep_0			510116	05/17/21 15:19	MJ	TAL SL
Total/NA	Analysis	9320		1	513354	06/08/21 11:19	ANW	TAL SL
Total/NA	Analysis	Ra226_Ra228 Pos		1	514474	06/15/21 16:57	SCB	TAL SL



# Lab Chronicle

Client: Dominion Energy Services, Inc.  
Project/Site: Mount Storm Phase B CCR

Job ID: 240-148924-2  
SDG: Mount Storm Phase B CCR

**Client Sample ID: 042721NMW12R**  
**Date Collected: 04/27/21 14:35**  
**Date Received: 04/30/21 10:20**

**Lab Sample ID: 240-148924-11**  
**Matrix: Water**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total Recoverable	Prep	3005A			485076	05/11/21 14:00	MRL	TAL CAN
Total Recoverable	Analysis	6010D		1	485588	05/13/21 05:49	KLC	TAL CAN
Total Recoverable	Prep	3005A			485076	05/11/21 14:00	MRL	TAL CAN
Total Recoverable	Analysis	6020B		1	485542	05/12/21 11:34	DTN	TAL CAN
Total/NA	Prep	7470A			485078	05/11/21 14:00	MRL	TAL CAN
Total/NA	Analysis	7470A		1	485541	05/12/21 15:56	SLD	TAL CAN
Total/NA	Analysis	9056A		1	485485	05/13/21 06:06	JMB	TAL CAN
Total/NA	Analysis	SM 2540C		1	356700	05/12/21 17:35	GRB	TAL PIT
Total/NA	Prep	PrecSep-21			510114	05/17/21 14:25	MJ	TAL SL
Total/NA	Analysis	9315		1	514216	06/14/21 21:05	FLC	TAL SL
Total/NA	Prep	PrecSep_0			510116	05/17/21 15:19	MJ	TAL SL
Total/NA	Analysis	9320		1	513354	06/08/21 11:19	ANW	TAL SL
Total/NA	Analysis	Ra226_Ra228 Pos		1	514474	06/15/21 16:57	SCB	TAL SL

**Client Sample ID: 042821NMW13**  
**Date Collected: 04/28/21 15:20**  
**Date Received: 04/30/21 10:20**

**Lab Sample ID: 240-148924-12**  
**Matrix: Water**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total Recoverable	Prep	3005A			485076	05/11/21 14:00	MRL	TAL CAN
Total Recoverable	Analysis	6010D		1	485588	05/13/21 05:53	KLC	TAL CAN
Total Recoverable	Prep	3005A			485076	05/11/21 14:00	MRL	TAL CAN
Total Recoverable	Analysis	6020B		1	485542	05/12/21 11:37	DTN	TAL CAN
Total/NA	Prep	7470A			485078	05/11/21 14:00	MRL	TAL CAN
Total/NA	Analysis	7470A		1	485541	05/12/21 16:02	SLD	TAL CAN
Total/NA	Analysis	9056A		1	485485	05/13/21 06:26	JMB	TAL CAN
Total/NA	Analysis	SM 2540C		1	356535	05/11/21 17:32	KMM	TAL PIT
Total/NA	Prep	PrecSep-21			510114	05/17/21 14:25	MJ	TAL SL
Total/NA	Analysis	9315		1	514248	06/14/21 21:03	SCB	TAL SL
Total/NA	Prep	PrecSep_0			510116	05/17/21 15:19	MJ	TAL SL
Total/NA	Analysis	9320		1	513354	06/08/21 11:19	ANW	TAL SL
Total/NA	Analysis	Ra226_Ra228 Pos		1	514474	06/15/21 16:57	SCB	TAL SL

**Client Sample ID: 042821NMW14**  
**Date Collected: 04/28/21 13:55**  
**Date Received: 04/30/21 10:20**

**Lab Sample ID: 240-148924-13**  
**Matrix: Water**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total Recoverable	Prep	3005A			485076	05/11/21 14:00	MRL	TAL CAN
Total Recoverable	Analysis	6010D		1	485588	05/13/21 05:58	KLC	TAL CAN
Total Recoverable	Prep	3005A			485076	05/11/21 14:00	MRL	TAL CAN
Total Recoverable	Analysis	6020B		1	485542	05/12/21 11:39	DTN	TAL CAN
Total/NA	Prep	7470A			485078	05/11/21 14:00	MRL	TAL CAN
Total/NA	Analysis	7470A		1	485541	05/12/21 16:05	SLD	TAL CAN

Eurofins TestAmerica, Canton

# Lab Chronicle

Client: Dominion Energy Services, Inc.  
Project/Site: Mount Storm Phase B CCR

Job ID: 240-148924-2  
SDG: Mount Storm Phase B CCR

**Client Sample ID: 042821NMW14**

**Lab Sample ID: 240-148924-13**

**Date Collected: 04/28/21 13:55**

**Matrix: Water**

**Date Received: 04/30/21 10:20**

<u>Prep Type</u>	<u>Batch Type</u>	<u>Batch Method</u>	<u>Run</u>	<u>Dilution Factor</u>	<u>Batch Number</u>	<u>Prepared or Analyzed</u>	<u>Analyst</u>	<u>Lab</u>
Total/NA	Analysis	9056A		1	485485	05/13/21 06:46	JMB	TAL CAN
Total/NA	Analysis	SM 2540C		1	356535	05/11/21 17:32	KMM	TAL PIT
Total/NA	Prep	PrecSep-21			510114	05/17/21 14:25	MJ	TAL SL
Total/NA	Analysis	9315		1	514248	06/14/21 21:04	SCB	TAL SL
Total/NA	Prep	PrecSep_0			510116	05/17/21 15:19	MJ	TAL SL
Total/NA	Analysis	9320		1	513354	06/08/21 11:19	ANW	TAL SL
Total/NA	Analysis	Ra226_Ra228 Pos		1	514474	06/15/21 16:57	SCB	TAL SL

## Laboratory References:

TAL CAN = Eurofins TestAmerica, Canton, 4101 Shuffel Street NW, North Canton, OH 44720, TEL (330)497-9396

TAL PIT = Eurofins TestAmerica, Pittsburgh, 301 Alpha Drive, RIDC Park, Pittsburgh, PA 15238, TEL (412)963-7058

TAL SL = Eurofins TestAmerica, St. Louis, 13715 Rider Trail North, Earth City, MO 63045, TEL (314)298-8566

# Accreditation/Certification Summary

Client: Dominion Energy Services, Inc.  
Project/Site: Mount Storm Phase B CCR

Job ID: 240-148924-2  
SDG: Mount Storm Phase B CCR

## Laboratory: Eurofins TestAmerica, Canton

The accreditations/certifications listed below are applicable to this report.

Authority	Program	Identification Number	Expiration Date
West Virginia DEP	State	210	12-31-21

## Laboratory: Eurofins TestAmerica, Pittsburgh

The accreditations/certifications listed below are applicable to this report.

Authority	Program	Identification Number	Expiration Date
West Virginia DEP	State	142	01-31-22

## Laboratory: Eurofins TestAmerica, St. Louis

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
West Virginia DEP	State	381	10-31-21

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

Analysis Method	Prep Method	Matrix	Analyte
Ra226_Ra228 Pos		Water	Radium 226 and 228

TestAmerica Laboratories, Inc. d/b/a Eurofins TestAmerica  
COC No: MSPS-15A21-BCCR-G

Regulatory Program:  DW  NPDES  RCRA  Other:

Client Contact		Regulatory Program		Project Manager: Rachel Powell		Site Contact: Rachel Powell		Date:		COCs	
Golder Associates Inc. 2108 West Laburnum Ave, Suite 200 Richmond/Va/USA (804) 358-7900 Phone (804) 517-3381 Cell		<input type="checkbox"/> CALENDAR DAYS <input type="checkbox"/> WORKING DAYS		Email: ripowell@golder.com Tel/Fax: 804-517-3381		Lab Contact: Roxanne Cisneros		Carrier: FEDEX		TALS Project #:	
Project Name: Phase B CCR Site: Mt. Storm, WV P O # 50153540		Analysis Turnaround Time		TAT if different from Below		Perform MS/MSD (Y/N)		Filtered Sample (Y/N)		Sample Specific Notes:	
		<input type="checkbox"/> 2 weeks <input type="checkbox"/> 1 week <input type="checkbox"/> 2 days <input type="checkbox"/> 1 day		<input type="checkbox"/> STANDARD <input type="checkbox"/> 2 weeks <input type="checkbox"/> 1 week <input type="checkbox"/> 2 days <input type="checkbox"/> 1 day		Pb, Li, Hg, Mo, Se, Tl Cr, F, S, O4 - 9056A Radium 226, 228, Total - 9000					
Sample Identification	Sample Date	Sample Time	Sample Type (C=Comp, G=Grab)	Matrix	# of Cont.	Sample Date	Sample Time	Sample Type (C=Comp, G=Grab)	Matrix	# of Cont.	Sample Specific Notes
042821N MW22	4/28/21	0920	G	GW	5	4/28/21	0920	G	GW	5	
042821N MWFGDW2	4/28/21	1040	G	GW	15	4/28/21	1040	G	GW	15	
042721N MW6R	4/27/21	1650	G	GW	5	4/27/21	1650	G	GW	5	
042821N MW7	4/28/21	1504	G	GW	5	4/28/21	1504	G	GW	5	
042821N MW10	4/28/21	1341	G	GW	5	4/28/21	1341	G	GW	5	
042721N MW12R	4/27/21	1435	G	GW	5	4/27/21	1435	G	GW	5	
042821N MW13	4/28/21	1520	G	GW	5	4/28/21	1520	G	GW	5	
042821N MW14	4/28/21	1355	G	GW	5	4/28/21	1355	G	GW	5	
042821FB	4/28/21	1600	G	GW	5	4/28/21	1600	G	GW	5	
042821FD	4/28/21	1200	G	GW	5	4/28/21	1200	G	GW	5	
Preservation Used: 1= Ice, 2= HCl; 3= H2SO4; 4=HNO3; 5=NaOH; 6= Other Possible Hazard Identification: Please List any EPA Waste Codes for the sample in the Comments Section if the lab is to dispose of the sample. <input checked="" type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown											
Special Instructions/QC Requirements & Comments: All samples preserved on ice. Level II Data Package requested. Please see reporting group G for additional details.											
Custody Seal No.:		Cooler Temp. (°C):		Obs'd:		Corr'd:		Therm ID No.:			
Relinquished by: <i>John England</i>		Relinquished by: <i>John England</i>		Relinquished by: <i>John England</i>		Relinquished by: <i>John England</i>		Relinquished by: <i>John England</i>		Relinquished by: <i>John England</i>	
Date/Time: 4/28/21 0900		Date/Time: 4/28/21 0900		Date/Time: 4/28/21 0900		Date/Time: 4/28/21 0900		Date/Time: 4/28/21 0900		Date/Time: 4/28/21 0900	
Company: Golder Associates Inc.		Company: Golder Associates Inc.		Company: Golder Associates Inc.		Company: Golder Associates Inc.		Company: Golder Associates Inc.		Company: Golder Associates Inc.	



Eurofins TestAmerica Canton Sample Receipt Form/Narrative

Login # : \_\_\_\_\_

Canton Facility

Client Golder

Site Name Phase A, B, AFB

Cooler unpacked by: JMC

Cooler Received on 4-30-21

Opened on 5-4-21

FedEx: 1<sup>st</sup> Grd Exp UPS FAS Clipper Client Drop Off TestAmerica Courier Other

Receipt After-hours: Drop-off Date/Time

Storage Location

TestAmerica Cooler # TA Foam Box Client Cooler Box Other \_\_\_\_\_

Packing material used: Bubble Wrap Foam Plastic Bag None Other \_\_\_\_\_

COOLANT: Wet Ice Blue Ice Dry Ice Water None

1. Cooler temperature upon receipt  See Multiple Cooler Form  
IR GUN# IR-11 (CF +0.1 °C) Observed Cooler Temp. \_\_\_\_\_ °C Corrected Cooler Temp. \_\_\_\_\_ °C  
IR GUN #IR-12 (CF +0.2°C) Observed Cooler Temp. \_\_\_\_\_ °C Corrected Cooler Temp. \_\_\_\_\_ °C

2. Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity \_\_\_\_\_ Yes No  
-Were the seals on the outside of the cooler(s) signed & dated? Yes No NA  
-Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)? Yes No  
-Were tamper/custody seals intact and uncompromised? Yes No NA

Tests that are not checked for pH by Receiving:  
VOAs  
Oil and Grease  
TOC

3. Shippers' packing slip attached to the cooler(s)? Yes No

4. Did custody papers accompany the sample(s)? Yes No

5. Were the custody papers relinquished & signed in the appropriate place? Yes No

6. Was/were the person(s) who collected the samples clearly identified on the COC? Yes No

7. Did all bottles arrive in good condition (Unbroken)? Yes No

8. Could all bottle labels (ID/Date/Time) be reconciled with the COC? Yes No

9. For each sample, does the COC specify preservatives (Y/N), # of containers (Y/N), and sample type of grab/comp (Y/N)? Yes No

10. Were correct bottle(s) used for the test(s) indicated? Yes No

11. Sufficient quantity received to perform indicated analyses? Yes No

12. Are these work share samples and all listed on the COC? Yes No

If yes, Questions 13-17 have been checked at the originating laboratory.

13. Were all preserved sample(s) at the correct pH upon receipt? Yes No NA pH Strip Lot# HC022887

14. Were VOAs on the COC? Yes No

15. Were air bubbles >6 mm in any VOA vials?  ← Larger than this. Yes No NA

16. Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # \_\_\_\_\_ Yes No

17. Was a LL Hg or Me Hg trip blank present? \_\_\_\_\_ Yes No

Contacted PM \_\_\_\_\_ Date \_\_\_\_\_ by \_\_\_\_\_ via Verbal Voice Mail Other

Concerning \_\_\_\_\_

18. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES  additional next page

Samples processed by: \_\_\_\_\_

19. SAMPLE CONDITION

Sample(s) \_\_\_\_\_ were received after the recommended holding time had expired.  
Sample(s) \_\_\_\_\_ were received in a broken container.  
Sample(s) \_\_\_\_\_ were received with bubble >6 mm in diameter. (Notify PM)

20. SAMPLE PRESERVATION

Sample(s) \_\_\_\_\_ were further preserved in the laboratory.  
Time preserved: \_\_\_\_\_ Preservative(s) added/Lot number(s): \_\_\_\_\_

VOA Sample Preservation - Date/Time VOAs Frozen: \_\_\_\_\_



RT 98  
10:30  
02:11  
05:11  
FZ  
A t Testing


ORIGIN ID: PHDA (330) 312-0176  
EUROFINS TESTAMERICA CANTON  
4101 SHUFFEL STREET NW  
NORTH CANTON, OH 447206900  
UNITED STATES US

SHIP DATE: 10MAY21  
ACTWGT: 15.00 LB MAN  
CAD: 0562057/CAFE3409

BILL SENDER

TO ENVIRONMENTAL SAMPLE RECEIPT  
TESTAMERICA PITTSBURGH  
301 ALPHA DRIVE  
RIDC PAR/  
PITTSBUR  
(412) 968-7068  
DEPT: AL HAIDEI

240-148924 Waybill



TUE - 11 MAY 10:30A  
PRIORITY OVERNIGHT


MPS# 9148 7504 0211  
Mstr# 9148 7504 0200

65 AGCA

15238  
PA-US PIT

Uncorrected temp 4.1 °C  
Thermometer ID 14  
CF Initials J

PT-WI-SR-001 effective 11/8/18



SHIP DATE: 10MAY21  
ACTWGT: 15.00 LB MAN  
CAD: 0562057/CAFE3409



BILL SENDER

ID: PHDA (330) 312-0176  
TESTAMERICA CANTON  
SHUFFEL STREET NW  
CANTON, OH 447206900  
UNITED STATES US

ENVIRONMENTAL SAMPLE RECEIPT  
TESTAMERICA PITTSBURGH  
1 ALPHA DRIVE  
DC PARK  
PITTSBURGH PA 15238

63-7068

AL HAIDEI



TUE - 11 MAY 10:30A  
PRIORITY OVERNIGHT

MPS# 9148 7504 0200  
MASTER #

5 AGCA

15238  
PA-US PIT

Uncorrected temp 4.1 °C  
Thermometer ID 14  
CF Initials J

PT-WI-SR-001 effective 11/8/18





RT 98  
FZ  
Te America

10:30 0369 05:12

Part # 150470-43-4112 EXP



240-148924 Waybill

ORIGIN ID:PHDA (330) 312-0176

EUROFINS TESTAMERICA CANTON  
4101 SHUFFEL STREET NW

NORTH CANTON, OH 447206900  
UNITED STATES US



SHIP DATE: 11MAY21  
ACTWGT: 20.15 LB MAN  
CAD: 0562057/CAFE3409

BILL THIRD PARTY

TO ENVIRONMENTAL SAMPLE RECEIPT  
TESTAMERICA PITTSBURGH  
301 ALPHA DRIVE  
RIDC PARK  
PITTSBURGH PA 15238

(412) 963-7068  
DEPT: AL HAIDET

*D Watson  
ETAPIT  
5-12-21  
10:30*



FedEx  
Express



WED - 12 MAY 10:30A  
PRIORITY OVERNIGHT

TRK# 9148 7504 0369  
0201

65 AGCA

15238  
PA-US PIT

Uncorrected temp	<u>5.7</u> C
Thermometer ID	<u>14</u>
CF <u>0</u> Initials <u>0</u>	

PT-WI-SR-001 effective 11/8/18



SAMPLE CONTROL  
TESTAMERICA ST. LOUIS  
13715 RIDER TRAIL NORTH

AC WT: 9.55 LB  
CAD: 0359833/CAFE9409  
DIMS: 14x14x9 IN

EARTH CITY, MO 63045  
UNITED STATES US

BILL SENDER

Part # 15002-02 M12 EXP 1221


TO **STEVE JACKSON**  
**TEST AMERICA PITTSBURGH**  
**301 ALPHA DRIVE**  
**RIDC PARK**  
**PITTSBURGH PA 15238**

(412) 983-7068

REF:

INV:  
PO:

DEPT:



**FedEx**  
Express



AP1081210211027

**WED - 12 MAY 10:30A**  
**PRIORITY OVERNIGHT**

TRK# **4957 0226 9159**  
0201

**NA AGCA**


**15238**  
PA-US **PIT**

Uncorrected temp  
Thermometer ID

35 °C  
14

CF 0 Initials J

PT-WI-SR-001 effective 11/8/18



*no coc*



240-148924 Waybill

*J Watson  
ETAPitt  
5-12-21  
10:30*

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15

**Chain of Custody Record**



Client Information (Sub Contract Lab)		Lab PM:		Carrier Tracking No(s):						
Client Contact: Shipping/Receiving		Cisneros, Roxanne		240-136345.1						
Company: TestAmerica Laboratories, Inc.		E-Mail: roxanne.cisneros@Eurofinset.com		Page: Page 1 of 2						
Address: 13715 Rider Trail North.		State of Origin: West Virginia		Job #: 240-148924-2						
City: Earth City		<b>Analysis Requested</b> 915_Ra226/PreSep_21 Standard Target List 920_Ra226/PreSep_0 Standard Target List Ra226_226FP_C/P/Combined Radium-226 and Radium-228 Total Number of Containers								
State, Zip: MO, 63045										
Phone: 314-298-8566(Tel) 314-298-8757(Fax)										
Email:										
Project Name: Mount Storm Phase B CCR										
Site: S50W#:		Preservation Code:		Special Instructions/Note:						
Sample ID (Lab ID)	Sample Date	Sample Time	Sample Type (C=Comp, G=grab)	Matrix (W=water, S=solid, O=waste/oli, BT=Issue, AA=)	Field Filtered Sample (Yes or No)	Perform MS/MSD (Yes or No)	915_Ra226/PreSep_21 Standard Target List	920_Ra226/PreSep_0 Standard Target List	Ra226_226FP_C/P/Combined Radium-226 and Radium-228	Method of Shipment:
042821NMW22 (240-148924-1)	4/28/21	09:20 Eastern	Water	Water	X	X	X	X	X	run once, report twice
042821NMWFGDW2 (240-148924-2)	4/28/21	10:40 Eastern	Water	Water	X	X	X	X	X	run once, report twice
042821NMWFGDW2 (240-148924-2MS)	4/28/21	10:40 Eastern	MS	Water	X	X	X	X	X	run once, report twice
042821NMWFGDW2 (240-148924-2MSD)	4/28/21	10:40 Eastern	MSD	Water	X	X	X	X	X	run once, report twice
042821NMW10 (240-148924-5)	4/28/21	13:41 Eastern	Water	Water	X	X	X	X	X	run once, report twice
042821FB (240-148924-7)	4/28/21	16:00 Eastern	Water	Water	X	X	X	X	X	run once, report twice
042821FD (240-148924-8)	4/28/21	12:00 Eastern	Water	Water	X	X	X	X	X	run once, report twice
042721NMW6R (240-148924-9)	4/27/21	16:50 Eastern	Water	Water	X	X	X	X	X	run once, report twice
042821NMW7 (240-148924-10)	4/28/21	15:04 Eastern	Water	Water	X	X	X	X	X	run once, report twice

Note: Since laboratory accreditations are subject to change, Eurofins TestAmerica places the ownership of method, analyte & accreditation compliance upon our subcontract laboratories. This sample shipment is forwarded under chain-of-custody. If the laboratory does not currently maintain accreditation in the State of Origin listed above for analysis/test/matrix being analyzed, the samples must be shipped back to the Eurofins TestAmerica laboratory or other instructions will be provided. Any changes to accreditation status should be brought to Eurofins TestAmerica attention immediately. If all requested accreditations are current to date, return the signed Chain of Custody attesting to said compliance to Eurofins TestAmerica.

**Possible Hazard Identification**  
 Unconfirmed  
 Deliverable Requested: I, II, III, IV, Other (specify) \_\_\_\_\_  
 Primary Deliverable Rank: 2  
 Date: \_\_\_\_\_ Time: \_\_\_\_\_  
 Special Instructions/QC Requirements: \_\_\_\_\_  
 Return To Client  Disposal By Lab  Archive For \_\_\_\_\_ Months

Empty Kit Relinquished by: \_\_\_\_\_ Date: \_\_\_\_\_ Time: \_\_\_\_\_  
 Relinquished by: *Anton R. Rabel* Date/Time: 5/10/21 1845 Company: *ETA*  
 Relinquished by: *Pedex* Date/Time: \_\_\_\_\_ Company: \_\_\_\_\_  
 Relinquished by: \_\_\_\_\_ Date/Time: \_\_\_\_\_ Company: \_\_\_\_\_

Custody Seals Intact:  Yes  No  Custody Seal No.: \_\_\_\_\_  
 Cooler Temperature(s) °C and Other Remarks: \_\_\_\_\_



**Chain of Custody Record**



<b>Client Information (Sub Contract Lab)</b>		Lab PM: Cisteros, Roxanne	Carrier Tracking No(s):	COC No: 240-136345.1								
Client Contact: TestAmerica Laboratories, Inc.		E-Mail: roxanne.cisteros@Eurolinset.com	State of Origin: West Virginia	Page: Page 1 of 2								
Address: 13715 Rider Trail North, Earth City, MO, 63045		Phone: 314-298-8566(Tel) 314-298-8757(Fax)	Job #: 240-148924-1	Preservation Codes: A - HCL, M - Hexane, N - None, O - NaOH, P - Na2OAS, Q - Na2SO3, R - Na2SO4, S - H2SO4, T - TSP Dodecahydrate, U - Acetone, V - MCAA, W - pH 4-5, L - EDTA, Z - other (specify)								
Project Name: Mount Storm Phase A CCR		Project #: 24021758	Special Instructions/Note:									
Site:		SSOW#:	run once, report twice									
Sample Identification - Client ID (Lab ID)		Sample Date	Sample Time	Sample Type (C=Comp, G=grab)	Matrix (W=water, S=solid, O=waste/oil, BT=tissue, AA=)	Field Filtered Sample (Yes or No)	Perform MS/MSD (Yes or No)	9315_Ra226/PreSep_21 Standard Target List	9320_Ra228/PreSep_0 Standard Target List	Ra226_228GFP_C/ Combined Radium-226 and Radium-228	Total Number of Containers	Special Instructions/Note:
042821NMW22 (240-148924-1)	4/28/21	09:20 Eastern	Water	Water	X	X	X	2	run once, report twice			
042821NMWFGDW2 (240-148924-2)	4/28/21	10:40 Eastern	Water	Water	X	X	X	6	run once, report twice			
042821NMWFGDW2 (240-148924-2MS)	4/28/21	10:40 Eastern	MS	Water	X	X	X	2	run once, report twice			
042821NMWFGDW2 (240-148924-2MSD)	4/28/21	10:40 Eastern	MSD	Water	X	X	X	2	run once, report twice			
042821NMW5 (240-148924-3)	4/28/21	12:02 Eastern	Water	Water	X	X	X	2	run once, report twice			
042821NMW8 (240-148924-4)	4/28/21	10:10 Eastern	Water	Water	X	X	X	2	run once, report twice			
042821NMW10 (240-148924-5)	4/28/21	13:41 Eastern	Water	Water	X	X	X	2	run once, report twice			
042721NMWFGDW6 (240-148924-6)	4/27/21	15:45 Eastern	Water	Water	X	X	X	2	run once, report twice			
042821FB (240-148924-7)	4/28/21	16:00 Eastern	Water	Water	X	X	X	2	run once, report twice			

Note: Since laboratory accreditations are subject to change, Eurolins TestAmerica places the ownership of method, analyte & accreditation compliance upon our subcontract laboratories. This sample shipment is forwarded under chain-of-custody. If the laboratory does not currently maintain accreditation in the State of Origin listed above for analysis/test/matrix being analyzed, the samples must be shipped back to the Eurolins TestAmerica laboratory or other instructions will be provided. Any changes to accreditation status should be brought to Eurolins TestAmerica attention immediately. If all requested accreditations are current to date, return the signed Chain of Custody attesting to said compliance to Eurolins TestAmerica.

**Possible Hazard Identification**  
 Unconfirmed  
 Deliverable Requested: I, II, III, IV, Other (specify) Primary Deliverable Rank: 2  
 Empty Kit Relinquished by: Date: Method of Shipment: Months  
 Relinquished by: Date/Time: Company: Received by: Date/Time: Company: Received by: Date/Time: Company: Cooler Temperature(s) °C and Other Remarks:



**Eurofins TestAmerica, Canton**

4101 Shuffel Street NW  
North Canton, OH 44720  
Phone: 330-497-9396 Fax: 330-497-0772

**Chain of Custody Record**



Environment Testing  
America

<b>Client Information (Sub Contract Lab)</b> Client Contact: TestAmerica Laboratories, Inc. Shipping/Receiving: 301 Alpha Drive, RIDC Park, Pittsburgh, PA, 15238 Phone: 412-963-7058(Tel) 412-963-2468(Fax) Email:		Lab PM: Cisneros, Roxanne E-Mail: roxanne.cisneros@Eurofinset.com West Virginia 240-148924 Chain of Custody								
Due Date Requested: 6/13/2021 TAT Requested (days):		Job #: 240-148924-1 Preservation Codes: A - HCL B - NaOH C - Zn Acetate D - Nitric Acid E - NaHSO4 F - MeOH G - Amchlor H - Ascorbic Acid I - Ice J - DI Water K - EDTA L - EDA Other:								
PO #: 412-963-7058(Tel) 412-963-2468(Fax) WO #:		Accreditations Required (See note): State Program - West Virginia DEP								
Project Name: Mount Storm Phase A CCR Site:		Analysis Requested								
Sample Identification - Client ID (Lab ID)	Sample Date	Sample Time	Sample Type (C=Comp, G=grab)	Matrix (W=water, S=solid, O=waste/oil, BT=Tissue, AS=Air)	Preservation Code:	Field Filtered Sample (Yes or No)	Perform MS/MSD (Yes or No)	2540C Calcd/ TDS	Total Number of Containers	Special Instructions/Note:
042821NMW22 (240-148924-1)	4/28/21	09:20 Eastern	Water	Water	X	X	X	1	run once, report twice	
042821NMWFGDW2 (240-148924-2)	4/28/21	10:40 Eastern	Water	Water	X	X	X	1	run once, report twice	
042821NMW5 (240-148924-3)	4/28/21	12:02 Eastern	Water	Water	X	X	X	1		
042821NMW8 (240-148924-4)	4/28/21	10:10 Eastern	Water	Water	X	X	X	1		
042821NMW10 (240-148924-5)	4/28/21	13:41 Eastern	Water	Water	X	X	X	1		
042721NMWFGDW6 (240-148924-6)	4/27/21	15:45 Eastern	Water	Water	X	X	X	1	run once, report twice	
042821FB (240-148924-7)	4/28/21	16:00 Eastern	Water	Water	X	X	X	1	run once, report twice	
042821FD (240-148924-8)	4/28/21	12:00 Eastern	Water	Water	X	X	X	1	run once, report twice	

Note: Since laboratory accreditations are subject to change, Eurofins TestAmerica places the ownership of method, analyte & accreditation compliance upon our subcontract laboratories. This sample shipment is forwarded under chain-of-custody. If the laboratory does not currently maintain accreditation in the State of Origin listed above for analysis/test/matrix being analyzed, the samples must be shipped back to the Eurofins TestAmerica laboratory or other instructions will be provided. Any changes to accreditation status should be brought to Eurofins TestAmerica attention immediately. If all requested accreditations are current to date, return the signed Chain of Custody attesting to said compliance to Eurofins TestAmerica.

**Possible Hazard Identification**  
 Unconfirmed  
 Deliverable Requested: I, II, III, IV, Other (specify) Primary Deliverable Rank: 2  
 Empty Kit Relinquished by: Date:

Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)  
 Return To Client  Disposal By Lab  Archive For Months

Special Instructions/QC Requirements:

Relinquished by: <i>[Signature]</i>	Date/Time: 5-10-21 17:00	Company: <i>[Signature]</i>	Date/Time: 5-1-21	Company: <i>[Signature]</i>
Relinquished by:	Date/Time:	Company:	Date/Time: 10:30	Company:
Relinquished by:	Date/Time:	Company:	Date/Time:	Company:

Custody Seals Intact:  Yes  No  
 Cooler Temperature(s) °C and Other Remarks:





# Chain of Custody Record

<b>Client Information (Sub Contract Lab)</b>		Lab PM:	Cisneros, Roxanne	Carrier Tracking No(s):	COC No: 240-136341.1				
Client Contact:		E-Mail:	roxanne.cisneros@Eurofinset.com	State of Origin:	West Virginia				
Shipping/Receiving		Phone:		Page:	Page 1 of 2				
Company:		TestAmerica Laboratories, Inc.		Job #:	240-148924-2				
Address:		301 Alpha Drive, RIDC Park,		<b>Preservation Codes:</b>					
City:	Pittsburgh	Due Date Requested:	6/13/2021	A - HCL M - Hexane N - None O - AsNaO2 P - Na2OAS Q - Na2SO3 R - Na2S2O3 S - H2SO4 T - TSP Dodecahydrate U - Acetone V - MCAA W - pH 4-5 Z - other (specify)					
State, Zip:	PA, 15238	TAT Requested (days):		B - NaOH C - Zn Acetate D - Nitric Acid E - NaHSO4 F - MeOH G - Amchlor H - Ascorbic Acid I - Ice J - DI Water K - EDTA L - EDA Other:					
Phone:	412-963-7058(Tel) 412-963-2468(Fax)	PO #:		Analysis Requested					
Email:		WO #:		Total Number of Containers					
Project Name:	Mount Storm Phase B CCR	Project #:	24021758	Perform MS/MSD (Yes or No)					
Site:		SSOW#:		Field Filled Sample (Yes or No)					
<b>Sample Identification - Client ID (Lab ID)</b>		Sample Date	Sample Time	Sample Type (C=Comp, G=grab)	Matrix (W=water, S=solid, O=waste/oil, BT=TISSUE, A=Air)	Preservation Code:	2540C Calcd/ TDS	2540C Calcd/ TDS	Special Instructions/Note:
042821NMW22 (240-148924-1)		4/28/21	09:20 Eastern	Water	Water		X	X	run once, report twice
042821NMWFGDW2 (240-148924-2)		4/28/21	10:40 Eastern	Water	Water		X	X	run once, report twice
042821NMW10 (240-148924-5)		4/28/21	13:41 Eastern	Water	Water		X	X	run once, report twice
042821FB (240-148924-7)		4/28/21	16:00 Eastern	Water	Water		X	X	run once, report twice
042821FD (240-148924-8)		4/28/21	12:00 Eastern	Water	Water		X	X	run once, report twice
042721NMW6R (240-148924-9)		4/27/21	16:50 Eastern	Water	Water		X	X	run once, report twice
042821NMW7 (240-148924-10)		4/28/21	15:04 Eastern	Water	Water		X	X	run once, report twice
042721NMW12R (240-148924-11)		4/27/21	14:35 Eastern	Water	Water		X	X	run once, report twice
042821NMW13 (240-148924-12)		4/28/21	15:20 Eastern	Water	Water		X	X	run once, report twice

Note: Since laboratory accreditations are subject to change, Eurofins TestAmerica places the ownership of method, analyte & accreditation compliance upon our subcontract laboratories. This sample shipment is forwarded under chain-of-custody. If the laboratory does not currently maintain accreditation in the State of Origin listed above for analysis/test/matrix being analyzed, the samples must be shipped back to the Eurofins TestAmerica laboratory or other instructions will be provided. Any changes to accreditation status should be brought to Eurofins TestAmerica attention immediately. If all requested accreditations are current to date, return the signed Chain of Custody attesting to said compliance to Eurofins TestAmerica.

<b>Possible Hazard Identification</b>		Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)	
Unconfirmed	Return To Client	Disposal By Lab	Archive For
Deliverable Requested: I, II, III, IV, Other (specify)		Special Instructions/QC Requirements:	
Empty Kit Relinquished by:		Method of Shipment:	
Relinquished by:	Date:	Received by:	Date/Time:
Relinquished by:	5-10-21 17:00	D Watson	5-11-21
Relinquished by:			10:30
Relinquished by:			
Custody Seals Intact:	Custody Seal No.:	Cooler Temperature(s) °C and Other Remarks:	
Δ Yes Δ No			





**Eurofins TestAmerica, Canton**  
 4101 Shuffel Street NW  
 North Canton OH 44720  
 Phone: 330-497-9396 Fax: 330-497-0772

**Chain of Custody Record**




eurofins

<b>Client Information (Sub Contract Lab)</b>		Lab PM: Cisneros, Roxann	COC No: 240-136925.1			
Shipping/Receiving		E-Mail: roxanne.cisneros@Eurofins.com	Page: Page 1 of 1			
Company: TestAmerica Laboratories, Inc.		Address: 301 Alpha Drive, RIDC Park, Pittsburgh, PA, 15238	Job #: 240-148924-1			
Due Date Requested: 6/13/2021		City: Pittsburgh	Preservation Codes: A HCL, B NaOH, C Zn Acetate, D Nitric Acid, E NaHSO4, F MeOH, G Amchlor, H Ascorbic Acid, I Ice, J DI Water, K EDTA, L EDA, Other*			
TAT Requested (days):		State, Zip: PA, 15238	Analysis Requested			
PO #:		Phone: 412-963-7058 (Tel) 412-963-2468 (Fax)	Total Number of Containers			
WO #:		Project #: 24021758	Field Filtered Sample (Yes or No)			
Project Name: Mount Storm Phase A CCR		SSOW#:	Perform MS/MSD (Yes or No)			
Site:			2540C Calcd/ TDS			
Sample Identification Client ID (Lab ID)		Sample Date	Sample Time	Sample Type (C=Comp, G=grab)	Matrix (W=water, S=soil, O=water, I=In-Tissue, A=Air)	Preservation Code:
042821NMW22 (240-148924-1)	4/28/21	09:20 Eastern	Water	X	X	run once, report twice
042821NMWFGDW2 (240-148924-2)	4/28/21	10:40 Eastern	Water	X	X	run once, report twice
042821NMW5 (240-148924-3)	4/28/21	12:02 Eastern	Water	X	X	
042821NMW8 (240-148924-4)	4/28/21	10:10 Eastern	Water	X	X	
042821NMW10 (240-148924-5)	4/28/21	13:41 Eastern	Water	X	X	
042721NMWFGDW6 (240-148924-6)	4/27/21	11:00 Eastern	Water	X	X	
042821FB (240-148924-7)	4/28/21	16:00 Eastern	Water	X	X	
042821FD (240-148924-8)	4/28/21	12:00 Eastern	Water	X	X	
<p>Note: Since laboratory accreditations are subject to change, Eurofins TestAmerica places the ownership of method, analyte &amp; accreditation compliance upon out subcontract laboratories. This sample shipment is forwarded under chain-of-custody. If the laboratory does not currently maintain accreditation in the State of origin listed above for analysis/test/matrix being analyzed, the samples must be shipped back to the Eurofins TestAmerica laboratory or other instructions will be provided. Any changes to accreditation status should be brought to Eurofins TestAmerica attention immediately. If all requested accreditations are current to date, return the signed Chain of Custody attesting to said compliance to Eurofins TestAmerica.</p>						
<p><b>Possible Hazard Identification</b></p> <p>Unconfirmed</p> <p>Deliverable Requested: I, II, III, IV Other (specify) _____ Primary Deliverable Rank: 2</p> <p>Empty Kit Relinquished by: _____ Date: _____</p> <p>Relinquished by: <i>WMM</i> Date: 5-19-21 11:59 Company: <i>ETA</i></p> <p>Relinquished by: _____ Date/Time: _____ Company: _____</p> <p>Relinquished by: _____ Date/Time: _____ Company: _____</p> <p>Custody Seals Intact: _____ Custody Seal No. _____</p> <p>Δ Yes Δ No</p>						
<p>Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)</p> <p>Return To Client <input type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months</p> <p>Special Instructions/QC Requirements:</p> <p>Method of Shipment: _____</p> <p>Received by: _____ Date/Time: 5/11/21 Company: _____</p> <p>Received by: _____ Date/Time: _____ Company: _____</p> <p>Received by: _____ Date/Time: _____ Company: _____</p> <p>Cooler Temperature(s) °C and Other Remarks: _____</p>						



# Chain of Custody Record



ref

<b>Client Information (Sub Contract Lab)</b>		Lab P#: C/Ineros, Roxanne		Carrier Tracking No(s): 240-136925.2	
Client Contact: TestAmerica Laboratories, Inc.		E-Mail: roxanne.cisneros@Eurofinset.com		Page: Page 2 of 2	
Address: 301 Alpha Drive, RIDC Park, Pittsburgh, PA, 15238		Accreditations Required (See note): State Program West Virginia DEP		Job #: 240-148924-2	
Due Date Requested: 6/13/2021		<b>Analysis Requested</b>		Preservation Codes:	
TAT Requested (days):				A HCL M Hexane B NaOH N None C Zn Acetate O As/NO2 D Nitric Acid P Na2O4S E NaHSC4 Q Na2SO3 F MeOH R Na2S2O3 G Arniclor S H2SO4 H Ascorbic Acid T TSP Dodecahydrate I Ice U Acetone J DI Water V MCAA K EDTA W pH 4-5 L EDA Z other (specify) Other:	
PO #:	WO #:	Field Filled Sample (Yes or No)	Perform MS/MSD (Yes or No)	Total Number of Containers	
Project #: 24021758	SSOW#:	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	1	
Sample Date: 4/28/21	Sample Time: 13:55 Eastern	Matrix (Water, Seawater, DMSO, Oil)	Preservation Code: Water	Special Instructions/Note:	
Sample Identification	Client ID (Lab ID)	042821NMW14 (240-148924-13)			

Note: Since laboratory accreditations are subject to change, Eurofins TestAmerica places the ownership of method, analyte & accreditation compliance upon our subcontract laboratories. This sample shipment is forwarded under chain-of-custody. If the laboratory does not currently maintain accreditation in the State of Origin listed above for analysis/test/matrix, being analyzed, the samples must be shipped back to the Eurofins TestAmerica laboratory or other instructions will be provided. Any changes to accreditation status should be brought to Eurofins TestAmerica attention immediately. If all requested accreditations are current to date, return the signed Chain of Custody attesting to said compliance to Eurofins TestAmerica.

**Possible Hazard Identification**

Unconfirmed  
 Deliverable Requested: I, II, III, IV, Other (specify) Primary Deliverable Rank: 2

Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)  
 Return To Client  Disposal By Lab  Archive For \_\_\_\_\_ Months


Special Instructions/QC Requirements:

Empty Kit Relinquished by:	Date:	Time:	Method of Shipment:
Relinquished by: <i>[Signature]</i>	5-19-21	1/5/17	Company: <i>[Signature]</i>
Relinquished by:	Date/Time:	Date/Time:	Company:
Relinquished by:	Date/Time:	Date/Time:	Company:

Custody Seals Intact:  Yes  No  Custody Seal No.  
 Cooler Temperature(s) °C and Other Remarks:



# Chain of Custody Record



Client Information (Sub Contract Lab)		Lab PM:	Carrier Tracking No(s):			
Client Contact: TestAmerica Laboratories, Inc.		Cisneros, Roxanne	240-136925.1			
Shipping/Receiving		E-Mail: roxanne.cisneros@Eurofins.com	Page: Page 1 of 2			
Company: TestAmerica Laboratories, Inc.		Accreditations Required (See note): State Program West Virginia DEP	Job #: 240-148924-2			
Address: 301 Alpha Drive, RIDC Park, Pittsburgh PA, 15238		Preservation Codes: A HCL B NaOH C Zn Acetate D Nitric Acid E NaHSO4 F MeOH G Amchlor H Ascorbic Acid I Ice J DI Water K EDTA L EDA Other:				
Due Date Requested: 6/13/2021		Analysis Requested				
TAT Requested (days):		Total Number of Containers				
PO #:	WO #:	Field Filtered Sample (Yes or No)	2540C, Col'd, TDS			
Project #: 24021758	SSON#:	Perform MS/MSD (Yes or No)				
Site: Mount Storm Phase B CCR						
Sample Identification Client ID (Lab ID)	Sample Date	Sample Time	Sample Type (C=Comp, G=grab)	Matrix (Water, Solid, Dissolved)	Preservation Code:	Special Instructions/Note:
042821NMW22 (240-148924-1)	4/28/21	09:20 Eastern	Water	Water	X	run once, report twice
042821NMWFGDW2 (240-148924-2)	4/28/21	10:40 Eastern	Water	Water	X	run once, report twice
042821NMW10 (240-148924-5)	4/28/21	13:41 Eastern	Water	Water	X	run once, report twice
042821FB (240-148924-7)	4/28/21	16:00 Eastern	Water	Water	X	run once, report twice
042821FD (240-148924-8)	4/28/21	12:00 Eastern	Water	Water	X	run once, report twice
042721NMW6R (240-148924-9)	4/27/21	16:50 Eastern	Water	Water	X	
042821NMW7 (240-148924-10)	4/28/21	15:04 Eastern	Water	Water	X	
042721NMW12R (240-148924-11)	4/27/21	14:35 Eastern	Water	Water	X	
042821NMW13 (240-148924-12)	4/28/21	15:20 Eastern	Water	Water	X	



Note: Since laboratory accreditations are subject to change, Eurofins TestAmerica places the ownership of method, analyte & accreditation compliance upon our subcontract laboratories. This sample shipment is forwarded under chain-of-custody. If the laboratory does not currently maintain accreditation in the State of Origin listed above for analysis/test/matrix being analyzed, the samples must be shipped back to the Eurofins TestAmerica laboratory or other instructions will be provided. Any changes to accreditation status should be brought to Eurofins TestAmerica attention immediately. If all requested accreditations are current to date, return the signed Chain of Custody attesting to said compliance to Eurofins TestAmerica.

Possible Hazard Identification		Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)	
Unconfirmed	Return To Client	Disposal By Lab	Archive For
Deliverable Requested: I II III IV Other (specify)	Primary Deliverable Rank: 2	Special Instructions/QC Requirements:	Months
Empty Kit Relinquished by:	Date:	Method of Shipment:	
Relinquished by: <i>COMM</i>	Date: 5-19-21 11:57	Received by: <i>EA</i>	Company: <i>EA</i>
Relinquished by:	Date/Time:	Received by:	Company:
Relinquished by:	Date/Time:	Received by:	Company:
Custody Seals Intact: <input type="checkbox"/> Yes <input type="checkbox"/> No	Custody Seal No.	Cooler Temperature(s) °C and Other Remarks:	





# Chain of Custody Record



Client Information (Sub Contract Lab)		Lab P.M.:		Carrier Tracking No(s):						
Company: TestAmerica Laboratories, Inc.		Cisneros, Roxanne		240-136925.1						
Address: 301 Alpha Drive, RIDC Park, Pittsburgh, PA 15238		E-Mail: roxanne.cisneros@Eurofinset.com		Page: Page 1 of 2						
Phone: 412-963-7058 (Tel) 412-963-2468 (Fax)		Accreditations Required (See note): State Program West Virginia DEP		Job #: 240-148924-3						
Email:		State of Origin: West Virginia		Preservation Codes:						
Project Name: Mount Storm Phase A&B NPDES		Due Date Requested: 5/21/2021		A HCl						
Site:		TAT Requested (days):		B NaOH						
PO #:		Matrix (Water, Solid, Organic)		C Zn Acetate						
WO #:		Sample Type (C=Comp, G=grab)		D Nitric Acid						
Project #: 24021758		Sample Time		E NaHSO4						
SSOW#:		Sample Date		F MeOH						
		Sample Time		G Arsenic						
		Sample Date		H Ascorbic Acid						
		Sample Time		I Ice						
		Sample Date		J DI Water						
		Sample Time		K EDTA						
		Sample Date		L EDA						
		Sample Time		Other						
		Sample Date		M Hexane						
		Sample Time		N None						
		Sample Date		O ASNO2						
		Sample Time		P Na2O4S						
		Sample Date		Q Na2SO3						
		Sample Time		R Na2SO3						
		Sample Date		S H2SO4						
		Sample Time		T TSP Dodecahydrate						
		Sample Date		U Acetone						
		Sample Time		V MCAA						
		Sample Date		W pH 4-5						
		Sample Time		Z other (specify)						
042821NMW22 (240-148924-1)	Water	09:20 Eastern	4/28/21	Field Filtered Sample (Yes or No)	350.1/ Distilled Ammonia	250C_Calcd/ TDS	2540D/ TSS	Total Number of Containers	1	Special Instructions/Note:
042821NMWFGDW2 (240-148924-2)	Water	10:40 Eastern	4/28/21	Field Filtered Sample (Yes or No)	X	X	X	1		
042821NMWFGDW2 (240-148924-2MS)	Water	10:40 Eastern	4/28/21	Field Filtered Sample (Yes or No)	X	X	X	1		
042821NMWFGDW2 (240-148924-2MSD)	Water	10:40 Eastern	4/28/21	Field Filtered Sample (Yes or No)	X	X	X	1		
042821NMW5 (240-148924-3)	Water	12:00 Eastern	4/28/21	Field Filtered Sample (Yes or No)	X	X	X	1		
042821NMW8 (240-148924-4)	Water	10:10 Eastern	4/28/21	Field Filtered Sample (Yes or No)	X	X	X	1		
042821NMW10 (240-148924-5)	Water	13:41 Eastern	4/28/21	Field Filtered Sample (Yes or No)	X	X	X	1		
042721NMWFGDW6 (240-148924-6)	Water	11:00 Eastern	4/27/21	Field Filtered Sample (Yes or No)	X	X	X	1	run once, report twice	
042821FB (240-148924-7)	Water	16:00 Eastern	4/28/21	Field Filtered Sample (Yes or No)	X	X	X	1		

Note: Since laboratory accreditations are subject to change, Eurofins TestAmerica places the ownership of method, analyte & accreditation compliance upon our subcontract laboratories. This sample shipment is forwarded under chain-of-custody. If the laboratory does not currently maintain accreditation in the State of Origin listed above for analysis/ests/mainx being analyzed, the samples must be shipped back to the Eurofins TestAmerica laboratory or other instructions will be provided. Any changes to accreditation status should be brought to Eurofins TestAmerica attention immediately. If all requested accreditations are current to date, return the signed Chain of Custody attesting to said compliance to Eurofins TestAmerica.

**Possible Hazard Identification**  
 Unconfirmed  
 Deliverable Requested: I II III IV Other (specify) Primary Deliverable Rank: 2  
 Special Instructions/QC Requirements:  Return To Client  Disposal By Lab  Archive For \_\_\_\_\_ Months

Empty Kit Relinquished by: \_\_\_\_\_ Date: \_\_\_\_\_  
 Relinquished by: *[Signature]* Date/Time: 5-19-21 11:57 Company: *[Signature]* Company:  
 Relinquished by: \_\_\_\_\_ Date/Time: \_\_\_\_\_ Company:  
 Relinquished by: \_\_\_\_\_ Date/Time: \_\_\_\_\_ Company:

Custody Seals Intact:  Yes  No  Custody Seal No. \_\_\_\_\_  
 Cooler Temperature(s) °C and Other Remarks: \_\_\_\_\_



## Login Sample Receipt Checklist

Client: Dominion Energy Services, Inc.

Job Number: 240-148924-2  
SDG Number: Mount Storm Phase B CCR

**Login Number: 148924**  
**List Number: 3**  
**Creator: Watson, Debbie**

**List Source: Eurofins TestAmerica, Pittsburgh**  
**List Creation: 05/11/21 01:55 PM**

Question	Answer	Comment
Radioactivity wasn't checked or is <math>\leq</math> background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	N/A	
There are no discrepancies between the containers received and the COC.	False	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <math><6\text{mm}</math> (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	



## Login Sample Receipt Checklist

Client: Dominion Energy Services, Inc.

Job Number: 240-148924-2  
SDG Number: Mount Storm Phase B CCR

**Login Number: 148924**  
**List Number: 4**  
**Creator: Watson, Debbie**

**List Source: Eurofins TestAmerica, Pittsburgh**  
**List Creation: 05/11/21 02:03 PM**

Question	Answer	Comment
Radioactivity wasn't checked or is <math>\leq</math> background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	N/A	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <math><6\text{mm}</math> (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	False	



## Login Sample Receipt Checklist

Client: Dominion Energy Services, Inc.

Job Number: 240-148924-2  
SDG Number: Mount Storm Phase B CCR

**Login Number: 148924**  
**List Number: 5**  
**Creator: Watson, Debbie**

**List Source: Eurofins TestAmerica, Pittsburgh**  
**List Creation: 05/12/21 12:10 PM**

Question	Answer	Comment
Radioactivity wasn't checked or is <math>\leq</math> background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	N/A	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <math><6\text{mm}</math> (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	





## Login Sample Receipt Checklist

Client: Dominion Energy Services, Inc.

Job Number: 240-148924-2  
SDG Number: Mount Storm Phase B CCR

**Login Number: 148924**

**List Number: 2**

**Creator: Worthington, Sierra M**

**List Source: Eurofins TestAmerica, St. Louis**

**List Creation: 05/11/21 12:08 PM**

Question	Answer	Comment
Radioactivity wasn't checked or is <math>\leq</math> background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <math><6\text{mm}</math> (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	



## Login Sample Receipt Checklist

Client: Dominion Energy Services, Inc.

Job Number: 240-148924-2  
SDG Number: Mount Storm Phase B CCR

**Login Number: 148924**

**List Number: 6**

**Creator: Korrinhizer, Micha L**

**List Source: Eurofins TestAmerica, St. Louis**

**List Creation: 05/13/21 01:04 PM**

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	N/A	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	



This quality assurance (QA) review is based upon an examination of the data generated from the analyses of the samples collected as part of:

**Mount Storm Power Station Groundwater Sampling  
Samples Collected between: 4/27/2021 and 4/29/2021**

This review was performed with guidance from the associated US EPA data validation guidelines and in accordance with the Quality Assurance Program Plan. These validation guidance documents specifically address analyses performed in accordance with the Contract Laboratory Program (CLP) analytical methods and are not completely applicable to the type of analyses and analytical protocols performed for the US EPA, SW-846, and Standard Methods utilized by the laboratory for these samples. Environmental Standards, Inc. (Environmental Standards) used professional judgment to determine the usability of the analytical results and compliance relative to the US EPA, SW-846, and Standard Methods utilized by the laboratory. This QA review was performed on the data associated with Job Number:

**2401489242**

The findings offered in this report are based on a review of holding times and preservation, method blank results, field blank results, filter blank results, equipment blank results, tubing blank results, matrix spike/matrix spike duplicate recoveries and precision, laboratory control sample/laboratory control sample duplicate recoveries and precision, laboratory and field duplicate precision, total and dissolved results comparisons, and/or positive results between the method detection limit and quantitation limit.

The following results were qualified based on the data verification effort:

Sample	Location	Sample Type	Method	Anayte	T/D	Result	Qual	Reason Code(s)	MDL	QL	Uncertainty	Unit
042821NMW22	MW-22	N	SM 2540C	Total Dissolved Solids	N	270	J	H	10	10		mg/L
042821NMW22	MW-22	N	SW-846 6020B	Beryllium	T	0.48	J	RL	0.31	1.0		ug/L
042821NMW22	MW-22	N	SW-846 6020B	Cobalt	T	0.49	J	RL	0.19	1.0		ug/L
042821NMW22	MW-22	N	SW-846 6020B	Lithium	T	6.9	J	RL	1.7	8.0		ug/L
042821NMW22	MW-22	N	SW-846 6020B	Thallium	T	0.64	J	RL	0.20	1.0		ug/L
042821NMW22	MW-22	N	SW-846 9056A	Chloride	N	880	J	RL	280	1000		ug/L
042821NMW22	MW-22	N	SW-846 9056A	Fluoride	N	44	J	RL	24	50		ug/L
042821NMW7	MW-7	N	SM 2540C	Total Dissolved Solids	N	200	J	H	10	10		mg/L
042821NMW7	MW-7	N	SW-846 6020B	Cobalt	T	0.34	J	RL	0.19	1.0		ug/L
042821NMW7	MW-7	N	SW-846 9056A	Chloride	N	900	J	RL	280	1000		ug/L
042721NMW12R	MW-12R	N	SM 2540C	Total Dissolved Solids	N	16	J	H	10	10		mg/L
042721NMW12R	MW-12R	N	SW-846 9056A	Chloride	N	470	J	RL	280	1000		ug/L
042821NMW13	MW-13	N	CALC	Radium-226/228	N	0.658	J	S			0.312	pCi/L
042821NMW13	MW-13	N	SM 2540C	Total Dissolved Solids	N	59	J	H	10	10		mg/L
042821NMW13	MW-13	N	SW-846 6020B	Beryllium	T	0.63	J	RL	0.31	1.0		ug/L
042821NMW13	MW-13	N	SW-846 6020B	Cadmium	T	0.34	J	RL	0.20	1.0		ug/L
042821NMW13	MW-13	N	SW-846 6020B	Lithium	T	2.7	J	RL	1.7	8.0		ug/L
042821NMW13	MW-13	N	SW-846 9056A	Chloride	N	580	J	RL	280	1000		ug/L
042821NMW13	MW-13	N	SW-846 9056A	Fluoride	N	39	J	RL	24	50		ug/L
042821NMW14	MW-14	N	CALC	Radium-226/228	N	0.673	J	S			0.313	pCi/L
042821NMW14	MW-14	N	SM 2540C	Total Dissolved Solids	N	57	J	H	10	10		mg/L
042821NMW14	MW-14	N	SW-846 6020B	Beryllium	T	0.39	J	RL	0.31	1.0		ug/L
042821NMW14	MW-14	N	SW-846 6020B	Cobalt	T	0.21	J	RL	0.19	1.0		ug/L
042821NMW14	MW-14	N	SW-846 6020B	Lithium	T	2.6	J	RL	1.7	8.0		ug/L
042821NMW14	MW-14	N	SW-846 9056A	Chloride	N	390	J	RL	280	1000		ug/L
042821NMWFGDW2	MWFGDW2	N	SM 2540C	Total Dissolved Solids	N	140	J	H	10	10		mg/L
042821NMWFGDW2	MWFGDW2	N	SW-846 6020B	Lithium	T	6.1	J	RL	1.7	8.0		ug/L
042821NMWFGDW2	MWFGDW2	N	SW-846 6020B	Thallium	T	0.32	J	RL	0.20	1.0		ug/L
042821NMWFGDW2	MWFGDW2	N	SW-846 9056A	Chloride	N	920	J	RL	280	1000		ug/L
042821NMW10	MW-10	N	CALC	Radium-226/228	N	0.380	J	S			0.313	pCi/L

Sample	Location	Sample Type	Method	Anayte	T/D	Result	Qual	Reason Code(s)	MDL	QL	Uncertainty	Unit
042821NMW10	MW-10	N	SM 2540C	Total Dissolved Solids	N	33	J	H	10	10		mg/L
042821NMW10	MW-10	N	SW-846 6020B	Beryllium	T	0.37	J	RL	0.31	1.0		ug/L
042821NMW10	MW-10	N	SW-846 6020B	Cadmium	T	0.23	J	RL	0.20	1.0		ug/L
042821NMW10	MW-10	N	SW-846 6020B	Cobalt	T	0.39	J	RL	0.19	1.0		ug/L
042821NMW10	MW-10	N	SW-846 9056A	Chloride	N	610	J	RL	280	1000		ug/L
042821NMW10	MW-10	N	SW-846 9056A	Fluoride	N	46	J	RL	24	50		ug/L
042821FB		FB	CALC	Radium-226/228	N	0.0614	U	S			0.234	pCi/L
042821FB		FB	SM 2540C	Total Dissolved Solids	N		UJ	H	10	10		mg/L
042821FD	MWFGDW2	FD	SM 2540C	Total Dissolved Solids	N	150	J	H	10	10		mg/L
042821FD	MWFGDW2	FD	SW-846 6020B	Lithium	T	5.1	J	RL	1.7	8.0		ug/L
042721NMW6R	MWFGDW6 R	N	CALC	Radium-226/228	N	0.598	J	S			0.303	pCi/L
042721NMW6R	MWFGDW6 R	N	SM 2540C	Total Dissolved Solids	N	240	J	H	10	10		mg/L
042721NMW6R	MWFGDW6 R	N	SW-846 6020B	Cobalt	T	0.26	J	RL	0.19	1.0		ug/L
042721NMW6R	MWFGDW6 R	N	SW-846 9056A	Chloride	N	450	J	RL	280	1000		ug/L

### Data Qualifiers

U	The analyte was analyzed was not detected above the level of the reported sample quantitation limit.
J	Quantitation is approximate due to limitations identified during data validation.
J+	The result is an estimated quantity; the result may be biased high.
J-	The result is an estimated quantity; the result may be biased low.
UJ	This analyte was not detected, but the reporting limit may or may not be higher due to a bias identified during data validation.
R	Unreliable positive result; analyte may or may not be present in sample.

### Reason Codes and Explanations

BE	Equipment blank contamination. The result should be considered "not-detected."
BF	Field blank contamination. The result should be considered "not-detected."
BL	Laboratory blank contamination. The result should be considered "not-detected."
FD	Field duplicate imprecision.
FG	Total versus Dissolved Imprecision.
H	Holding time exceeded.
L	LCS and LCSD recoveries outside of acceptance limits
LD	Laboratory duplicate imprecision.
LP	LCS/LCSD imprecision.
M	MS and MSD recoveries outside of acceptance limits
MP	MS/MSD imprecision.
Q	Chemical Preservation issue.
RL	Reported Results between the MDL and RL.
S	Radium-226+228 flagged due to reporting protocol for combined results
T	Temperature preservation issue.
X	Percent solids < 50%.
Y	Chemical yield outside of acceptance limits
ZZ	Other

Lab Sample ID	240-148924-1
Sys Sample Code	042821NMW22
Sample Name	042821NMW22
Sample Date	4/28/2021 9:20:00 AM
Location	MW-22 / MW-22
Sample Type	N
Matrix	GW
Parent Sample	

Analytic Method	Chemical Name	CAS Rn	Fraction	Result Unit	Final Result	Final Qual	Reason code	Uncertainty	Final MDL	Final RL	Final QL	Final Detect	Final Report	DF	Basis
CALC	Radium-226/228	RA226/228	N	pCi/L	0.263	U		0.340				N	Yes	1	NA
SM 2540C	Total Dissolved Solids	TDS	N	mg/L	270	J	H		10	10	10	Y	Yes	1	NA
SW-846 6010D	Boron	7440-42-8	T	ug/L		U			23	23	100	N	Yes	1	NA
SW-846 6020B	Antimony	7440-36-0	T	ug/L		U			0.57	0.57	2.0	N	Yes	1	NA
	Arsenic	7440-38-2	T	ug/L		U			0.75	0.75	5.0	N	Yes	1	NA
	Barium	7440-39-3	T	ug/L	220				2.2	2.2	5.0	Y	Yes	1	NA
	Beryllium	7440-41-7	T	ug/L	0.48	J	RL		0.31	0.31	1.0	Y	Yes	1	NA
	Cadmium	7440-43-9	T	ug/L		U			0.20	0.20	1.0	N	Yes	1	NA
	Calcium	7440-70-2	T	ug/L	82000				580	580	1000	Y	Yes	1	NA
	Chromium	7440-47-3	T	ug/L		U			0.98	0.98	2.0	N	Yes	1	NA
	Cobalt	7440-48-4	T	ug/L	0.49	J	RL		0.19	0.19	1.0	Y	Yes	1	NA
	Lead	7439-92-1	T	ug/L		U			0.45	0.45	1.0	N	Yes	1	NA
	Lithium	7439-93-2	T	ug/L	6.9	J	RL		1.7	1.7	8.0	Y	Yes	1	NA
	Molybdenum	7439-98-7	T	ug/L		U			1.1	1.1	10	N	Yes	1	NA
Selenium	7782-49-2	T	ug/L		U			0.89	0.89	5.0	N	Yes	1	NA	
Thallium	7440-28-0	T	ug/L	0.64	J	RL		0.20	0.20	1.0	Y	Yes	1	NA	
SW-846 7470A	Mercury	7439-97-6	T	ug/L		U			0.13	0.13	0.20	N	Yes	1	NA
SW-846 9056A	Chloride	16887-00-6	N	ug/L	880	J	RL		280	280	1000	Y	Yes	1	NA
	Fluoride	16984-48-8	N	ug/L	44	J	RL		24	24	50	Y	Yes	1	NA
	Sulfate	14808-79-8	N	ug/L	25000				350	350	1000	Y	Yes	1	NA
SW-846 9315	Radium-226	13982-63-3	N	pCi/L	0.0920	U		0.0980	0.157	0.157	1.00	N	Yes	1	NA
SW-846 9320	Radium-228	15262-20-1	N	pCi/L	0.171	U		0.326	0.558	0.558	1.00	N	Yes	1	NA

Lab Sample ID	240-148924-10
Sys Sample Code	042821NMW7
Sample Name	042821NMW7
Sample Date	4/28/2021 3:04:00 PM
Location	MW-7 / MW-7
Sample Type	N
Matrix	GW
Parent Sample	

Analytic Method	Chemical Name	CAS Rn	Fraction	Result Unit	Final Result	Final Qual	Reason code	Uncertainty	Final MDL	Final RL	Final QL	Final Detect	Final Report	DF	Basis
CALC	Radium-226/228	RA226/228	N	pCi/L	0.766			0.348				Y	Yes	1	NA
SM 2540C	Total Dissolved Solids	TDS	N	mg/L	200	J	H		10	10	10	Y	Yes	1	NA
SW-846 6010D	Boron	7440-42-8	T	ug/L		U			23	23	100	N	Yes	1	NA
SW-846 6020B	Antimony	7440-36-0	T	ug/L		U			0.57	0.57	2.0	N	Yes	1	NA
	Arsenic	7440-38-2	T	ug/L		U			0.75	0.75	5.0	N	Yes	1	NA
	Barium	7440-39-3	T	ug/L	96				2.2	2.2	5.0	Y	Yes	1	NA
	Beryllium	7440-41-7	T	ug/L		U			0.31	0.31	1.0	N	Yes	1	NA
	Cadmium	7440-43-9	T	ug/L		U			0.20	0.20	1.0	N	Yes	1	NA
	Calcium	7440-70-2	T	ug/L	52000				580	580	1000	Y	Yes	1	NA
	Chromium	7440-47-3	T	ug/L		U			0.98	0.98	2.0	N	Yes	1	NA
	Cobalt	7440-48-4	T	ug/L	0.34	J	RL		0.19	0.19	1.0	Y	Yes	1	NA
	Lead	7439-92-1	T	ug/L		U			0.45	0.45	1.0	N	Yes	1	NA
	Lithium	7439-93-2	T	ug/L		U			1.7	1.7	8.0	N	Yes	1	NA
	Molybdenum	7439-98-7	T	ug/L		U			1.1	1.1	10	N	Yes	1	NA
Selenium	7782-49-2	T	ug/L		U			0.89	0.89	5.0	N	Yes	1	NA	
Thallium	7440-28-0	T	ug/L		U			0.20	0.20	1.0	N	Yes	1	NA	
SW-846 7470A	Mercury	7439-97-6	T	ug/L		U			0.13	0.13	0.20	N	Yes	1	NA
SW-846 9056A	Chloride	16887-00-6	N	ug/L	900	J	RL		280	280	1000	Y	Yes	1	NA
	Fluoride	16984-48-8	N	ug/L	120				24	24	50	Y	Yes	1	NA
	Sulfate	14808-79-8	N	ug/L	54000				350	350	1000	Y	Yes	1	NA
SW-846 9315	Radium-226	13982-63-3	N	pCi/L	0.155			0.100	0.136	0.136	1.00	Y	Yes	1	NA
SW-846 9320	Radium-228	15262-20-1	N	pCi/L	0.611			0.333	0.492	0.492	1.00	Y	Yes	1	NA

Lab Sample ID	240-148924-11
Sys Sample Code	042721NMW12R
Sample Name	042721NMW12R
Sample Date	4/27/2021 2:35:00 PM
Location	MW-12R / MW-12R
Sample Type	N
Matrix	GW
Parent Sample	

Analytic Method	Chemical Name	CAS Rn	Fraction	Result Unit	Final Result	Final Qual	Reason code	Uncertainty	Final MDL	Final RL	Final QL	Final Detect	Final Report	DF	Basis
CALC	Radium-226/228	RA226/228	N	pCi/L	0.501	U		0.281				N	Yes	1	NA
SM 2540C	Total Dissolved Solids	TDS	N	mg/L	16	J	H		10	10	10	Y	Yes	1	NA
SW-846 6010D	Boron	7440-42-8	T	ug/L		U			23	23	100	N	Yes	1	NA
SW-846 6020B	Antimony	7440-36-0	T	ug/L		U			0.57	0.57	2.0	N	Yes	1	NA
	Arsenic	7440-38-2	T	ug/L		U			0.75	0.75	5.0	N	Yes	1	NA
	Barium	7440-39-3	T	ug/L	14				2.2	2.2	5.0	Y	Yes	1	NA
	Beryllium	7440-41-7	T	ug/L		U			0.31	0.31	1.0	N	Yes	1	NA
	Cadmium	7440-43-9	T	ug/L		U			0.20	0.20	1.0	N	Yes	1	NA
	Calcium	7440-70-2	T	ug/L		U			580	580	1000	N	Yes	1	NA
	Chromium	7440-47-3	T	ug/L		U			0.98	0.98	2.0	N	Yes	1	NA
	Cobalt	7440-48-4	T	ug/L	1.4				0.19	0.19	1.0	Y	Yes	1	NA
	Lead	7439-92-1	T	ug/L		U			0.45	0.45	1.0	N	Yes	1	NA
	Lithium	7439-93-2	T	ug/L		U			1.7	1.7	8.0	N	Yes	1	NA
	Molybdenum	7439-98-7	T	ug/L		U			1.1	1.1	10	N	Yes	1	NA
Selenium	7782-49-2	T	ug/L		U			0.89	0.89	5.0	N	Yes	1	NA	
Thallium	7440-28-0	T	ug/L		U			0.20	0.20	1.0	N	Yes	1	NA	
SW-846 7470A	Mercury	7439-97-6	T	ug/L		U			0.13	0.13	0.20	N	Yes	1	NA
SW-846 9056A	Chloride	16887-00-6	N	ug/L	470	J	RL		280	280	1000	Y	Yes	1	NA
	Fluoride	16984-48-8	N	ug/L		U			24	24	50	N	Yes	1	NA
	Sulfate	14808-79-8	N	ug/L	5700				350	350	1000	Y	Yes	1	NA
SW-846 9315	Radium-226	13982-63-3	N	pCi/L	0.0936	U		0.0788	0.115	0.115	1.00	N	Yes	1	NA
SW-846 9320	Radium-228	15262-20-1	N	pCi/L	0.407	U		0.270	0.410	0.410	1.00	N	Yes	1	NA

Lab Sample ID	240-148924-12
Sys Sample Code	042821NMW13
Sample Name	042821NMW13
Sample Date	4/28/2021 3:20:00 PM
Location	MW-13 / MW-13
Sample Type	N
Matrix	GW
Parent Sample	

Analytic Method	Chemical Name	CAS Rn	Fraction	Result Unit	Final Result	Final Qual	Reason code	Uncertainty	Final MDL	Final RL	Final QL	Final Detect	Final Report	DF	Basis
CALC	Radium-226/228	RA226/228	N	pCi/L	0.658	J	S	0.312				Y	Yes	1	NA
SM 2540C	Total Dissolved Solids	TDS	N	mg/L	59	J	H		10	10	10	Y	Yes	1	NA
SW-846 6010D	Boron	7440-42-8	T	ug/L		U			23	23	100	N	Yes	1	NA
SW-846 6020B	Antimony	7440-36-0	T	ug/L		U			0.57	0.57	2.0	N	Yes	1	NA
	Arsenic	7440-38-2	T	ug/L		U			0.75	0.75	5.0	N	Yes	1	NA
	Barium	7440-39-3	T	ug/L	72				2.2	2.2	5.0	Y	Yes	1	NA
	Beryllium	7440-41-7	T	ug/L	0.63	J	RL		0.31	0.31	1.0	Y	Yes	1	NA
	Cadmium	7440-43-9	T	ug/L	0.34	J	RL		0.20	0.20	1.0	Y	Yes	1	NA
	Calcium	7440-70-2	T	ug/L	6400				580	580	1000	Y	Yes	1	NA
	Chromium	7440-47-3	T	ug/L		U			0.98	0.98	2.0	N	Yes	1	NA
	Cobalt	7440-48-4	T	ug/L	1.3				0.19	0.19	1.0	Y	Yes	1	NA
	Lead	7439-92-1	T	ug/L		U			0.45	0.45	1.0	N	Yes	1	NA
	Lithium	7439-93-2	T	ug/L	2.7	J	RL		1.7	1.7	8.0	Y	Yes	1	NA
	Molybdenum	7439-98-7	T	ug/L		U			1.1	1.1	10	N	Yes	1	NA
Selenium	7782-49-2	T	ug/L		U			0.89	0.89	5.0	N	Yes	1	NA	
Thallium	7440-28-0	T	ug/L		U			0.20	0.20	1.0	N	Yes	1	NA	
SW-846 7470A	Mercury	7439-97-6	T	ug/L		U			0.13	0.13	0.20	N	Yes	1	NA
SW-846 9056A	Chloride	16887-00-6	N	ug/L	580	J	RL		280	280	1000	Y	Yes	1	NA
	Fluoride	16984-48-8	N	ug/L	39	J	RL		24	24	50	Y	Yes	1	NA
	Sulfate	14808-79-8	N	ug/L	33000				350	350	1000	Y	Yes	1	NA
SW-846 9315	Radium-226	13982-63-3	N	pCi/L	0.332			0.126	0.127	0.127	1.00	Y	Yes	1	NA
SW-846 9320	Radium-228	15262-20-1	N	pCi/L	0.326	U		0.285	0.453	0.453	1.00	N	Yes	1	NA



Lab Sample ID	240-148924-13
Sys Sample Code	042821NMW14
Sample Name	042821NMW14
Sample Date	4/28/2021 1:55:00 PM
Location	MW-14 / MW-14
Sample Type	N
Matrix	GW
Parent Sample	

Analytic Method	Chemical Name	CAS Rn	Fraction	Result Unit	Final Result	Final Qual	Reason code	Uncertainty	Final MDL	Final RL	Final QL	Final Detect	Final Report	DF	Basis
CALC	Radium-226/228	RA226/228	N	pCi/L	0.673	J	S	0.313				Y	Yes	1	NA
SM 2540C	Total Dissolved Solids	TDS	N	mg/L	57	J	H		10	10	10	Y	Yes	1	NA
SW-846 6010D	Boron	7440-42-8	T	ug/L		U			23	23	100	N	Yes	1	NA
SW-846 6020B	Antimony	7440-36-0	T	ug/L		U			0.57	0.57	2.0	N	Yes	1	NA
	Arsenic	7440-38-2	T	ug/L		U			0.75	0.75	5.0	N	Yes	1	NA
	Barium	7440-39-3	T	ug/L	67				2.2	2.2	5.0	Y	Yes	1	NA
	Beryllium	7440-41-7	T	ug/L	0.39	J	RL		0.31	0.31	1.0	Y	Yes	1	NA
	Cadmium	7440-43-9	T	ug/L		U			0.20	0.20	1.0	N	Yes	1	NA
	Calcium	7440-70-2	T	ug/L	9300				580	580	1000	Y	Yes	1	NA
	Chromium	7440-47-3	T	ug/L		U			0.98	0.98	2.0	N	Yes	1	NA
	Cobalt	7440-48-4	T	ug/L	0.21	J	RL		0.19	0.19	1.0	Y	Yes	1	NA
	Lead	7439-92-1	T	ug/L		U			0.45	0.45	1.0	N	Yes	1	NA
	Lithium	7439-93-2	T	ug/L	2.6	J	RL		1.7	1.7	8.0	Y	Yes	1	NA
	Molybdenum	7439-98-7	T	ug/L		U			1.1	1.1	10	N	Yes	1	NA
Selenium	7782-49-2	T	ug/L		U			0.89	0.89	5.0	N	Yes	1	NA	
Thallium	7440-28-0	T	ug/L		U			0.20	0.20	1.0	N	Yes	1	NA	
SW-846 7470A	Mercury	7439-97-6	T	ug/L		U			0.13	0.13	0.20	N	Yes	1	NA
SW-846 9056A	Chloride	16887-00-6	N	ug/L	390	J	RL		280	280	1000	Y	Yes	1	NA
	Fluoride	16984-48-8	N	ug/L	69				24	24	50	Y	Yes	1	NA
	Sulfate	14808-79-8	N	ug/L	43000				350	350	1000	Y	Yes	1	NA
SW-846 9315	Radium-226	13982-63-3	N	pCi/L	0.108	U		0.0914	0.137	0.137	1.00	N	Yes	1	NA
SW-846 9320	Radium-228	15262-20-1	N	pCi/L	0.564			0.299	0.434	0.434	1.00	Y	Yes	1	NA

Lab Sample ID	240-148924-2
Sys Sample Code	042821NMWFGDW2
Sample Name	042821NMWFGDW2
Sample Date	4/28/2021 10:40:00 AM
Location	MWFGDW2 / MWFGDW2
Sample Type	N
Matrix	GW
Parent Sample	

Analytic Method	Chemical Name	CAS Rn	Fraction	Result Unit	Final Result	Final Qual	Reason code	Uncertainty	Final MDL	Final RL	Final QL	Final Detect	Final Report	DF	Basis
CALC	Radium-226/228	RA226/228	N	pCi/L	0.160	U		0.264				N	Yes	1	NA
SM 2540C	Total Dissolved Solids	TDS	N	mg/L	140	J	H		10	10	10	Y	Yes	1	NA
SW-846 6010D	Boron	7440-42-8	T	ug/L		U			23	23	100	N	Yes	1	NA
SW-846 6020B	Antimony	7440-36-0	T	ug/L		U			0.57	0.57	2.0	N	Yes	1	NA
	Arsenic	7440-38-2	T	ug/L		U			0.75	0.75	5.0	N	Yes	1	NA
	Barium	7440-39-3	T	ug/L	210				2.2	2.2	5.0	Y	Yes	1	NA
	Beryllium	7440-41-7	T	ug/L		U			0.31	0.31	1.0	N	Yes	1	NA
	Cadmium	7440-43-9	T	ug/L		U			0.20	0.20	1.0	N	Yes	1	NA
	Calcium	7440-70-2	T	ug/L	39000				580	580	1000	Y	Yes	1	NA
	Chromium	7440-47-3	T	ug/L		U			0.98	0.98	2.0	N	Yes	1	NA
	Cobalt	7440-48-4	T	ug/L		U			0.19	0.19	1.0	N	Yes	1	NA
	Lead	7439-92-1	T	ug/L		U			0.45	0.45	1.0	N	Yes	1	NA
	Lithium	7439-93-2	T	ug/L	6.1	J	RL		1.7	1.7	8.0	Y	Yes	1	NA
	Molybdenum	7439-98-7	T	ug/L		U			1.1	1.1	10	N	Yes	1	NA
Selenium	7782-49-2	T	ug/L		U			0.89	0.89	5.0	N	Yes	1	NA	
Thallium	7440-28-0	T	ug/L	0.32	J	RL		0.20	0.20	1.0	Y	Yes	1	NA	
SW-846 7470A	Mercury	7439-97-6	T	ug/L		U			0.13	0.13	0.20	N	Yes	1	NA
SW-846 9056A	Chloride	16887-00-6	N	ug/L	920	J	RL		280	280	1000	Y	Yes	1	NA
	Fluoride	16984-48-8	N	ug/L	70				24	24	50	Y	Yes	1	NA
	Sulfate	14808-79-8	N	ug/L	41000				350	350	1000	Y	Yes	1	NA
SW-846 9315	Radium-226	13982-63-3	N	pCi/L	0.142	U		0.110	0.163	0.163	1.00	N	Yes	1	NA
SW-846 9320	Radium-228	15262-20-1	N	pCi/L	0.0185	U		0.240	0.427	0.427	1.00	N	Yes	1	NA

Lab Sample ID	240-148924-5
Sys Sample Code	042821NMW10
Sample Name	042821NMW10
Sample Date	4/28/2021 1:41:00 PM
Location	MW-10 / MW-10
Sample Type	N
Matrix	GW
Parent Sample	

Analytic Method	Chemical Name	CAS Rn	Fraction	Result Unit	Final Result	Final Qual	Reason code	Uncertainty	Final MDL	Final RL	Final QL	Final Detect	Final Report	DF	Basis
CALC	Radium-226/228	RA226/228	N	pCi/L	0.380	J	S	0.313				Y	Yes	1	NA
SM 2540C	Total Dissolved Solids	TDS	N	mg/L	33	J	H		10	10	10	Y	Yes	1	NA
SW-846 6010D	Boron	7440-42-8	T	ug/L		U			23	23	100	N	Yes	1	NA
SW-846 6020B	Antimony	7440-36-0	T	ug/L		U			0.57	0.57	2.0	N	Yes	1	NA
	Arsenic	7440-38-2	T	ug/L		U			0.75	0.75	5.0	N	Yes	1	NA
	Barium	7440-39-3	T	ug/L	120				2.2	2.2	5.0	Y	Yes	1	NA
	Beryllium	7440-41-7	T	ug/L	0.37	J	RL		0.31	0.31	1.0	Y	Yes	1	NA
	Cadmium	7440-43-9	T	ug/L	0.23	J	RL		0.20	0.20	1.0	Y	Yes	1	NA
	Calcium	7440-70-2	T	ug/L	3600				580	580	1000	Y	Yes	1	NA
	Chromium	7440-47-3	T	ug/L		U			0.98	0.98	2.0	N	Yes	1	NA
	Cobalt	7440-48-4	T	ug/L	0.39	J	RL		0.19	0.19	1.0	Y	Yes	1	NA
	Lead	7439-92-1	T	ug/L		U			0.45	0.45	1.0	N	Yes	1	NA
	Lithium	7439-93-2	T	ug/L		U			1.7	1.7	8.0	N	Yes	1	NA
	Molybdenum	7439-98-7	T	ug/L		U			1.1	1.1	10	N	Yes	1	NA
Selenium	7782-49-2	T	ug/L		U			0.89	0.89	5.0	N	Yes	1	NA	
Thallium	7440-28-0	T	ug/L		U			0.20	0.20	1.0	N	Yes	1	NA	
SW-846 7470A	Mercury	7439-97-6	T	ug/L		U			0.13	0.13	0.20	N	Yes	1	NA
SW-846 9056A	Chloride	16887-00-6	N	ug/L	610	J	RL		280	280	1000	Y	Yes	1	NA
	Fluoride	16984-48-8	N	ug/L	46	J	RL		24	24	50	Y	Yes	1	NA
	Sulfate	14808-79-8	N	ug/L	9400				350	350	1000	Y	Yes	1	NA
SW-846 9315	Radium-226	13982-63-3	N	pCi/L	0.177			0.122	0.173	0.173	1.00	Y	Yes	1	NA
SW-846 9320	Radium-228	15262-20-1	N	pCi/L	0.203	U		0.288	0.481	0.481	1.00	N	Yes	1	NA

Lab Sample ID	240-148924-7
Sys Sample Code	042821FB
Sample Name	042821FB
Sample Date	4/28/2021 4:00:00 PM
Location	/
Sample Type	FB
Matrix	AQ
Parent Sample	

Analytic Method	Chemical Name	CAS Rn	Fraction	Result Unit	Final Result	Final Qual	Reason code	Uncertainty	Final MDL	Final RL	Final QL	Final Detect	Final Report	DF	Basis
CALC	Radium-226/228	RA226/228	N	pCi/L	0.0614	U	S	0.234				N	Yes	1	NA
SM 2540C	Total Dissolved Solids	TDS	N	mg/L		UJ	H		10	10	10	N	Yes	1	NA
SW-846 6010D	Boron	7440-42-8	T	ug/L		U			23	23	100	N	Yes	1	NA
SW-846 6020B	Antimony	7440-36-0	T	ug/L		U			0.57	0.57	2.0	N	Yes	1	NA
	Arsenic	7440-38-2	T	ug/L		U			0.75	0.75	5.0	N	Yes	1	NA
	Barium	7440-39-3	T	ug/L		U			2.2	2.2	5.0	N	Yes	1	NA
	Beryllium	7440-41-7	T	ug/L		U			0.31	0.31	1.0	N	Yes	1	NA
	Cadmium	7440-43-9	T	ug/L		U			0.20	0.20	1.0	N	Yes	1	NA
	Calcium	7440-70-2	T	ug/L		U			580	580	1000	N	Yes	1	NA
	Chromium	7440-47-3	T	ug/L		U			0.98	0.98	2.0	N	Yes	1	NA
	Cobalt	7440-48-4	T	ug/L		U			0.19	0.19	1.0	N	Yes	1	NA
	Lead	7439-92-1	T	ug/L		U			0.45	0.45	1.0	N	Yes	1	NA
	Lithium	7439-93-2	T	ug/L		U			1.7	1.7	8.0	N	Yes	1	NA
	Molybdenum	7439-98-7	T	ug/L		U			1.1	1.1	10	N	Yes	1	NA
	Selenium	7782-49-2	T	ug/L		U			0.89	0.89	5.0	N	Yes	1	NA
Thallium	7440-28-0	T	ug/L		U			0.20	0.20	1.0	N	Yes	1	NA	
SW-846 7470A	Mercury	7439-97-6	T	ug/L		U			0.13	0.13	0.20	N	Yes	1	NA
SW-846 9056A	Chloride	16887-00-6	N	ug/L		U			280	280	1000	N	Yes	1	NA
	Fluoride	16984-48-8	N	ug/L		U			24	24	50	N	Yes	1	NA
	Sulfate	14808-79-8	N	ug/L		U			350	350	1000	N	Yes	1	NA
SW-846 9315	Radium-226	13982-63-3	N	pCi/L	0.0614	U		0.0805	0.134	0.134	1.00	N	Yes	1	NA
SW-846 9320	Radium-228	15262-20-1	N	pCi/L	-0.0709	U		0.220	0.409	0.409	1.00	N	Yes	1	NA

Lab Sample ID	240-148924-8
Sys Sample Code	042821FD
Sample Name	042821FD
Sample Date	4/28/2021 12:00:00 PM
Location	MWFGDW2 / MWFGDW2
Sample Type	FD
Matrix	GW
Parent Sample	042821NMWFGDW2

Analytic Method	Chemical Name	CAS Rn	Fraction	Result Unit	Final Result	Final Qual	Reason code	Uncertainty	Final MDL	Final RL	Final QL	Final Detect	Final Report	DF	Basis
CALC	Radium-226/228	RA226/228	N	pCi/L	0.408	U		0.281				N	Yes	1	NA
SM 2540C	Total Dissolved Solids	TDS	N	mg/L	150	J	H		10	10	10	Y	Yes	1	NA
SW-846 6010D	Boron	7440-42-8	T	ug/L		U			23	23	100	N	Yes	1	NA
SW-846 6020B	Antimony	7440-36-0	T	ug/L		U			0.57	0.57	2.0	N	Yes	1	NA
	Arsenic	7440-38-2	T	ug/L		U			0.75	0.75	5.0	N	Yes	1	NA
	Barium	7440-39-3	T	ug/L	210				2.2	2.2	5.0	Y	Yes	1	NA
	Beryllium	7440-41-7	T	ug/L		U			0.31	0.31	1.0	N	Yes	1	NA
	Cadmium	7440-43-9	T	ug/L		U			0.20	0.20	1.0	N	Yes	1	NA
	Calcium	7440-70-2	T	ug/L	38000				580	580	1000	Y	Yes	1	NA
	Chromium	7440-47-3	T	ug/L		U			0.98	0.98	2.0	N	Yes	1	NA
	Cobalt	7440-48-4	T	ug/L		U			0.19	0.19	1.0	N	Yes	1	NA
	Lead	7439-92-1	T	ug/L		U			0.45	0.45	1.0	N	Yes	1	NA
	Lithium	7439-93-2	T	ug/L	5.1	J	RL		1.7	1.7	8.0	Y	Yes	1	NA
	Molybdenum	7439-98-7	T	ug/L		U			1.1	1.1	10	N	Yes	1	NA
Selenium	7782-49-2	T	ug/L		U			0.89	0.89	5.0	N	Yes	1	NA	
Thallium	7440-28-0	T	ug/L		U			0.20	0.20	1.0	N	Yes	1	NA	
SW-846 7470A	Mercury	7439-97-6	T	ug/L		U			0.13	0.13	0.20	N	Yes	1	NA
SW-846 9056A	Chloride	16887-00-6	N	ug/L	1000				280	280	1000	Y	Yes	1	NA
	Fluoride	16984-48-8	N	ug/L	72				24	24	50	Y	Yes	1	NA
	Sulfate	14808-79-8	N	ug/L	41000				350	350	1000	Y	Yes	1	NA
SW-846 9315	Radium-226	13982-63-3	N	pCi/L	0.132	U		0.0979	0.141	0.141	1.00	N	Yes	1	NA
SW-846 9320	Radium-228	15262-20-1	N	pCi/L	0.276	U		0.263	0.422	0.422	1.00	N	Yes	1	NA

Lab Sample ID	240-148924-9
Sys Sample Code	042721NMW6R
Sample Name	042721NMW6R
Sample Date	4/27/2021 4:50:00 PM
Location	MWFGDW6R / MWFGDW6R
Sample Type	N
Matrix	GW
Parent Sample	

Analytic Method	Chemical Name	CAS Rn	Fraction	Result Unit	Final Result	Final Qual	Reason code	Uncertainty	Final MDL	Final RL	Final QL	Final Detect	Final Report	DF	Basis
CALC	Radium-226/228	RA226/228	N	pCi/L	0.598	J	S	0.303				Y	Yes	1	NA
SM 2540C	Total Dissolved Solids	TDS	N	mg/L	240	J	H		10	10	10	Y	Yes	1	NA
SW-846 6010D	Boron	7440-42-8	T	ug/L		U			23	23	100	N	Yes	1	NA
SW-846 6020B	Antimony	7440-36-0	T	ug/L		U			0.57	0.57	2.0	N	Yes	1	NA
	Arsenic	7440-38-2	T	ug/L		U			0.75	0.75	5.0	N	Yes	1	NA
	Barium	7440-39-3	T	ug/L	350				2.2	2.2	5.0	Y	Yes	1	NA
	Beryllium	7440-41-7	T	ug/L		U			0.31	0.31	1.0	N	Yes	1	NA
	Cadmium	7440-43-9	T	ug/L		U			0.20	0.20	1.0	N	Yes	1	NA
	Calcium	7440-70-2	T	ug/L	68000				580	580	1000	Y	Yes	1	NA
	Chromium	7440-47-3	T	ug/L		U			0.98	0.98	2.0	N	Yes	1	NA
	Cobalt	7440-48-4	T	ug/L	0.26	J	RL		0.19	0.19	1.0	Y	Yes	1	NA
	Lead	7439-92-1	T	ug/L		U			0.45	0.45	1.0	N	Yes	1	NA
	Lithium	7439-93-2	T	ug/L		U			1.7	1.7	8.0	N	Yes	1	NA
	Molybdenum	7439-98-7	T	ug/L		U			1.1	1.1	10	N	Yes	1	NA
	Selenium	7782-49-2	T	ug/L		U			0.89	0.89	5.0	N	Yes	1	NA
Thallium	7440-28-0	T	ug/L		U			0.20	0.20	1.0	N	Yes	1	NA	
SW-846 7470A	Mercury	7439-97-6	T	ug/L		U			0.13	0.13	0.20	N	Yes	1	NA
SW-846 9056A	Chloride	16887-00-6	N	ug/L	450	J	RL		280	280	1000	Y	Yes	1	NA
	Fluoride	16984-48-8	N	ug/L	89				24	24	50	Y	Yes	1	NA
	Sulfate	14808-79-8	N	ug/L	11000				350	350	1000	Y	Yes	1	NA
SW-846 9315	Radium-226	13982-63-3	N	pCi/L	0.322			0.128	0.144	0.144	1.00	Y	Yes	1	NA
SW-846 9320	Radium-228	15262-20-1	N	pCi/L	0.276	U		0.275	0.445	0.445	1.00	N	Yes	1	NA

## **APPENDIX B**

**SECOND SEMI-ANNUAL 2021  
ASSESSMENT MONITORING  
PROGRAM EVENT FIELD DATA  
SHEETS, LABORATORY  
CERTIFICATES OF ANALYSIS,  
CHAIN-OF-CUSTODY FORMS, AND  
DATA VALIDATION FORMS**



Date: 11/01/21

**WELL GAUGING LOG**

Project Name: Mt. Storm PS

Project No./Task No.: 2013993621

Sampler(s): C. Migeo / Z. Hector

Equipment: Water Level Indicator

Phase B CCR

Well ID	Personnel (initials)	Time	DTW (feet)	DTB (feet)	Well Condition Summary				
					Protective Casing	Well Casing	Label	Lock	Pad Condition
MW-22	CM	1407	19.65	—	<input checked="" type="checkbox"/> OK <input type="checkbox"/> Damaged	<input checked="" type="checkbox"/> OK <input type="checkbox"/> Damaged	<input checked="" type="checkbox"/> OK <input type="checkbox"/> Inadequate	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> OK <input type="checkbox"/> Damaged
MWF6DN-2	CM	1415	19.05	—	<input checked="" type="checkbox"/> OK <input type="checkbox"/> Damaged	<input checked="" type="checkbox"/> OK <input type="checkbox"/> Damaged	<input checked="" type="checkbox"/> OK <input type="checkbox"/> Inadequate	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> OK <input type="checkbox"/> Damaged
MW-6R	ZH	1602	61.30	—	<input checked="" type="checkbox"/> OK <input type="checkbox"/> Damaged	<input checked="" type="checkbox"/> OK <input type="checkbox"/> Damaged	<input checked="" type="checkbox"/> OK <input type="checkbox"/> Inadequate	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> OK <input type="checkbox"/> Damaged
MW-7	CM	1512	26.85	—	<input checked="" type="checkbox"/> OK <input type="checkbox"/> Damaged	<input checked="" type="checkbox"/> OK <input type="checkbox"/> Damaged	<input checked="" type="checkbox"/> OK <input type="checkbox"/> Inadequate	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> OK <input type="checkbox"/> Damaged
MW-10	CM	1457	23.12	—	<input checked="" type="checkbox"/> OK <input type="checkbox"/> Damaged	<input checked="" type="checkbox"/> OK <input type="checkbox"/> Damaged	<input checked="" type="checkbox"/> OK <input type="checkbox"/> Inadequate	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> OK <input type="checkbox"/> Damaged
MW-12R	ZH	1554	6.74	—	<input checked="" type="checkbox"/> OK <input type="checkbox"/> Damaged	<input checked="" type="checkbox"/> OK <input type="checkbox"/> Damaged	<input checked="" type="checkbox"/> OK <input type="checkbox"/> Inadequate	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> OK <input type="checkbox"/> Damaged
MW-13	ZH	1520	19.77	—	<input checked="" type="checkbox"/> OK <input type="checkbox"/> Damaged	<input checked="" type="checkbox"/> OK <input type="checkbox"/> Damaged	<input checked="" type="checkbox"/> OK <input type="checkbox"/> Inadequate	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> OK <input type="checkbox"/> Damaged
MW-14	ZH	1517	23.33	—	<input checked="" type="checkbox"/> OK <input type="checkbox"/> Damaged	<input checked="" type="checkbox"/> OK <input type="checkbox"/> Damaged	<input checked="" type="checkbox"/> OK <input type="checkbox"/> Inadequate	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> OK <input type="checkbox"/> Damaged
					<input type="checkbox"/> OK <input type="checkbox"/> Damaged	<input type="checkbox"/> OK <input type="checkbox"/> Damaged	<input type="checkbox"/> OK <input type="checkbox"/> Inadequate	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> OK <input type="checkbox"/> Damaged
					<input type="checkbox"/> OK <input type="checkbox"/> Damaged	<input type="checkbox"/> OK <input type="checkbox"/> Damaged	<input type="checkbox"/> OK <input type="checkbox"/> Inadequate	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> OK <input type="checkbox"/> Damaged
					<input type="checkbox"/> OK <input type="checkbox"/> Damaged	<input type="checkbox"/> OK <input type="checkbox"/> Damaged	<input type="checkbox"/> OK <input type="checkbox"/> Inadequate	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> OK <input type="checkbox"/> Damaged
					<input type="checkbox"/> OK <input type="checkbox"/> Damaged	<input type="checkbox"/> OK <input type="checkbox"/> Damaged	<input type="checkbox"/> OK <input type="checkbox"/> Inadequate	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> OK <input type="checkbox"/> Damaged
					<input type="checkbox"/> OK <input type="checkbox"/> Damaged	<input type="checkbox"/> OK <input type="checkbox"/> Damaged	<input type="checkbox"/> OK <input type="checkbox"/> Inadequate	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> OK <input type="checkbox"/> Damaged
					<input type="checkbox"/> OK <input type="checkbox"/> Damaged	<input type="checkbox"/> OK <input type="checkbox"/> Damaged	<input type="checkbox"/> OK <input type="checkbox"/> Inadequate	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> OK <input type="checkbox"/> Damaged
					<input type="checkbox"/> OK <input type="checkbox"/> Damaged	<input type="checkbox"/> OK <input type="checkbox"/> Damaged	<input type="checkbox"/> OK <input type="checkbox"/> Inadequate	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> OK <input type="checkbox"/> Damaged
					<input type="checkbox"/> OK <input type="checkbox"/> Damaged	<input type="checkbox"/> OK <input type="checkbox"/> Damaged	<input type="checkbox"/> OK <input type="checkbox"/> Inadequate	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> OK <input type="checkbox"/> Damaged

Observations/Notes: Rep. Group F

Signature: [Signature]

Date: 11/01/21

QA/QC Signature: [Signature]

Date: 11/9/21





# MICROPURGE SAMPLING LOG

Date: 11/03/21Weather: Sunny 40's**GOLDER**Project Name: Mt Storm P5Project No./Task No.: 2013993621Event: 25A21 CN A+B NPDES, Phase A+B<sup>CR</sup>Sampler(s): C. MeyleWell ID: MW-22Field Calibration Completed: 11/03/21 @ 0800Well Diameter: 2.0 inchesInitial Depth to Water: 18.72 feet

Depth to Bottom: \_\_\_\_\_ feet

Water Column Thickness: \_\_\_\_\_ feet

Equipment Used:  WL Indicator Turbidity Meter Air Tank Dedicated Bladder Pump YSI 200 DSS 15 J 103602 Peristaltic Pump Compressor Non-dedicated BP In-Situ MP-10 Controller Box MP-15 Controller Box

Time (5 minute int.)	pH (S.U.)	Sp. Cond. (uS/cm) <sup>OC</sup>	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Temp. (°C)	ORP (mV)	DTW (feet)	Flow Rate (mL/min)
Stabilization	+/- 0.1	+/- 3%	if >10, +/- 10%	+/- 10%	+/- 1°C	+/- 10 mV	<0.3 feet	<500
0948	6.23	575	22.6	2.54	8.9	225.1	19.18	~300
0953	6.38	587	35.3	2.45	8.9	223.7	19.21	~300
0958	6.44	588	23.8	2.36	8.9	223.9	19.17	~300
0958-1003	6.47	587	30.0	2.38	8.9	225.4	19.24	~300
1008	6.49	587	26.0	2.36	8.9	224.8	19.25	~300
1013	6.53	588	26.8	2.57	8.8	226.8	19.18	~300
1018	6.54	587	22.3	2.38	8.7	228.4	19.18	~280
1023	6.55	586	16.9	2.35	8.8	230.4	19.14	~280
1028	6.56	587	15.9	2.35	8.8	232.5	19.15	~280
1033	6.57	587	12.0	2.34	8.8	234.2	19.13	~280
1038	6.57	587	11.6	2.33	8.8	236.6	19.15	~280
1043-1043	6.57	584	9.5	2.33	8.7	238.7	19.15	~280
1050			SAMPLED					
1257	6.60	580	1.1	2.38	8.9	249.5	19.15	~280

Purge Cycle (End): 24/6 Secs @ 30 psiFlow Rate (ml/min End): ~280Purge volume (gallons) prior to stabilization monitoring (3/8" I.D. Tube: Vol=Depth to Pump x 0.006 gal/ft)  $(58.73)(0.006) = \sim 0.35$ Total Purge Volume (Gallons): ~5.0Purge Water Management: C.W.S. ContainmentPurge Observations (color, odor, turbidity, sheen): Clear grab samplePurge time: 0940Sample Time: 1050Field Filtered (0.45um):  Yes  No

Sample Parameters/Analyte(s):

 Petro (DRO) CCR Appendix III CCR Appendix IV Closed 5-year NPDES (Diss [Ba, Bo, Fe, Mn], SO4, TDS, TSS) Phase A&B NPDES (Diss [Al, Sb, As, Ba, Be, Bo, Cd, Cu, Fe, Pb, Mn, Hg, Ni, Se, Tl], Cl, Cr Tot, NO2+NO3 N, SO4, NH3-N Tot, TDS, TSS) Variance (Diss [Be, Cd, Cr, Pb, Ni]) LWSP IV Detects (As, Ba, Be, Cd, Cr, Co, Pb, Mo, Ti, Rad 226-228) Phase A IV Detects (As, Ba, Cd, Cr, Co, Pb, Li, Se, Rad 226-228) Phase B IV Detects (As, Ba, Be, Cd, Cr, Co, Pb, Li, Mo, Se, Ti, Rad 226-228)

Other Observations / Equipment Operation Problems:

Phase A+BMS/MSD taken @ MW-22Sampler Signature: [Signature]Date: 11/03/21Page 1 of 1QA/QC Signature: [Signature]Date: 11/9/21Sample ID: 110321/MW-22





# MICROPURGE SAMPLING LOG

Date: 11/2/21  
Weather: 30's cloudy

Project Name: MSPS Project No./Task No.: 2013993621  
 Event: 25A21 GW Sampler(s): Z. Hecker  
 Well ID: MW-GR Field Calibration Completed: @0745 on 11/2/21  
 Well Diameter: 2.0 inches Initial Depth to Water: 61.28 feet  
 Depth to Bottom: 74.00 feet Water Column Thickness:          feet  
 Equipment Used:  WL Indicator  Turbidity Meter  Air Tank  Dedicated Bladder Pump  
 YSI 6005S17MIC-33  Peristaltic Pump  Compressor  Non-dedicated BP  
 In-Situ  MP-10 Controller Box  MP-15 Controller Box

Time (5 minute int.)	pH (S.U.)	Sp. Cond. (uS/cm) <sup>oC</sup>	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Temp. (°C)	ORP (mV)	DTW (feet)	Flow Rate (mL/min)	
Stabilization	+/- 0.1	+/- 3%	if >10, +/- 10%	+/- 10%	+/- 1°C	+/- 10 mV	<0.3 feet	<500	
1637	5.83	551	2.60	4.50	5.7	266.2	61.72	~440	
1640	6.05	554	1.92	4.76	5.7	256.3	61.82	~440	
1643	6.19	555	2.16	4.82	5.6	249.0	61.87	~440	
1646	6.30	555	2.14	4.77	5.7	239.4	61.84	~440	
1649	6.37	554	1.98	4.50	5.7	235.0	61.84	~440	
1652	6.42	553	1.76	4.15	5.7	209.0	61.85	~440	
1655	6.47	551	1.53	3.83	5.7	192.4	61.95	~440	
1658	6.51	550	1.80	3.57	5.7	178.0	61.94	~370	
1701	6.54	547	2.04	3.40	5.7	163.3	61.93	~370	
1704	6.57	544	1.91	3.30	5.6	149.4	61.91	~370	
1710			SAMPLE						
1733	6.64	534	4.95	3.27	5.1	109.1	61.75	~370	

Purge Cycle (End): 2070-2121 @ 38 psi Flow Rate (ml/min End): ~440 370  
 Purge volume (gallons) prior to stabilization monitoring (3/8" I.D. Tube): Vol=Depth to Pump x 0.006 gal/ft.  $(70.00)(0.006) = 0.42$   
 Total Purge Volume (Gallons): ~5 Purge Water Management: On site containment  
 Purge Observations (color, odor, turbidity, sheen): Clear grab sample  
 Purge Time: 1630

Sample Time: 1710 Field Filtered (0.45um):  Yes  No  
 Sample Parameters/Analyte(s):  Petro (DRO)  CCR Appendix III  CCR Appendix IV  
 Closed 5-year NPDES (Diss [Ba, Bo, Fe, Mn], SO<sub>4</sub>, TDS, TSS)  Phase A&B NPDES (Diss [Al, Sb, As, Ba, Be, Bo, Cd, Cu, Fe, Pb, Mn, Hg, Ni, Se, Tl], Cr, Cr Tot, NO<sub>2</sub>+NO<sub>3</sub> N, SO<sub>4</sub>, NH<sub>3</sub>-N Tot, TDS, TSS)  
 Variance (Diss [Be, Cd, Cr, Pb, Ni])  LWSP IV Detects (As, Ba, Be, Cd, Cr, Co, Pb, Mo, Ti, Rad 226-228)  Phase A IV Detects (As, Ba, Pb, Li, Se, Rad 226-228)  Cd, Cr, Co, Phase B IV Detects (As, Ba, Be, Cd, Cr, Co, Pb, Li, Mo, Se, Ti, Rad 226-228)

Other Observations / Equipment Operation Problems: DIP: 70.00  
 Sampler ID: 11221 MW-GR  
 Sampler Signature: [Signature] Date: 11/2/21 Page 1 of 1  
 QA/QC Signature: [Signature] Date: 11/8/21



MICROPURGE SAMPLING LOG

Date: 11/3/21

Weather: clear, 30's

GOLDER

Project Name: Mt. Storm PS Project No./Task No.: 2013993621

Event: ZSAZ1 GW 4021 Sampler(s): Z14ector

Well ID: MW-7 Field Calibration Completed: 00800 on 11/3/21

Well Diameter: 4.0 inches Initial Depth to Water: 26.81 feet

Depth to Bottom: 60.32 feet Water Column Thickness: — feet

Equipment Used: [x] WL Indicator [ ] Turbidity Meter [ ] Air Tank [ ] Dedicated Bladder Pump

[x] YSI Prods 1711028-1 [ ] Peristaltic Pump [ ] Compressor [ ] Non-dedicated BP

[ ] In-Situ [ ] MP-10 Controller Box [x] MP-15 Controller Box [ ]

Table with 9 columns: Time (5 minute int.), pH (S.U.), Sp. Cond. (uS/cm)°C, Turbidity (NTU), Dissolved Oxygen (mg/L), Temp. (°C), ORP (mV), DTW (feet), Flow Rate (mL/min). Rows include stabilization and multiple sampling points from 1554 to 1650.

Purge Cycle (End): 24/6 @ 31 psi Flow Rate (ml/min End): ~380

Purge volume (gallons) prior to stabilization monitoring (3/8" I.D. Tube: Vol=Depth to Pump x 0.006 gal/ft):

Total Purge Volume (Gallons): ~2.5 Purge Water Management: Oil/Water Separator

Purge Observations (color, odor, turbidity, sheen): Clear grab sample

Purge time: 1544

Sample Time: 1620 Field Filtered (0.45um): [x] Yes [ ] No

Sample Parameters/Analyte(s): [ ] Petro (DRO) [ ] CCR Appendix III [ ] CCR Appendix IV [ ] Closed 5-year NPDES (Diss [Ba, Bo, Fe, Mn], [x] Phase A&B NPDES (Diss [Al, Sb, As, Ba, Be, Bo, Cd, Cu, Fe, Pb, Mn, Hg, Ni, Se, Ti], Cl, SO4, TDS, TSS) Cr Tot, NO2+NO3 N, SO4, NH3-N Tot, TDS, TSS) [ ] Variance (Diss [Be, Cd, Cr, [ ] LVWSP IV Detects (As, Ba, Be, Cd, [x] Phase A IV Detects (As, Ba, [ ] Cd, Cr, Co, Pb, Ni) Cr, Co, Pb, Mo, Ti, Rad 226-228) Pb, Li, Se, Rad 226-228) Phase B IV Detects (As, Ba, Be, Cd, Cr, Co, Pb, Li, Mo, Se, Ti, Rad 226-228)

Other Observations / Equipment Operation Problems: DTP

Sample ID: H321MMW-7 110321MMK2

Sampler Signature: [Signature] Date: 11/3/21 Page 1 of 1

QA/QC Signature: [Signature] Date: 11/08/21













GOLDER

MICROPURGE SAMPLING LOG

Date: 11/03/21

Weather: Sunny 40's

Project Name: MSPS Project No./Task No.: 2013993621

Event: 25H21 GW Phase B CCR/ABNTWS Sampler(s): C. Meyce

Well ID: FB-Field Blank Field Calibration Completed: \_\_\_\_\_

Well Diameter: \_\_\_\_\_ inches Initial Depth to Water: \_\_\_\_\_ feet

Depth to Bottom: \_\_\_\_\_ feet Water Column Thickness: \_\_\_\_\_ feet

- Equipment Used: [ ] WL Indicator [ ] Turbidity Meter [ ] Air Tank [ ] Dedicated Bladder Pump [ ] YSI [ ] Peristaltic Pump [ ] Compressor [ ] Non-dedicated BP [ ] In-Situ [ ] MP-10 Controller Box [ ] MP-15 Controller Box [ ] \_\_\_\_\_

Table with 9 columns: Time (5 minute int.), pH (S.U.), Sp. Cond. (uS/cm)°C, Turbidity (NTU), Dissolved Oxygen (mg/L), Temp. (°C), ORP (mV), DTW (feet), Flow Rate (mL/min). Includes a 'Stabilization' row and a '1520' row with 'SAMPLED' written across it.

Purge Cycle (End): \_\_\_\_\_ seconds @ \_\_\_\_\_ psi Flow Rate (ml/min End): \_\_\_\_\_

Purge volume (gallons) prior to stabilization monitoring (3/8" I.D. Tube: Vol=Depth to Pump x 0.006 gal/ft): \_\_\_\_\_

Total Purge Volume (Gallons): \_\_\_\_\_ Purge Water Management: \_\_\_\_\_

Purge Observations (color, odor, turbidity, sheen): Clear grab sample taken near MW-14 V/ lab provided D.E. water

Sample Time: 1520 Field Filtered (0.45um): [ ] Yes [ ] No

- Sample Parameters/Analyte(s): [ ] VSWMR Table 3.1 Column A VOCs [ ] VSWMR Table 3.1 Column A Metals [ ] VSWMR Table 3.1 Column B [X] Other: Phase B IV Detects (As, Ba, Be, Cd, Cr, Co, Pb, Li, Mo, Se,

Other Observations / Equipment Operation Problems: T1, Rod 226-228

Sampler Signature: [Signature] Date: 11/03/21 Page 1 of 1

QA/QC Signature: [Signature] Date: 11/9/21

Sample ID: 110321 FB Field Blank



## ANALYTICAL REPORT

Eurofins TestAmerica, Canton  
4101 Shuffel Street NW  
North Canton, OH 44720  
Tel: (330)497-9396

Laboratory Job ID: 240-159519-3

Laboratory Sample Delivery Group: Phase B CCR  
Client Project/Site: Mount Storm Power Station  
Revision: 1

**For:**

Dominion Energy Services, Inc.  
5000 Dominion Blvd  
Glen Allen, Virginia 23060

Attn: Kelly Hicks

*Roxanne Cisneros*

Authorized for release by:  
12/28/2021 10:55:05 AM

Roxanne Cisneros, Senior Project Manager  
(615)301-5761  
[roxanne.cisneros@Eurofinset.com](mailto:roxanne.cisneros@Eurofinset.com)

### LINKS

Review your project  
results through  
**TotalAccess**

Have a Question?



Visit us at:

[www.eurofinsus.com/Env](http://www.eurofinsus.com/Env)

*This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.*

*Results relate only to the items tested and the sample(s) as received by the laboratory.*



# Table of Contents

Cover Page . . . . .	1
Table of Contents . . . . .	2
Definitions/Glossary . . . . .	3
Case Narrative . . . . .	4
Method Summary . . . . .	6
Sample Summary . . . . .	7
Detection Summary . . . . .	8
Client Sample Results . . . . .	12
Tracer Carrier Summary . . . . .	30
QC Sample Results . . . . .	31
QC Association Summary . . . . .	41
Lab Chronicle . . . . .	45
Certification Summary . . . . .	50
Chain of Custody . . . . .	51
Receipt Checklists . . . . .	83

# Definitions/Glossary

Client: Dominion Energy Services, Inc.  
Project/Site: Mount Storm Power Station

Job ID: 240-159519-3  
SDG: Phase B CCR

## Qualifiers

### Metals

Qualifier	Qualifier Description
^+	Continuing Calibration Verification (CCV) is outside acceptance limits, high biased.
4	MS, MSD: The analyte present in the original sample is greater than 4 times the matrix spike concentration; therefore, control limits are not applicable.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

### General Chemistry

Qualifier	Qualifier Description
H	Sample was prepped or analyzed beyond the specified holding time
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

### Rad

Qualifier	Qualifier Description
U	Result is less than the sample detection limit.

## Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
▫	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

# Case Narrative

Client: Dominion Energy Services, Inc.  
Project/Site: Mount Storm Power Station

Job ID: 240-159519-3  
SDG: Phase B CCR

---

## Job ID: 240-159516-1

---

Laboratory: Eurofins TestAmerica, Canton

### Narrative

---

#### Job Narrative 240-159516-1

Revised Report 12/28/2021 to remove Antimony.

#### Comments

The analysis TAL-STL Method Ra226\_RA228, Combined Radium 226 and Radium 228, the analysis SW846 Method 9320, Radium-228 (GFPC), and the analysis SW846 Method 9315, Radium-226 were performed at the Eurofins TestAmerica ST. Louis Laboratory.

#### Receipt

The samples were received on 11/6/2021 10:00 AM. Unless otherwise noted below, the samples arrived in good condition, and where required, properly preserved and on ice. The temperature of the cooler at receipt was 0.4° C.

#### Receipt Exceptions

The following information was missing from the client COC, which is in violation of West Virginia 47CSR32: Field Sampler/Collector's Name.

#### RAD

Methods 9315, RA-06-RC: Radium 226 batch 536024: Any minimum detectable concentration (MDC), critical value (DLC), or Safe Drinking Water Act detection limit (SDWA DL) is sample-specific unless otherwise stated elsewhere in this narrative. Radiochemistry sample results are reported with the count date/time applied as the Activity Reference Date. 110221NMW-6R (240-159516-1), 110221NMW-12R (240-159516-2), (LCS 160-536024/1-A), (MB 160-536024/24-A), (240-159545-K-1-A), (240-159545-B-1-A MS) and (240-159545-L-1-A MSD)

Methods 9320, RA-06-RC: Radium 228 batch 536040: Any minimum detectable concentration (MDC), critical value (DLC), or Safe Drinking Water Act detection limit (SDWA DL) is sample-specific unless otherwise stated elsewhere in this narrative. Radiochemistry sample results are reported with the count date/time applied as the Activity Reference Date. 110221NMW-6R (240-159516-1), 110221NMW-12R (240-159516-2), (LCS 160-536040/1-A), (MB 160-536040/24-A), (240-159545-K-1-B), (240-159545-B-1-B MS) and (240-159545-L-1-B MSD)

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

#### Metals

Methods 6010D: The continuing calibration verification (CCV) associated with batch 240-512646 recovered above the upper control limit for boron. The samples associated with this CCV were below the reporting limit for the affected analytes; therefore, the data have been reported. The associated samples are impacted: 110221NMW-6R (240-159516-1) and 110221NMW-12R (240-159516-2).

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

#### General Chemistry

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

---

## Job ID: 240-159519-3

---

Laboratory: Eurofins TestAmerica, Canton

### Narrative

---

#### Job Narrative 240-159519-3

Revised Report 12/28/2021 to remove Antimony.

#### Comments

The analysis SW846 Method 9315, Radium-226, the analysis SW846 Method 9320, Radium-228 (GFPC), and the analysis TAL-STL Method Ra226\_RA228, Combined Radium 226 and Radium 228 were all performed at the Eurofins TestAmerica St. Louis Laboratory.



# Method Summary

Client: Dominion Energy Services, Inc.  
Project/Site: Mount Storm Power Station

Job ID: 240-159519-3  
SDG: Phase B CCR

Method	Method Description	Protocol	Laboratory
6010D	Metals (ICP)	SW846	TAL CAN
6020B	Metals (ICP/MS)	SW846	TAL CAN
9056A	Anions, Ion Chromatography	SW846	TAL CAN
SM 2540C	Solids, Total Dissolved (TDS)	SM	TAL PIT
9315	Radium-226 (GFPC)	SW846	TAL SL
9320	Radium-228 (GFPC)	SW846	TAL SL
Ra226_Ra228 Pos	Combined Radium-226 and Radium-228	TAL-STL	TAL SL
3005A	Preparation, Total Recoverable or Dissolved Metals	SW846	TAL CAN
PrecSep_0	Preparation, Precipitate Separation	None	TAL SL
PrecSep-21	Preparation, Precipitate Separation (21-Day In-Growth)	None	TAL SL

#### Protocol References:

None = None

SM = "Standard Methods For The Examination Of Water And Wastewater"

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

TAL-STL = TestAmerica Laboratories, St. Louis, Facility Standard Operating Procedure.

#### Laboratory References:

TAL CAN = Eurofins TestAmerica, Canton, 4101 Shuffel Street NW, North Canton, OH 44720, TEL (330)497-9396

TAL PIT = Eurofins TestAmerica, Pittsburgh, 301 Alpha Drive, RIDC Park, Pittsburgh, PA 15238, TEL (412)963-7058

TAL SL = Eurofins TestAmerica, St. Louis, 13715 Rider Trail North, Earth City, MO 63045, TEL (314)298-8566



# Sample Summary

Client: Dominion Energy Services, Inc.  
Project/Site: Mount Storm Power Station

Job ID: 240-159519-3  
SDG: Phase B CCR

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
240-159516-1	110221NMW-6R	Water	11/02/21 17:10	11/06/21 10:00
240-159516-2	110221NMW-12R	Water	11/02/21 15:30	11/06/21 10:00
240-159519-1	110321NMW-22	Water	11/03/21 10:50	11/06/21 10:00
240-159519-2	110321NMWFGDW2	Water	11/03/21 14:00	11/06/21 10:00
240-159519-4	110321NMW-7	Water	11/03/21 16:20	11/06/21 10:00
240-159519-6	110321NMW-10	Water	11/03/21 14:15	11/06/21 10:00
240-159519-7	110321NMW-13	Water	11/03/21 16:45	11/06/21 10:00
240-159519-8	110321NMW-14	Water	11/03/21 15:30	11/06/21 10:00
240-159519-9	110321FBFieldBlank	Water	11/03/21 13:25	11/06/21 10:00
240-159529-1	110221NMW-6R	Water	11/02/21 17:10	11/06/21 10:00
240-159529-2	110221NMW-12R	Water	11/02/21 15:30	11/06/21 10:00
240-159547-1	110321NMW-22	Water	11/03/21 10:50	11/06/21 10:00
240-159547-2	110321NMWFGDW2	Water	11/03/21 14:00	11/06/21 10:00
240-159547-3	110321NMW-7	Water	11/03/21 16:20	11/06/21 10:00
240-159547-4	110321NMW-10	Water	11/03/21 14:15	11/06/21 10:00
240-159547-5	110321NMW-13	Water	11/03/21 16:45	11/06/21 10:00
240-159547-6	110321NMW-14	Water	11/03/21 15:30	11/06/21 10:00
240-159547-7	110321FBFieldBlank	Water	11/03/21 15:20	11/06/21 10:00



# Detection Summary

Client: Dominion Energy Services, Inc.  
Project/Site: Mount Storm Power Station

Job ID: 240-159519-3  
SDG: Phase B CCR

## Client Sample ID: 110221NMW-6R

## Lab Sample ID: 240-159516-1

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Barium	370		5.0	2.2	ug/L	1		6020B	Total Recoverable
Calcium	71000		1000	580	ug/L	1		6020B	Total Recoverable
Cobalt	0.22	J	1.0	0.19	ug/L	1		6020B	Total Recoverable
Lithium	2.9	J	8.0	1.7	ug/L	1		6020B	Total Recoverable
Chloride	0.42	J	1.0	0.28	mg/L	1		9056A	Total/NA
Fluoride	0.082		0.050	0.024	mg/L	1		9056A	Total/NA
Sulfate	9.3		1.0	0.35	mg/L	1		9056A	Total/NA

## Client Sample ID: 110221NMW-12R

## Lab Sample ID: 240-159516-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Barium	14		5.0	2.2	ug/L	1		6020B	Total Recoverable
Cobalt	1.3		1.0	0.19	ug/L	1		6020B	Total Recoverable
Chloride	0.52	J	1.0	0.28	mg/L	1		9056A	Total/NA
Sulfate	4.2		1.0	0.35	mg/L	1		9056A	Total/NA

## Client Sample ID: 110321NMW-22

## Lab Sample ID: 240-159519-1

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Total Dissolved Solids	340		10	10	mg/L	1		SM 2540C	Total/NA

## Client Sample ID: 110321NMWFGDW2

## Lab Sample ID: 240-159519-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Total Dissolved Solids	200		10	10	mg/L	1		SM 2540C	Total/NA

## Client Sample ID: 110321NMW-7

## Lab Sample ID: 240-159519-4

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Total Dissolved Solids	210		10	10	mg/L	1		SM 2540C	Total/NA

## Client Sample ID: 110321NMW-10

## Lab Sample ID: 240-159519-6

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Total Dissolved Solids	36		10	10	mg/L	1		SM 2540C	Total/NA

## Client Sample ID: 110321NMW-13

## Lab Sample ID: 240-159519-7

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Total Dissolved Solids	58		10	10	mg/L	1		SM 2540C	Total/NA

## Client Sample ID: 110321NMW-14

## Lab Sample ID: 240-159519-8

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Total Dissolved Solids	79		10	10	mg/L	1		SM 2540C	Total/NA

## Client Sample ID: 110321FBFieldBlank

## Lab Sample ID: 240-159519-9

No Detections.

This Detection Summary does not include radiochemical test results.

Eurofins TestAmerica, Canton

# Detection Summary

Client: Dominion Energy Services, Inc.  
Project/Site: Mount Storm Power Station

Job ID: 240-159519-3  
SDG: Phase B CCR

## Client Sample ID: 110221NMW-6R

## Lab Sample ID: 240-159529-1

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Total Dissolved Solids	230	H	10	10	mg/L	1		SM 2540C	Total/NA

## Client Sample ID: 110221NMW-12R

## Lab Sample ID: 240-159529-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Total Dissolved Solids	17	H	10	10	mg/L	1		SM 2540C	Total/NA

## Client Sample ID: 110321NMW-22

## Lab Sample ID: 240-159547-1

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Barium	310		5.0	2.2	ug/L	1		6020B	Total Recoverable
Calcium	100000		1000	580	ug/L	1		6020B	Total Recoverable
Cobalt	0.30	J	1.0	0.19	ug/L	1		6020B	Total Recoverable
Lithium	8.3		8.0	1.7	ug/L	1		6020B	Total Recoverable
Thallium	0.48	J	1.0	0.20	ug/L	1		6020B	Total Recoverable
Chloride	0.63	J	1.0	0.28	mg/L	1		9056A	Total/NA
Fluoride	0.035	J	0.050	0.024	mg/L	1		9056A	Total/NA
Sulfate	25		1.0	0.35	mg/L	1		9056A	Total/NA

## Client Sample ID: 110321NMWFGDW2

## Lab Sample ID: 240-159547-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Barium	260		5.0	2.2	ug/L	1		6020B	Total Recoverable
Cadmium	0.35	J	1.0	0.20	ug/L	1		6020B	Total Recoverable
Calcium	54000		1000	580	ug/L	1		6020B	Total Recoverable
Cobalt	0.31	J	1.0	0.19	ug/L	1		6020B	Total Recoverable
Lithium	8.3		8.0	1.7	ug/L	1		6020B	Total Recoverable
Selenium	1.1	J	5.0	0.89	ug/L	1		6020B	Total Recoverable
Thallium	0.83	J	1.0	0.20	ug/L	1		6020B	Total Recoverable
Chloride	0.64	J	1.0	0.28	mg/L	1		9056A	Total/NA
Fluoride	0.062		0.050	0.024	mg/L	1		9056A	Total/NA
Sulfate	36		1.0	0.35	mg/L	1		9056A	Total/NA

## Client Sample ID: 110321NMW-7

## Lab Sample ID: 240-159547-3

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Barium	99		5.0	2.2	ug/L	1		6020B	Total Recoverable
Calcium	55000		1000	580	ug/L	1		6020B	Total Recoverable
Cobalt	0.26	J	1.0	0.19	ug/L	1		6020B	Total Recoverable
Lithium	2.6	J	8.0	1.7	ug/L	1		6020B	Total Recoverable

This Detection Summary does not include radiochemical test results.

Eurofins TestAmerica, Canton

# Detection Summary

Client: Dominion Energy Services, Inc.  
Project/Site: Mount Storm Power Station

Job ID: 240-159519-3  
SDG: Phase B CCR

## Client Sample ID: 110321NMW-7 (Continued)

## Lab Sample ID: 240-159547-3

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Thallium	0.21	J	1.0	0.20	ug/L	1		6020B	Total Recoverable
Chloride	0.73	J	1.0	0.28	mg/L	1		9056A	Total/NA
Fluoride	0.090		0.050	0.024	mg/L	1		9056A	Total/NA
Sulfate	52		1.0	0.35	mg/L	1		9056A	Total/NA

## Client Sample ID: 110321NMW-10

## Lab Sample ID: 240-159547-4

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Barium	130		5.0	2.2	ug/L	1		6020B	Total Recoverable
Cadmium	0.33	J	1.0	0.20	ug/L	1		6020B	Total Recoverable
Calcium	3800		1000	580	ug/L	1		6020B	Total Recoverable
Cobalt	4.2		1.0	0.19	ug/L	1		6020B	Total Recoverable
Lithium	1.8	J	8.0	1.7	ug/L	1		6020B	Total Recoverable
Chloride	0.53	J	1.0	0.28	mg/L	1		9056A	Total/NA
Fluoride	0.028	J	0.050	0.024	mg/L	1		9056A	Total/NA
Sulfate	7.7		1.0	0.35	mg/L	1		9056A	Total/NA

## Client Sample ID: 110321NMW-13

## Lab Sample ID: 240-159547-5

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Barium	80		5.0	2.2	ug/L	1		6020B	Total Recoverable
Beryllium	0.64	J	1.0	0.62	ug/L	1		6020B	Total Recoverable
Cadmium	0.44	J	1.0	0.20	ug/L	1		6020B	Total Recoverable
Calcium	6700		1000	580	ug/L	1		6020B	Total Recoverable
Cobalt	1.2		1.0	0.19	ug/L	1		6020B	Total Recoverable
Lithium	3.9	J	8.0	1.7	ug/L	1		6020B	Total Recoverable
Thallium	0.20	J	1.0	0.20	ug/L	1		6020B	Total Recoverable

## Client Sample ID: 110321NMW-14

## Lab Sample ID: 240-159547-6

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Barium	58		5.0	2.2	ug/L	1		6020B	Total Recoverable
Cadmium	0.25	J	1.0	0.20	ug/L	1		6020B	Total Recoverable
Calcium	10000		1000	580	ug/L	1		6020B	Total Recoverable
Cobalt	0.73	J	1.0	0.19	ug/L	1		6020B	Total Recoverable
Lithium	4.7	J	8.0	1.7	ug/L	1		6020B	Total Recoverable
Chloride	0.33	J	1.0	0.28	mg/L	1		9056A	Total/NA
Fluoride	0.045	J	0.050	0.024	mg/L	1		9056A	Total/NA
Sulfate	43		1.0	0.35	mg/L	1		9056A	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins TestAmerica, Canton

# Detection Summary

Client: Dominion Energy Services, Inc.  
Project/Site: Mount Storm Power Station

Job ID: 240-159519-3  
SDG: Phase B CCR

**Client Sample ID: 110321FBFieldBlank**

**Lab Sample ID: 240-159547-7**

No Detections.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15

This Detection Summary does not include radiochemical test results.

Eurofins TestAmerica, Canton

# Client Sample Results

Client: Dominion Energy Services, Inc.  
Project/Site: Mount Storm Power Station

Job ID: 240-159519-3  
SDG: Phase B CCR

**Client Sample ID: 110221NMW-6R**

**Lab Sample ID: 240-159516-1**

Date Collected: 11/02/21 17:10

Matrix: Water

Date Received: 11/06/21 10:00

### Method: 6010D - Metals (ICP) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Boron	<57	^+	100	57	ug/L		11/09/21 14:00	11/11/21 20:10	1

### Method: 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	<0.75		5.0	0.75	ug/L		11/09/21 14:00	11/10/21 23:54	1
<b>Barium</b>	<b>370</b>		5.0	2.2	ug/L		11/09/21 14:00	11/10/21 23:54	1
Beryllium	<0.62		1.0	0.62	ug/L		11/09/21 14:00	11/10/21 23:54	1
Cadmium	<0.20		1.0	0.20	ug/L		11/09/21 14:00	11/10/21 23:54	1
<b>Calcium</b>	<b>71000</b>		1000	580	ug/L		11/09/21 14:00	11/10/21 23:54	1
Chromium	<2.5		5.0	2.5	ug/L		11/09/21 14:00	11/10/21 23:54	1
<b>Cobalt</b>	<b>0.22</b>	<b>J</b>	1.0	0.19	ug/L		11/09/21 14:00	11/10/21 23:54	1
Lead	<0.45		1.0	0.45	ug/L		11/09/21 14:00	11/10/21 23:54	1
<b>Lithium</b>	<b>2.9</b>	<b>J</b>	8.0	1.7	ug/L		11/09/21 14:00	11/10/21 23:54	1
Molybdenum	<1.1		5.0	1.1	ug/L		11/09/21 14:00	11/10/21 23:54	1
Selenium	<0.89		5.0	0.89	ug/L		11/09/21 14:00	11/10/21 23:54	1
Thallium	<0.20		1.0	0.20	ug/L		11/09/21 14:00	11/10/21 23:54	1

### General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
<b>Chloride</b>	<b>0.42</b>	<b>J</b>	1.0	0.28	mg/L			11/24/21 07:41	1
<b>Fluoride</b>	<b>0.082</b>		0.050	0.024	mg/L			11/24/21 07:41	1
<b>Sulfate</b>	<b>9.3</b>		1.0	0.35	mg/L			11/24/21 07:41	1

### Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
<b>Radium-226</b>	<b>0.392</b>		0.225	0.227	1.00	0.284	pCi/L	11/11/21 08:56	12/03/21 17:47	1
<b>Carrier</b>	<b>%Yield</b>	<b>Qualifier</b>	<b>Limits</b>					<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
Ba Carrier	73.7		40 - 110					11/11/21 08:56	12/03/21 17:47	1

### Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
<b>Radium-228</b>	<b>2.64</b>		0.731	0.770	1.00	0.904	pCi/L	11/11/21 10:31	12/01/21 18:08	1
<b>Carrier</b>	<b>%Yield</b>	<b>Qualifier</b>	<b>Limits</b>					<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
Ba Carrier	73.7		40 - 110					11/11/21 10:31	12/01/21 18:08	1
Y Carrier	75.1		40 - 110					11/11/21 10:31	12/01/21 18:08	1

### Method: Ra226\_Ra228 Pos - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
<b>Radium 226 and 228</b>	<b>3.03</b>		0.765	0.803	5.00	0.904	pCi/L		12/08/21 22:09	1

Eurofins TestAmerica, Canton

# Client Sample Results

Client: Dominion Energy Services, Inc.  
Project/Site: Mount Storm Power Station

Job ID: 240-159519-3  
SDG: Phase B CCR

**Client Sample ID: 110221NMW-12R**

**Lab Sample ID: 240-159516-2**

Date Collected: 11/02/21 15:30

Matrix: Water

Date Received: 11/06/21 10:00

### Method: 6010D - Metals (ICP) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Boron	<57	^+	100	57	ug/L		11/09/21 14:00	11/11/21 20:14	1

### Method: 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	<0.75		5.0	0.75	ug/L		11/09/21 14:00	11/10/21 23:57	1
<b>Barium</b>	<b>14</b>		5.0	2.2	ug/L		11/09/21 14:00	11/10/21 23:57	1
Beryllium	<0.62		1.0	0.62	ug/L		11/09/21 14:00	11/10/21 23:57	1
Cadmium	<0.20		1.0	0.20	ug/L		11/09/21 14:00	11/10/21 23:57	1
Calcium	<580		1000	580	ug/L		11/09/21 14:00	11/10/21 23:57	1
Chromium	<2.5		5.0	2.5	ug/L		11/09/21 14:00	11/10/21 23:57	1
<b>Cobalt</b>	<b>1.3</b>		1.0	0.19	ug/L		11/09/21 14:00	11/10/21 23:57	1
Lead	<0.45		1.0	0.45	ug/L		11/09/21 14:00	11/10/21 23:57	1
Lithium	<1.7		8.0	1.7	ug/L		11/09/21 14:00	11/10/21 23:57	1
Molybdenum	<1.1		5.0	1.1	ug/L		11/09/21 14:00	11/10/21 23:57	1
Selenium	<0.89		5.0	0.89	ug/L		11/09/21 14:00	11/10/21 23:57	1
Thallium	<0.20		1.0	0.20	ug/L		11/09/21 14:00	11/10/21 23:57	1

### General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
<b>Chloride</b>	<b>0.52</b>	<b>J</b>	1.0	0.28	mg/L			11/24/21 08:46	1
Fluoride	<0.024		0.050	0.024	mg/L			11/24/21 08:46	1
<b>Sulfate</b>	<b>4.2</b>		1.0	0.35	mg/L			11/24/21 08:46	1

### Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.0647	U	0.158	0.158	1.00	0.290	pCi/L	11/11/21 08:56	12/03/21 17:47	1
<b>Carrier</b>	<b>%Yield</b>	<b>Qualifier</b>	<b>Limits</b>					<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
Ba Carrier	80.8		40 - 110					11/11/21 08:56	12/03/21 17:47	1

### Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
<b>Radium-228</b>	<b>2.10</b>		0.618	0.647	1.00	0.798	pCi/L	11/11/21 10:31	12/01/21 18:08	1
<b>Carrier</b>	<b>%Yield</b>	<b>Qualifier</b>	<b>Limits</b>					<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
Ba Carrier	80.8		40 - 110					11/11/21 10:31	12/01/21 18:08	1
Y Carrier	84.1		40 - 110					11/11/21 10:31	12/01/21 18:08	1

### Method: Ra226\_Ra228 Pos - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
<b>Radium 226 and 228</b>	<b>2.16</b>		0.638	0.666	5.00	0.798	pCi/L		12/08/21 22:09	1

Eurofins TestAmerica, Canton

# Client Sample Results

Client: Dominion Energy Services, Inc.  
 Project/Site: Mount Storm Power Station

Job ID: 240-159519-3  
 SDG: Phase B CCR

**Client Sample ID: 110321NMW-22**

**Lab Sample ID: 240-159519-1**

Date Collected: 11/03/21 10:50

Matrix: Water

Date Received: 11/06/21 10:00

## General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	340		10	10	mg/L			11/10/21 14:59	1

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15



# Client Sample Results

Client: Dominion Energy Services, Inc.  
Project/Site: Mount Storm Power Station

Job ID: 240-159519-3  
SDG: Phase B CCR

**Client Sample ID: 110321NMWFGDW2**

**Lab Sample ID: 240-159519-2**

Date Collected: 11/03/21 14:00

Matrix: Water

Date Received: 11/06/21 10:00

## General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	200		10	10	mg/L			11/10/21 15:17	1

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

# Client Sample Results

Client: Dominion Energy Services, Inc.  
Project/Site: Mount Storm Power Station

Job ID: 240-159519-3  
SDG: Phase B CCR

**Client Sample ID: 110321NMW-7**

**Lab Sample ID: 240-159519-4**

Date Collected: 11/03/21 16:20

Matrix: Water

Date Received: 11/06/21 10:00

## General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	210		10	10	mg/L			11/10/21 15:17	1

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

# Client Sample Results

Client: Dominion Energy Services, Inc.  
Project/Site: Mount Storm Power Station

Job ID: 240-159519-3  
SDG: Phase B CCR

**Client Sample ID: 110321NMW-10**

**Lab Sample ID: 240-159519-6**

Date Collected: 11/03/21 14:15

Matrix: Water

Date Received: 11/06/21 10:00

## General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	36		10	10	mg/L			11/10/21 15:17	1

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

# Client Sample Results

Client: Dominion Energy Services, Inc.  
Project/Site: Mount Storm Power Station

Job ID: 240-159519-3  
SDG: Phase B CCR

**Client Sample ID: 110321NMW-13**

**Lab Sample ID: 240-159519-7**

Date Collected: 11/03/21 16:45

Matrix: Water

Date Received: 11/06/21 10:00

## General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	58		10	10	mg/L			11/10/21 15:17	1

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

# Client Sample Results

Client: Dominion Energy Services, Inc.  
Project/Site: Mount Storm Power Station

Job ID: 240-159519-3  
SDG: Phase B CCR

**Client Sample ID: 110321NMW-14**

**Lab Sample ID: 240-159519-8**

Date Collected: 11/03/21 15:30

Matrix: Water

Date Received: 11/06/21 10:00

## General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	79		10	10	mg/L			11/10/21 15:17	1

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

# Client Sample Results

Client: Dominion Energy Services, Inc.  
Project/Site: Mount Storm Power Station

Job ID: 240-159519-3  
SDG: Phase B CCR

**Client Sample ID: 110321FBFieldBlank**

**Lab Sample ID: 240-159519-9**

**Date Collected: 11/03/21 13:25**

**Matrix: Water**

**Date Received: 11/06/21 10:00**

## General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	<10		10	10	mg/L			11/10/21 15:17	1

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

# Client Sample Results

Client: Dominion Energy Services, Inc.  
Project/Site: Mount Storm Power Station

Job ID: 240-159519-3  
SDG: Phase B CCR

**Client Sample ID: 110221NMW-6R**

**Lab Sample ID: 240-159529-1**

Date Collected: 11/02/21 17:10

Matrix: Water

Date Received: 11/06/21 10:00

## General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	230	H	10	10	mg/L			11/10/21 14:59	1

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

# Client Sample Results

Client: Dominion Energy Services, Inc.  
Project/Site: Mount Storm Power Station

Job ID: 240-159519-3  
SDG: Phase B CCR

**Client Sample ID: 110221NMW-12R**

**Lab Sample ID: 240-159529-2**

Date Collected: 11/02/21 15:30

Matrix: Water

Date Received: 11/06/21 10:00

## General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	17	H	10	10	mg/L			11/10/21 14:59	1

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15



# Client Sample Results

Client: Dominion Energy Services, Inc.  
Project/Site: Mount Storm Power Station

Job ID: 240-159519-3  
SDG: Phase B CCR

**Client Sample ID: 110321NMW-22**

**Lab Sample ID: 240-159547-1**

Date Collected: 11/03/21 10:50

Matrix: Water

Date Received: 11/06/21 10:00

**Method: 6010D - Metals (ICP) - Total Recoverable**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Boron	<57		100	57	ug/L		11/09/21 14:00	11/10/21 19:44	1

**Method: 6020B - Metals (ICP/MS) - Total Recoverable**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	<0.75		5.0	0.75	ug/L		11/09/21 14:00	11/10/21 21:31	1
<b>Barium</b>	<b>310</b>		5.0	2.2	ug/L		11/09/21 14:00	11/10/21 21:31	1
Beryllium	<0.62		1.0	0.62	ug/L		11/09/21 14:00	11/10/21 21:31	1
Cadmium	<0.20		1.0	0.20	ug/L		11/09/21 14:00	11/10/21 21:31	1
<b>Calcium</b>	<b>100000</b>		1000	580	ug/L		11/09/21 14:00	11/10/21 21:31	1
Chromium	<2.5		5.0	2.5	ug/L		11/09/21 14:00	11/10/21 21:31	1
<b>Cobalt</b>	<b>0.30</b>	<b>J</b>	1.0	0.19	ug/L		11/09/21 14:00	11/10/21 21:31	1
Lead	<0.45		1.0	0.45	ug/L		11/09/21 14:00	11/10/21 21:31	1
<b>Lithium</b>	<b>8.3</b>		8.0	1.7	ug/L		11/09/21 14:00	11/10/21 21:31	1
Molybdenum	<1.1		5.0	1.1	ug/L		11/09/21 14:00	11/10/21 21:31	1
Selenium	<0.89		5.0	0.89	ug/L		11/09/21 14:00	11/10/21 21:31	1
<b>Thallium</b>	<b>0.48</b>	<b>J</b>	1.0	0.20	ug/L		11/09/21 14:00	11/10/21 21:31	1

**General Chemistry**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
<b>Chloride</b>	<b>0.63</b>	<b>J</b>	1.0	0.28	mg/L			11/27/21 18:12	1
<b>Fluoride</b>	<b>0.035</b>	<b>J</b>	0.050	0.024	mg/L			11/27/21 18:12	1
<b>Sulfate</b>	<b>25</b>		1.0	0.35	mg/L			11/27/21 18:12	1

**Method: 9315 - Radium-226 (GFPC)**

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
<b>Radium-226</b>	<b>0.348</b>		0.196	0.199	1.00	0.267	pCi/L	11/11/21 08:56	12/05/21 20:09	1
<b>Carrier</b>	<b>%Yield</b>	<b>Qualifier</b>	<b>Limits</b>					<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
Ba Carrier	80.3		40 - 110					11/11/21 08:56	12/05/21 20:09	1

**Method: 9320 - Radium-228 (GFPC)**

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.606	U	0.598	0.601	1.00	0.972	pCi/L	11/11/21 10:31	12/01/21 18:09	1
<b>Carrier</b>	<b>%Yield</b>	<b>Qualifier</b>	<b>Limits</b>					<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
Ba Carrier	80.3		40 - 110					11/11/21 10:31	12/01/21 18:09	1
Y Carrier	72.1		40 - 110					11/11/21 10:31	12/01/21 18:09	1

**Method: Ra226\_Ra228 Pos - Combined Radium-226 and Radium-228**

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium 226 and 228	0.953	U	0.629	0.633	5.00	0.972	pCi/L		12/08/21 22:09	1

Eurofins TestAmerica, Canton

# Client Sample Results

Client: Dominion Energy Services, Inc.  
Project/Site: Mount Storm Power Station

Job ID: 240-159519-3  
SDG: Phase B CCR

**Client Sample ID: 110321NMWFGDW2**

**Lab Sample ID: 240-159547-2**

Date Collected: 11/03/21 14:00

Matrix: Water

Date Received: 11/06/21 10:00

**Method: 6010D - Metals (ICP) - Total Recoverable**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Boron	<57		100	57	ug/L		11/09/21 14:00	11/10/21 20:34	1

**Method: 6020B - Metals (ICP/MS) - Total Recoverable**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	<0.75		5.0	0.75	ug/L		11/09/21 14:00	11/10/21 22:02	1
<b>Barium</b>	<b>260</b>		5.0	2.2	ug/L		11/09/21 14:00	11/10/21 22:02	1
Beryllium	<0.62		1.0	0.62	ug/L		11/09/21 14:00	11/10/21 22:02	1
<b>Cadmium</b>	<b>0.35</b>	<b>J</b>	1.0	0.20	ug/L		11/09/21 14:00	11/10/21 22:02	1
<b>Calcium</b>	<b>54000</b>		1000	580	ug/L		11/09/21 14:00	11/10/21 22:02	1
Chromium	<2.5		5.0	2.5	ug/L		11/09/21 14:00	11/10/21 22:02	1
<b>Cobalt</b>	<b>0.31</b>	<b>J</b>	1.0	0.19	ug/L		11/09/21 14:00	11/10/21 22:02	1
Lead	<0.45		1.0	0.45	ug/L		11/09/21 14:00	11/10/21 22:02	1
<b>Lithium</b>	<b>8.3</b>		8.0	1.7	ug/L		11/09/21 14:00	11/10/21 22:02	1
Molybdenum	<1.1		5.0	1.1	ug/L		11/09/21 14:00	11/10/21 22:02	1
<b>Selenium</b>	<b>1.1</b>	<b>J</b>	5.0	0.89	ug/L		11/09/21 14:00	11/10/21 22:02	1
<b>Thallium</b>	<b>0.83</b>	<b>J</b>	1.0	0.20	ug/L		11/09/21 14:00	11/10/21 22:02	1

**General Chemistry**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
<b>Chloride</b>	<b>0.64</b>	<b>J</b>	1.0	0.28	mg/L			11/27/21 19:12	1
<b>Fluoride</b>	<b>0.062</b>		0.050	0.024	mg/L			11/27/21 19:12	1
<b>Sulfate</b>	<b>36</b>		1.0	0.35	mg/L			11/27/21 19:12	1

**Method: 9315 - Radium-226 (GFPC)**

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
<b>Radium-226</b>	<b>0.205</b>		0.144	0.145	1.00	0.203	pCi/L	11/11/21 08:56	12/05/21 20:10	1
<b>Carrier</b>	<b>%Yield</b>	<b>Qualifier</b>	<b>Limits</b>					<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
Ba Carrier	86.1		40 - 110					11/11/21 08:56	12/05/21 20:10	1

**Method: 9320 - Radium-228 (GFPC)**

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.362	U	0.466	0.468	1.00	0.774	pCi/L	11/11/21 10:31	12/01/21 18:10	1
<b>Carrier</b>	<b>%Yield</b>	<b>Qualifier</b>	<b>Limits</b>					<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
Ba Carrier	86.1		40 - 110					11/11/21 10:31	12/01/21 18:10	1
Y Carrier	80.7		40 - 110					11/11/21 10:31	12/01/21 18:10	1

**Method: Ra226\_Ra228 Pos - Combined Radium-226 and Radium-228**

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium 226 and 228	0.567	U	0.488	0.490	5.00	0.774	pCi/L		12/08/21 22:09	1

Eurofins TestAmerica, Canton

# Client Sample Results

Client: Dominion Energy Services, Inc.  
Project/Site: Mount Storm Power Station

Job ID: 240-159519-3  
SDG: Phase B CCR

**Client Sample ID: 110321NMW-7**

**Lab Sample ID: 240-159547-3**

Date Collected: 11/03/21 16:20

Matrix: Water

Date Received: 11/06/21 10:00

### Method: 6010D - Metals (ICP) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Boron	<57		100	57	ug/L		11/09/21 14:00	11/10/21 20:38	1

### Method: 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	<0.75		5.0	0.75	ug/L		11/09/21 14:00	11/10/21 22:10	1
<b>Barium</b>	<b>99</b>		5.0	2.2	ug/L		11/09/21 14:00	11/10/21 22:10	1
Beryllium	<0.62		1.0	0.62	ug/L		11/09/21 14:00	11/10/21 22:10	1
Cadmium	<0.20		1.0	0.20	ug/L		11/09/21 14:00	11/10/21 22:10	1
<b>Calcium</b>	<b>55000</b>		1000	580	ug/L		11/09/21 14:00	11/10/21 22:10	1
Chromium	<2.5		5.0	2.5	ug/L		11/09/21 14:00	11/10/21 22:10	1
<b>Cobalt</b>	<b>0.26 J</b>		1.0	0.19	ug/L		11/09/21 14:00	11/10/21 22:10	1
Lead	<0.45		1.0	0.45	ug/L		11/09/21 14:00	11/10/21 22:10	1
<b>Lithium</b>	<b>2.6 J</b>		8.0	1.7	ug/L		11/09/21 14:00	11/10/21 22:10	1
Molybdenum	<1.1		5.0	1.1	ug/L		11/09/21 14:00	11/10/21 22:10	1
Selenium	<0.89		5.0	0.89	ug/L		11/09/21 14:00	11/10/21 22:10	1
<b>Thallium</b>	<b>0.21 J</b>		1.0	0.20	ug/L		11/09/21 14:00	11/10/21 22:10	1

### General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
<b>Chloride</b>	<b>0.73 J</b>		1.0	0.28	mg/L			11/27/21 19:32	1
<b>Fluoride</b>	<b>0.090</b>		0.050	0.024	mg/L			11/27/21 19:32	1
<b>Sulfate</b>	<b>52</b>		1.0	0.35	mg/L			11/27/21 19:32	1

### Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
<b>Radium-226</b>	<b>0.204</b>		0.132	0.133	1.00	0.169	pCi/L	11/11/21 08:56	12/05/21 20:11	1
<b>Carrier</b>	<b>%Yield</b>	<b>Qualifier</b>	<b>Limits</b>					<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
Ba Carrier	83.8		40 - 110					11/11/21 08:56	12/05/21 20:11	1

### Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.143	U	0.520	0.521	1.00	0.909	pCi/L	11/11/21 10:31	12/01/21 18:10	1
<b>Carrier</b>	<b>%Yield</b>	<b>Qualifier</b>	<b>Limits</b>					<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
Ba Carrier	83.8		40 - 110					11/11/21 10:31	12/01/21 18:10	1
Y Carrier	69.2		40 - 110					11/11/21 10:31	12/01/21 18:10	1

### Method: Ra226\_Ra228 Pos - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium 226 and 228	0.347	U	0.536	0.538	5.00	0.909	pCi/L		12/08/21 22:09	1

Eurofins TestAmerica, Canton

# Client Sample Results

Client: Dominion Energy Services, Inc.  
Project/Site: Mount Storm Power Station

Job ID: 240-159519-3  
SDG: Phase B CCR

**Client Sample ID: 110321NMW-10**

**Lab Sample ID: 240-159547-4**

Date Collected: 11/03/21 14:15

Matrix: Water

Date Received: 11/06/21 10:00

### Method: 6010D - Metals (ICP) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Boron	<57		100	57	ug/L		11/09/21 14:00	11/10/21 20:51	1

### Method: 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	<0.75		5.0	0.75	ug/L		11/09/21 14:00	11/10/21 22:12	1
<b>Barium</b>	<b>130</b>		5.0	2.2	ug/L		11/09/21 14:00	11/10/21 22:12	1
Beryllium	<0.62		1.0	0.62	ug/L		11/09/21 14:00	11/10/21 22:12	1
<b>Cadmium</b>	<b>0.33</b>	<b>J</b>	1.0	0.20	ug/L		11/09/21 14:00	11/10/21 22:12	1
<b>Calcium</b>	<b>3800</b>		1000	580	ug/L		11/09/21 14:00	11/10/21 22:12	1
Chromium	<2.5		5.0	2.5	ug/L		11/09/21 14:00	11/10/21 22:12	1
<b>Cobalt</b>	<b>4.2</b>		1.0	0.19	ug/L		11/09/21 14:00	11/10/21 22:12	1
Lead	<0.45		1.0	0.45	ug/L		11/09/21 14:00	11/10/21 22:12	1
<b>Lithium</b>	<b>1.8</b>	<b>J</b>	8.0	1.7	ug/L		11/09/21 14:00	11/10/21 22:12	1
Molybdenum	<1.1		5.0	1.1	ug/L		11/09/21 14:00	11/10/21 22:12	1
Selenium	<0.89		5.0	0.89	ug/L		11/09/21 14:00	11/10/21 22:12	1
Thallium	<0.20		1.0	0.20	ug/L		11/09/21 14:00	11/10/21 22:12	1

### General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
<b>Chloride</b>	<b>0.53</b>	<b>J</b>	1.0	0.28	mg/L			11/27/21 19:53	1
<b>Fluoride</b>	<b>0.028</b>	<b>J</b>	0.050	0.024	mg/L			11/27/21 19:53	1
<b>Sulfate</b>	<b>7.7</b>		1.0	0.35	mg/L			11/27/21 19:53	1

### Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
<b>Radium-226</b>	<b>0.253</b>		0.139	0.141	1.00	0.170	pCi/L	11/11/21 08:56	12/05/21 20:11	1
<b>Carrier</b>	<b>%Yield</b>	<b>Qualifier</b>	<b>Limits</b>					<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
Ba Carrier	93.2		40 - 110					11/11/21 08:56	12/05/21 20:11	1

### Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
<b>Radium-228</b>	<b>1.02</b>		0.534	0.542	1.00	0.798	pCi/L	11/11/21 10:31	12/01/21 18:10	1
<b>Carrier</b>	<b>%Yield</b>	<b>Qualifier</b>	<b>Limits</b>					<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
Ba Carrier	93.2		40 - 110					11/11/21 10:31	12/01/21 18:10	1
Y Carrier	74.8		40 - 110					11/11/21 10:31	12/01/21 18:10	1

### Method: Ra226\_Ra228 Pos - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
<b>Radium 226 and 228</b>	<b>1.27</b>		0.552	0.560	5.00	0.798	pCi/L		12/08/21 22:09	1

Eurofins TestAmerica, Canton

# Client Sample Results

Client: Dominion Energy Services, Inc.  
Project/Site: Mount Storm Power Station

Job ID: 240-159519-3  
SDG: Phase B CCR

**Client Sample ID: 110321NMW-13**

**Lab Sample ID: 240-159547-5**

Date Collected: 11/03/21 16:45

Matrix: Water

Date Received: 11/06/21 10:00

**Method: 6010D - Metals (ICP) - Total Recoverable**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Boron	<57		100	57	ug/L		11/09/21 14:00	11/10/21 20:55	1

**Method: 6020B - Metals (ICP/MS) - Total Recoverable**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	<0.75		5.0	0.75	ug/L		11/09/21 14:00	11/10/21 22:15	1
Barium	80		5.0	2.2	ug/L		11/09/21 14:00	11/10/21 22:15	1
Beryllium	0.64	J	1.0	0.62	ug/L		11/09/21 14:00	11/10/21 22:15	1
Cadmium	0.44	J	1.0	0.20	ug/L		11/09/21 14:00	11/10/21 22:15	1
Calcium	6700		1000	580	ug/L		11/09/21 14:00	11/10/21 22:15	1
Chromium	<2.5		5.0	2.5	ug/L		11/09/21 14:00	11/10/21 22:15	1
Cobalt	1.2		1.0	0.19	ug/L		11/09/21 14:00	11/10/21 22:15	1
Lead	<0.45		1.0	0.45	ug/L		11/09/21 14:00	11/10/21 22:15	1
Lithium	3.9	J	8.0	1.7	ug/L		11/09/21 14:00	11/10/21 22:15	1
Molybdenum	<1.1		5.0	1.1	ug/L		11/09/21 14:00	11/10/21 22:15	1
Selenium	<0.89		5.0	0.89	ug/L		11/09/21 14:00	11/10/21 22:15	1
Thallium	0.20	J	1.0	0.20	ug/L		11/09/21 14:00	11/10/21 22:15	1

**General Chemistry**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<0.28		1.0	0.28	mg/L			11/27/21 20:13	1
Fluoride	<0.024		0.050	0.024	mg/L			11/27/21 20:13	1
Sulfate	<0.35		1.0	0.35	mg/L			11/27/21 20:13	1

**Method: 9315 - Radium-226 (GFPC)**

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.523		0.193	0.199	1.00	0.190	pCi/L	11/11/21 08:56	12/05/21 20:11	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	85.8		40 - 110					11/11/21 08:56	12/05/21 20:11	1

**Method: 9320 - Radium-228 (GFPC)**

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.772		0.488	0.493	1.00	0.747	pCi/L	11/11/21 10:31	12/01/21 18:10	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	85.8		40 - 110					11/11/21 10:31	12/01/21 18:10	1
Y Carrier	81.5		40 - 110					11/11/21 10:31	12/01/21 18:10	1

**Method: Ra226\_Ra228 Pos - Combined Radium-226 and Radium-228**

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium 226 and 228	1.29		0.525	0.532	5.00	0.747	pCi/L		12/08/21 22:09	1

# Client Sample Results

Client: Dominion Energy Services, Inc.  
Project/Site: Mount Storm Power Station

Job ID: 240-159519-3  
SDG: Phase B CCR

**Client Sample ID: 110321NMW-14**

**Lab Sample ID: 240-159547-6**

Date Collected: 11/03/21 15:30

Matrix: Water

Date Received: 11/06/21 10:00

### Method: 6010D - Metals (ICP) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Boron	<57		100	57	ug/L		11/09/21 14:00	11/10/21 20:59	1

### Method: 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	<0.75		5.0	0.75	ug/L		11/09/21 14:00	11/10/21 22:17	1
<b>Barium</b>	<b>58</b>		5.0	2.2	ug/L		11/09/21 14:00	11/10/21 22:17	1
Beryllium	<0.62		1.0	0.62	ug/L		11/09/21 14:00	11/10/21 22:17	1
<b>Cadmium</b>	<b>0.25</b>	<b>J</b>	1.0	0.20	ug/L		11/09/21 14:00	11/10/21 22:17	1
<b>Calcium</b>	<b>10000</b>		1000	580	ug/L		11/09/21 14:00	11/10/21 22:17	1
Chromium	<2.5		5.0	2.5	ug/L		11/09/21 14:00	11/10/21 22:17	1
<b>Cobalt</b>	<b>0.73</b>	<b>J</b>	1.0	0.19	ug/L		11/09/21 14:00	11/10/21 22:17	1
Lead	<0.45		1.0	0.45	ug/L		11/09/21 14:00	11/10/21 22:17	1
<b>Lithium</b>	<b>4.7</b>	<b>J</b>	8.0	1.7	ug/L		11/09/21 14:00	11/10/21 22:17	1
Molybdenum	<1.1		5.0	1.1	ug/L		11/09/21 14:00	11/10/21 22:17	1
Selenium	<0.89		5.0	0.89	ug/L		11/09/21 14:00	11/10/21 22:17	1
Thallium	<0.20		1.0	0.20	ug/L		11/09/21 14:00	11/10/21 22:17	1

### General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
<b>Chloride</b>	<b>0.33</b>	<b>J</b>	1.0	0.28	mg/L			11/27/21 21:13	1
<b>Fluoride</b>	<b>0.045</b>	<b>J</b>	0.050	0.024	mg/L			11/27/21 21:13	1
<b>Sulfate</b>	<b>43</b>		1.0	0.35	mg/L			11/27/21 21:13	1

### Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
<b>Radium-226</b>	<b>0.730</b>		0.212	0.222	1.00	0.180	pCi/L	11/11/21 08:56	12/05/21 20:15	1
<b>Carrier</b>	<b>%Yield</b>	<b>Qualifier</b>	<b>Limits</b>					<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
Ba Carrier	93.4		40 - 110					11/11/21 08:56	12/05/21 20:15	1

### Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.239	U	0.407	0.408	1.00	0.690	pCi/L	11/11/21 10:31	12/01/21 18:10	1
<b>Carrier</b>	<b>%Yield</b>	<b>Qualifier</b>	<b>Limits</b>					<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
Ba Carrier	93.4		40 - 110					11/11/21 10:31	12/01/21 18:10	1
Y Carrier	78.1		40 - 110					11/11/21 10:31	12/01/21 18:10	1

### Method: Ra226\_Ra228 Pos - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
<b>Radium 226 and 228</b>	<b>0.969</b>		0.459	0.464	5.00	0.690	pCi/L		12/08/21 22:09	1

Eurofins TestAmerica, Canton

# Client Sample Results

Client: Dominion Energy Services, Inc.  
Project/Site: Mount Storm Power Station

Job ID: 240-159519-3  
SDG: Phase B CCR

**Client Sample ID: 110321FBFieldBlank**

**Lab Sample ID: 240-159547-7**

Date Collected: 11/03/21 15:20

Matrix: Water

Date Received: 11/06/21 10:00

### Method: 6010D - Metals (ICP) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Boron	<57		100	57	ug/L		11/09/21 14:00	11/10/21 21:03	1

### Method: 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	<0.75		5.0	0.75	ug/L		11/09/21 14:00	11/10/21 22:20	1
Barium	<2.2		5.0	2.2	ug/L		11/09/21 14:00	11/10/21 22:20	1
Beryllium	<0.62		1.0	0.62	ug/L		11/09/21 14:00	11/10/21 22:20	1
Cadmium	<0.20		1.0	0.20	ug/L		11/09/21 14:00	11/10/21 22:20	1
Calcium	<580		1000	580	ug/L		11/09/21 14:00	11/10/21 22:20	1
Chromium	<2.5		5.0	2.5	ug/L		11/09/21 14:00	11/10/21 22:20	1
Cobalt	<0.19		1.0	0.19	ug/L		11/09/21 14:00	11/10/21 22:20	1
Lead	<0.45		1.0	0.45	ug/L		11/09/21 14:00	11/10/21 22:20	1
Lithium	<1.7		8.0	1.7	ug/L		11/09/21 14:00	11/10/21 22:20	1
Molybdenum	<1.1		5.0	1.1	ug/L		11/09/21 14:00	11/10/21 22:20	1
Selenium	<0.89		5.0	0.89	ug/L		11/09/21 14:00	11/10/21 22:20	1
Thallium	<0.20		1.0	0.20	ug/L		11/09/21 14:00	11/10/21 22:20	1

### General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<0.28		1.0	0.28	mg/L			11/27/21 21:33	1
Fluoride	<0.024		0.050	0.024	mg/L			11/27/21 21:33	1
Sulfate	<0.35		1.0	0.35	mg/L			11/27/21 21:33	1

### Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.266		0.149	0.151	1.00	0.201	pCi/L	11/11/21 08:56	12/05/21 20:14	1
<i>Carrier</i>	<i>%Yield</i>	<i>Qualifier</i>	<i>Limits</i>					<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
<i>Ba Carrier</i>	88.4		40 - 110					11/11/21 08:56	12/05/21 20:14	1

### Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.542	U	0.394	0.397	1.00	0.619	pCi/L	11/11/21 10:31	12/01/21 18:11	1
<i>Carrier</i>	<i>%Yield</i>	<i>Qualifier</i>	<i>Limits</i>					<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
<i>Ba Carrier</i>	88.4		40 - 110					11/11/21 10:31	12/01/21 18:11	1
<i>Y Carrier</i>	78.9		40 - 110					11/11/21 10:31	12/01/21 18:11	1

### Method: Ra226\_Ra228 Pos - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium 226 and 228	0.807		0.421	0.425	5.00	0.619	pCi/L		12/08/21 22:09	1

Eurofins TestAmerica, Canton

## Tracer/Carrier Summary

Client: Dominion Energy Services, Inc.  
Project/Site: Mount Storm Power Station

Job ID: 240-159519-3  
SDG: Phase B CCR

### Method: 9315 - Radium-226 (GFPC)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Yield (Acceptance Limits)	
		Ba (40-110)	Y
240-159516-1	110221NMW-6R	73.7	
240-159516-2	110221NMW-12R	80.8	
240-159545-B-1-A MS	Matrix Spike	80.8	
240-159545-L-1-A MSD	Matrix Spike Duplicate	84.6	
240-159547-1	110321NMW-22	80.3	
240-159547-1 MS	110321NMW-22	83.0	
240-159547-1 MSD	110321NMW-22	88.1	
240-159547-2	110321NMWFGDW2	86.1	
240-159547-3	110321NMW-7	83.8	
240-159547-4	110321NMW-10	93.2	
240-159547-5	110321NMW-13	85.8	
240-159547-6	110321NMW-14	93.4	
240-159547-7	110321FBFieldBlank	88.4	
240-159547-B-1-A MS	Matrix Spike	83.0	
240-159547-J-1-A MSD	Matrix Spike Duplicate	88.1	
LCS 160-536024/1-A	Lab Control Sample	73.7	
MB 160-536024/24-A	Method Blank	88.4	

**Tracer/Carrier Legend**  
Ba = Ba Carrier

### Method: 9320 - Radium-228 (GFPC)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Yield (Acceptance Limits)	
		Ba (40-110)	Y (40-110)
240-159516-1	110221NMW-6R	73.7	75.1
240-159516-2	110221NMW-12R	80.8	84.1
240-159545-B-1-B MS	Matrix Spike	80.8	75.5
240-159545-L-1-B MSD	Matrix Spike Duplicate	84.6	76.6
240-159547-1	110321NMW-22	80.3	72.1
240-159547-1 MS	110321NMW-22	83.0	81.9
240-159547-1 MSD	110321NMW-22	88.1	81.1
240-159547-2	110321NMWFGDW2	86.1	80.7
240-159547-3	110321NMW-7	83.8	69.2
240-159547-4	110321NMW-10	93.2	74.8
240-159547-5	110321NMW-13	85.8	81.5
240-159547-6	110321NMW-14	93.4	78.1
240-159547-7	110321FBFieldBlank	88.4	78.9
LCS 160-536040/1-A	Lab Control Sample	73.7	77.4
MB 160-536040/24-A	Method Blank	88.4	80.0

**Tracer/Carrier Legend**  
Ba = Ba Carrier  
Y = Y Carrier



# QC Sample Results

Client: Dominion Energy Services, Inc.  
Project/Site: Mount Storm Power Station

Job ID: 240-159519-3  
SDG: Phase B CCR

## Method: 6010D - Metals (ICP)

**Lab Sample ID: MB 240-512106/1-A**  
**Matrix: Water**  
**Analysis Batch: 512465**

**Client Sample ID: Method Blank**  
**Prep Type: Total Recoverable**  
**Prep Batch: 512106**

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Boron	<57		100	57	ug/L		11/09/21 14:00	11/10/21 19:36	1

**Lab Sample ID: LCS 240-512106/2-A**  
**Matrix: Water**  
**Analysis Batch: 512465**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total Recoverable**  
**Prep Batch: 512106**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Boron	1000	1000		ug/L		100	80 - 120

**Lab Sample ID: 240-159547-1 MS**  
**Matrix: Water**  
**Analysis Batch: 512465**

**Client Sample ID: 110321NMW-22**  
**Prep Type: Total Recoverable**  
**Prep Batch: 512106**

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Boron	<57		1000	1060		ug/L		106	75 - 125

**Lab Sample ID: 240-159547-1 MSD**  
**Matrix: Water**  
**Analysis Batch: 512465**

**Client Sample ID: 110321NMW-22**  
**Prep Type: Total Recoverable**  
**Prep Batch: 512106**

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	Limit
Boron	<57		1000	1060		ug/L		106	75 - 125	0	20

**Lab Sample ID: MB 240-512112/1-A**  
**Matrix: Water**  
**Analysis Batch: 512735**

**Client Sample ID: Method Blank**  
**Prep Type: Total Recoverable**  
**Prep Batch: 512112**

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Boron	<57		100	57	ug/L		11/09/21 14:00	11/12/21 12:30	1

**Lab Sample ID: LCS 240-512112/2-A**  
**Matrix: Water**  
**Analysis Batch: 512735**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total Recoverable**  
**Prep Batch: 512112**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Boron	1000	1070		ug/L		107	80 - 120

**Lab Sample ID: 240-159545-H-1-B MS**  
**Matrix: Water**  
**Analysis Batch: 512646**

**Client Sample ID: Matrix Spike**  
**Prep Type: Total Recoverable**  
**Prep Batch: 512112**

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Boron	61	J ^+	1000	1250	^+	ug/L		119	75 - 125

**Lab Sample ID: 240-159545-H-1-C MSD**  
**Matrix: Water**  
**Analysis Batch: 512646**

**Client Sample ID: Matrix Spike Duplicate**  
**Prep Type: Total Recoverable**  
**Prep Batch: 512112**

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	Limit
Boron	61	J ^+	1000	1240	^+	ug/L		118	75 - 125	1	20

Eurofins TestAmerica, Canton

# QC Sample Results

Client: Dominion Energy Services, Inc.  
Project/Site: Mount Storm Power Station

Job ID: 240-159519-3  
SDG: Phase B CCR

## Method: 6020B - Metals (ICP/MS)

**Lab Sample ID: MB 240-512106/1-A**  
**Matrix: Water**  
**Analysis Batch: 512444**

**Client Sample ID: Method Blank**  
**Prep Type: Total Recoverable**  
**Prep Batch: 512106**

Analyte	MB MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Arsenic	<0.75		5.0	0.75	ug/L		11/09/21 14:00	11/10/21 21:26	1
Barium	<2.2		5.0	2.2	ug/L		11/09/21 14:00	11/10/21 21:26	1
Beryllium	<0.62		1.0	0.62	ug/L		11/09/21 14:00	11/10/21 21:26	1
Cadmium	<0.20		1.0	0.20	ug/L		11/09/21 14:00	11/10/21 21:26	1
Calcium	<580		1000	580	ug/L		11/09/21 14:00	11/10/21 21:26	1
Chromium	<2.5		5.0	2.5	ug/L		11/09/21 14:00	11/10/21 21:26	1
Cobalt	<0.19		1.0	0.19	ug/L		11/09/21 14:00	11/10/21 21:26	1
Lead	<0.45		1.0	0.45	ug/L		11/09/21 14:00	11/10/21 21:26	1
Lithium	<1.7		8.0	1.7	ug/L		11/09/21 14:00	11/10/21 21:26	1
Molybdenum	<1.1		5.0	1.1	ug/L		11/09/21 14:00	11/10/21 21:26	1
Selenium	<0.89		5.0	0.89	ug/L		11/09/21 14:00	11/10/21 21:26	1
Thallium	<0.20		1.0	0.20	ug/L		11/09/21 14:00	11/10/21 21:26	1

**Lab Sample ID: LCS 240-512106/3-A**  
**Matrix: Water**  
**Analysis Batch: 512444**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total Recoverable**  
**Prep Batch: 512106**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec.	
							Limits	
Arsenic	1000	1060		ug/L		106	80 - 120	
Barium	1000	984		ug/L		98	80 - 120	
Beryllium	500	508		ug/L		102	80 - 120	
Cadmium	500	494		ug/L		99	80 - 120	
Calcium	25000	25300		ug/L		101	80 - 120	
Chromium	500	502		ug/L		100	80 - 120	
Cobalt	500	523		ug/L		105	80 - 120	
Lead	500	513		ug/L		103	80 - 120	
Lithium	500	514		ug/L		103	80 - 120	
Molybdenum	500	510		ug/L		102	80 - 120	
Selenium	1000	1010		ug/L		101	80 - 120	
Thallium	1000	998		ug/L		100	80 - 120	

**Lab Sample ID: 240-159547-1 MS**  
**Matrix: Water**  
**Analysis Batch: 512444**

**Client Sample ID: 110321NMW-22**  
**Prep Type: Total Recoverable**  
**Prep Batch: 512106**

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec.	
									Limits	
Arsenic	<0.75		1000	1080		ug/L		108	80 - 120	
Barium	310		1000	1390		ug/L		108	80 - 120	
Beryllium	<0.62		500	501		ug/L		100	80 - 120	
Cadmium	<0.20		500	503		ug/L		101	80 - 120	
Calcium	100000		25000	128000	4	ug/L		111	80 - 120	
Chromium	<2.5		500	500		ug/L		100	80 - 120	
Cobalt	0.30	J	500	525		ug/L		105	80 - 120	
Lead	<0.45		500	509		ug/L		102	80 - 120	
Lithium	8.3		500	512		ug/L		101	80 - 120	
Molybdenum	<1.1		500	521		ug/L		104	80 - 120	
Selenium	<0.89		1000	990		ug/L		99	80 - 120	
Thallium	0.48	J	1000	997		ug/L		100	80 - 120	

Eurofins TestAmerica, Canton

# QC Sample Results

Client: Dominion Energy Services, Inc.  
Project/Site: Mount Storm Power Station

Job ID: 240-159519-3  
SDG: Phase B CCR

## Method: 6020B - Metals (ICP/MS) (Continued)

**Lab Sample ID: 240-159547-1 MSD**  
**Matrix: Water**  
**Analysis Batch: 512444**

**Client Sample ID: 110321NMW-22**  
**Prep Type: Total Recoverable**  
**Prep Batch: 512106**

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Arsenic	<0.75		1000	1040		ug/L		104	80 - 120	3	20
Barium	310		1000	1400		ug/L		108	80 - 120	0	20
Beryllium	<0.62		500	517		ug/L		103	80 - 120	3	20
Cadmium	<0.20		500	498		ug/L		100	80 - 120	1	20
Calcium	100000		25000	133000	4	ug/L		129	80 - 120	4	20
Chromium	<2.5		500	510		ug/L		102	80 - 120	2	20
Cobalt	0.30	J	500	518		ug/L		103	80 - 120	1	20
Lead	<0.45		500	509		ug/L		102	80 - 120	0	20
Lithium	8.3		500	516		ug/L		102	80 - 120	1	20
Molybdenum	<1.1		500	517		ug/L		103	80 - 120	1	20
Selenium	<0.89		1000	1010		ug/L		101	80 - 120	2	20
Thallium	0.48	J	1000	1010		ug/L		101	80 - 120	2	20

**Lab Sample ID: MB 240-512112/1-A**  
**Matrix: Water**  
**Analysis Batch: 512444**

**Client Sample ID: Method Blank**  
**Prep Type: Total Recoverable**  
**Prep Batch: 512112**

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	<0.75		5.0	0.75	ug/L		11/09/21 14:00	11/10/21 22:50	1
Barium	<2.2		5.0	2.2	ug/L		11/09/21 14:00	11/10/21 22:50	1
Beryllium	<0.62		1.0	0.62	ug/L		11/09/21 14:00	11/10/21 22:50	1
Cadmium	<0.20		1.0	0.20	ug/L		11/09/21 14:00	11/10/21 22:50	1
Calcium	<580		1000	580	ug/L		11/09/21 14:00	11/10/21 22:50	1
Chromium	<2.5		5.0	2.5	ug/L		11/09/21 14:00	11/10/21 22:50	1
Cobalt	<0.19		1.0	0.19	ug/L		11/09/21 14:00	11/10/21 22:50	1
Lead	<0.45		1.0	0.45	ug/L		11/09/21 14:00	11/10/21 22:50	1
Lithium	<1.7		8.0	1.7	ug/L		11/09/21 14:00	11/10/21 22:50	1
Molybdenum	<1.1		5.0	1.1	ug/L		11/09/21 14:00	11/10/21 22:50	1
Selenium	<0.89		5.0	0.89	ug/L		11/09/21 14:00	11/10/21 22:50	1
Thallium	<0.20		1.0	0.20	ug/L		11/09/21 14:00	11/10/21 22:50	1

**Lab Sample ID: LCS 240-512112/3-A**  
**Matrix: Water**  
**Analysis Batch: 512444**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total Recoverable**  
**Prep Batch: 512112**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Arsenic	1000	1010		ug/L		101	80 - 120
Barium	1000	1010		ug/L		101	80 - 120
Beryllium	500	489		ug/L		98	80 - 120
Cadmium	500	508		ug/L		102	80 - 120
Calcium	25000	25300		ug/L		101	80 - 120
Chromium	500	515		ug/L		103	80 - 120
Cobalt	500	512		ug/L		102	80 - 120
Lead	500	529		ug/L		106	80 - 120
Lithium	500	515		ug/L		103	80 - 120
Molybdenum	500	513		ug/L		103	80 - 120
Selenium	1000	977		ug/L		98	80 - 120
Thallium	1000	1030		ug/L		103	80 - 120

Eurofins TestAmerica, Canton

# QC Sample Results

Client: Dominion Energy Services, Inc.  
Project/Site: Mount Storm Power Station

Job ID: 240-159519-3  
SDG: Phase B CCR

## Method: 6020B - Metals (ICP/MS) (Continued)

**Lab Sample ID: 240-159545-H-1-D MS**  
**Matrix: Water**  
**Analysis Batch: 512444**

**Client Sample ID: Matrix Spike**  
**Prep Type: Total Recoverable**  
**Prep Batch: 512112**

Analyte	Sample	Sample	Spike	MS	MS	Unit	D	%Rec	%Rec.	Limits
	Result	Qualifier	Added	Result	Qualifier					
Arsenic	<0.75		1000	1020		ug/L		102		80 - 120
Barium	330		1000	1380		ug/L		105		80 - 120
Beryllium	<0.62		500	489		ug/L		98		80 - 120
Cadmium	<0.20		500	502		ug/L		100		80 - 120
Calcium	110000		25000	129000	4	ug/L		93		80 - 120
Chromium	<2.5		500	497		ug/L		99		80 - 120
Cobalt	0.27	J	500	502		ug/L		100		80 - 120
Lead	<0.45		500	511		ug/L		102		80 - 120
Lithium	9.0		500	515		ug/L		101		80 - 120
Molybdenum	<1.1		500	516		ug/L		103		80 - 120
Selenium	<0.89		1000	979		ug/L		98		80 - 120
Thallium	0.71	J	1000	1010		ug/L		101		80 - 120

**Lab Sample ID: 240-159545-H-1-E MSD**  
**Matrix: Water**  
**Analysis Batch: 512444**

**Client Sample ID: Matrix Spike Duplicate**  
**Prep Type: Total Recoverable**  
**Prep Batch: 512112**

Analyte	Sample	Sample	Spike	MSD	MSD	Unit	D	%Rec	%Rec.	Limits	RPD	Limit
	Result	Qualifier	Added	Result	Qualifier							
Arsenic	<0.75		1000	992		ug/L		99		80 - 120	3	20
Barium	330		1000	1370		ug/L		104		80 - 120	1	20
Beryllium	<0.62		500	488		ug/L		98		80 - 120	0	20
Cadmium	<0.20		500	493		ug/L		99		80 - 120	2	20
Calcium	110000		25000	129000	4	ug/L		90		80 - 120	0	20
Chromium	<2.5		500	496		ug/L		99		80 - 120	0	20
Cobalt	0.27	J	500	488		ug/L		98		80 - 120	3	20
Lead	<0.45		500	508		ug/L		102		80 - 120	1	20
Lithium	9.0		500	514		ug/L		101		80 - 120	0	20
Molybdenum	<1.1		500	509		ug/L		102		80 - 120	1	20
Selenium	<0.89		1000	961		ug/L		96		80 - 120	2	20
Thallium	0.71	J	1000	997		ug/L		100		80 - 120	1	20

## Method: 9056A - Anions, Ion Chromatography

**Lab Sample ID: MB 240-514401/3**  
**Matrix: Water**  
**Analysis Batch: 514401**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Chloride	<0.28		1.0	0.28	mg/L			11/23/21 22:38	1
Fluoride	<0.024		0.050	0.024	mg/L			11/23/21 22:38	1
Sulfate	<0.35		1.0	0.35	mg/L			11/23/21 22:38	1

**Lab Sample ID: LCS 240-514401/4**  
**Matrix: Water**  
**Analysis Batch: 514401**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec.	Limits
Chloride	50.0	52.2		mg/L		104		90 - 110
Fluoride	2.50	2.67		mg/L		107		90 - 110

Eurofins TestAmerica, Canton

# QC Sample Results

Client: Dominion Energy Services, Inc.  
Project/Site: Mount Storm Power Station

Job ID: 240-159519-3  
SDG: Phase B CCR

## Method: 9056A - Anions, Ion Chromatography (Continued)

**Lab Sample ID: LCS 240-514401/4**  
**Matrix: Water**  
**Analysis Batch: 514401**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Sulfate	50.0	53.4		mg/L		107	90 - 110

**Lab Sample ID: 240-159516-1 MS**  
**Matrix: Water**  
**Analysis Batch: 514401**

**Client Sample ID: 110221NMW-6R**  
**Prep Type: Total/NA**

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride	0.42	J	50.0	55.5		mg/L		110	80 - 120
Fluoride	0.082		2.50	2.91		mg/L		113	80 - 120
Sulfate	9.3		50.0	63.2		mg/L		108	80 - 120

**Lab Sample ID: 240-159516-1 MSD**  
**Matrix: Water**  
**Analysis Batch: 514401**

**Client Sample ID: 110221NMW-6R**  
**Prep Type: Total/NA**

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	Limit
Chloride	0.42	J	50.0	57.4		mg/L		114	80 - 120	3	15
Fluoride	0.082		2.50	2.99		mg/L		117	80 - 120	3	15
Sulfate	9.3		50.0	65.0		mg/L		111	80 - 120	3	15

**Lab Sample ID: MB 240-514731/3**  
**Matrix: Water**  
**Analysis Batch: 514731**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<0.28		1.0	0.28	mg/L			11/27/21 13:10	1
Fluoride	<0.024		0.050	0.024	mg/L			11/27/21 13:10	1
Sulfate	<0.35		1.0	0.35	mg/L			11/27/21 13:10	1

**Lab Sample ID: LCS 240-514731/4**  
**Matrix: Water**  
**Analysis Batch: 514731**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride	50.0	52.6		mg/L		105	90 - 110
Fluoride	2.50	2.57		mg/L		103	90 - 110
Sulfate	50.0	51.1		mg/L		102	90 - 110

**Lab Sample ID: 240-159547-1 MS**  
**Matrix: Water**  
**Analysis Batch: 514731**

**Client Sample ID: 110321NMW-22**  
**Prep Type: Total/NA**

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride	0.63	J	50.0	54.2		mg/L		107	80 - 120
Fluoride	0.035	J	2.50	2.60		mg/L		103	80 - 120
Sulfate	25		50.0	76.3		mg/L		103	80 - 120

# QC Sample Results

Client: Dominion Energy Services, Inc.  
Project/Site: Mount Storm Power Station

Job ID: 240-159519-3  
SDG: Phase B CCR

## Method: 9056A - Anions, Ion Chromatography (Continued)

**Lab Sample ID: 240-159547-1 MSD**  
**Matrix: Water**  
**Analysis Batch: 514731**

**Client Sample ID: 110321NMW-22**  
**Prep Type: Total/NA**

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Chloride	0.63	J	50.0	56.1		mg/L		111	80 - 120	4	15
Fluoride	0.035	J	2.50	2.70		mg/L		107	80 - 120	4	15
Sulfate	25		50.0	78.2		mg/L		107	80 - 120	2	15

## Method: SM 2540C - Solids, Total Dissolved (TDS)

**Lab Sample ID: MB 180-378469/2**  
**Matrix: Water**  
**Analysis Batch: 378469**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	<10		10	10	mg/L			11/10/21 14:59	1

**Lab Sample ID: LCS 180-378469/1**  
**Matrix: Water**  
**Analysis Batch: 378469**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Total Dissolved Solids	422	404		mg/L		96	80 - 120

**Lab Sample ID: 240-159519-1 DU**  
**Matrix: Water**  
**Analysis Batch: 378469**

**Client Sample ID: 110321NMW-22**  
**Prep Type: Total/NA**

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Total Dissolved Solids	340		345		mg/L		1	10

**Lab Sample ID: 240-159529-1 DU**  
**Matrix: Water**  
**Analysis Batch: 378469**

**Client Sample ID: 110221NMW-6R**  
**Prep Type: Total/NA**

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Total Dissolved Solids	230	H	241		mg/L		4	10

**Lab Sample ID: MB 180-378475/2**  
**Matrix: Water**  
**Analysis Batch: 378475**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	<10		10	10	mg/L			11/10/21 15:17	1

**Lab Sample ID: LCS 180-378475/1**  
**Matrix: Water**  
**Analysis Batch: 378475**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Total Dissolved Solids	422	376		mg/L		89	80 - 120

# QC Sample Results

Client: Dominion Energy Services, Inc.  
Project/Site: Mount Storm Power Station

Job ID: 240-159519-3  
SDG: Phase B CCR

## Method: SM 2540C - Solids, Total Dissolved (TDS) (Continued)

Lab Sample ID: 240-159519-2 DU  
Matrix: Water  
Analysis Batch: 378475

Client Sample ID: 110321NMWFGDW2  
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	Limit
Total Dissolved Solids	200		196		mg/L		1	10

## Method: 9315 - Radium-226 (GFPC)

Lab Sample ID: MB 160-536024/24-A  
Matrix: Water  
Analysis Batch: 540334

Client Sample ID: Method Blank  
Prep Type: Total/NA  
Prep Batch: 536024

Analyte	MB Result	MB Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.3328		0.164	0.167	1.00	0.197	pCi/L	11/11/21 08:56	12/05/21 20:14	1
Carrier	MB %Yield	MB Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	88.4		40 - 110					11/11/21 08:56	12/05/21 20:14	1

Lab Sample ID: LCS 160-536024/1-A  
Matrix: Water  
Analysis Batch: 540016

Client Sample ID: Lab Control Sample  
Prep Type: Total/NA  
Prep Batch: 536024

Analyte	Spike Added	LCS Result	LCS Qual	Total Uncert. (2σ+/-)	RL	MDC	Unit	%Rec	%Rec. Limits
Radium-226	15.1	14.24		1.68	1.00	0.350	pCi/L	94	75 - 125
Carrier	LCS %Yield	LCS Qualifier	Limits						
Ba Carrier	73.7		40 - 110						

Lab Sample ID: 240-159545-B-1-A MS  
Matrix: Water  
Analysis Batch: 540040

Client Sample ID: Matrix Spike  
Prep Type: Total/NA  
Prep Batch: 536024

Analyte	Sample Result	Sample Qual	Spike Added	MS Result	MS Qual	Total Uncert. (2σ+/-)	RL	MDC	Unit	%Rec	%Rec. Limits
Radium-226			15.1	15.35		1.80	1.00	0.408	pCi/L	102	60 - 140
Carrier	MS %Yield	MS Qualifier	Limits								
Ba Carrier	80.8		40 - 110								

Lab Sample ID: 240-159545-L-1-A MSD  
Matrix: Water  
Analysis Batch: 540214

Client Sample ID: Matrix Spike Duplicate  
Prep Type: Total/NA  
Prep Batch: 536024

Analyte	Sample Result	Sample Qual	Spike Added	MSD Result	MSD Qual	Total Uncert. (2σ+/-)	RL	MDC	Unit	%Rec	%Rec. Limits	RER	Limit
Radium-226			15.1	15.43		1.72	1.00	0.265	pCi/L	102	60 - 140	0.02	1
Carrier	MSD %Yield	MSD Qualifier	Limits										
Ba Carrier	84.6		40 - 110										

Eurofins TestAmerica, Canton

# QC Sample Results

Client: Dominion Energy Services, Inc.  
Project/Site: Mount Storm Power Station

Job ID: 240-159519-3  
SDG: Phase B CCR

## Method: 9315 - Radium-226 (GFPC) (Continued)

**Lab Sample ID: 240-159547-1 MS**  
**Matrix: Water**  
**Analysis Batch: 540332**

**Client Sample ID: 110321NMW-22**  
**Prep Type: Total/NA**  
**Prep Batch: 536024**

Analyte	Sample	Sample	Spike	MS	MS	Total	RL	MDC	Unit	%Rec	%Rec.	Limits
	Result	Qual		Result	Qual							
Radium-226	0.348		15.1	14.93		1.63	1.00	0.233	pCi/L	96	60 - 140	
<i>MS MS</i>												
<b>Carrier</b>	<b>%Yield</b>	<b>Qualifier</b>	<b>Limits</b>									
Ba Carrier	83.0		40 - 110									

**Lab Sample ID: 240-159547-1 MSD**  
**Matrix: Water**  
**Analysis Batch: 540332**

**Client Sample ID: 110321NMW-22**  
**Prep Type: Total/NA**  
**Prep Batch: 536024**

Analyte	Sample	Sample	Spike	MSD	MSD	Total	RL	MDC	Unit	%Rec	%Rec.	Limits	RER	Limit
	Result	Qual		Result	Qual									
Radium-226	0.348		15.1	13.31		1.46	1.00	0.217	pCi/L	86	60 - 140	0.52	1	
<i>MSD MSD</i>														
<b>Carrier</b>	<b>%Yield</b>	<b>Qualifier</b>	<b>Limits</b>											
Ba Carrier	88.1		40 - 110											

**Lab Sample ID: 240-159547-B-1-A MS**  
**Matrix: Water**  
**Analysis Batch: 540332**

**Client Sample ID: Matrix Spike**  
**Prep Type: Total/NA**  
**Prep Batch: 536024**

Analyte	Sample	Sample	Spike	MS	MS	Total	RL	MDC	Unit	%Rec	%Rec.	Limits
	Result	Qual		Result	Qual							
Radium-226			15.1	14.93		1.63	1.00	0.233	pCi/L	96	60 - 140	
<i>MS MS</i>												
<b>Carrier</b>	<b>%Yield</b>	<b>Qualifier</b>	<b>Limits</b>									
Ba Carrier	83.0		40 - 110									

**Lab Sample ID: 240-159547-J-1-A MSD**  
**Matrix: Water**  
**Analysis Batch: 540332**

**Client Sample ID: Matrix Spike Duplicate**  
**Prep Type: Total/NA**  
**Prep Batch: 536024**

Analyte	Sample	Sample	Spike	MSD	MSD	Total	RL	MDC	Unit	%Rec	%Rec.	Limits	RER	Limit
	Result	Qual		Result	Qual									
Radium-226			15.1	13.31		1.46	1.00	0.217	pCi/L	86	60 - 140	0.52	1	
<i>MSD MSD</i>														
<b>Carrier</b>	<b>%Yield</b>	<b>Qualifier</b>	<b>Limits</b>											
Ba Carrier	88.1		40 - 110											

## Method: 9320 - Radium-228 (GFPC)

**Lab Sample ID: MB 160-536040/24-A**  
**Matrix: Water**  
**Analysis Batch: 539996**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**  
**Prep Batch: 536040**

Analyte	MB MB		Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
	Result	Qualifier								
Radium-228	0.6357	U	0.463	0.466	1.00	0.722	pCi/L	11/11/21 10:31	12/01/21 18:11	1

Eurofins TestAmerica, Canton



# QC Sample Results

Client: Dominion Energy Services, Inc.  
Project/Site: Mount Storm Power Station

Job ID: 240-159519-3  
SDG: Phase B CCR

## Method: 9320 - Radium-228 (GFPC) (Continued)

Carrier	MB MB		Limits	Prepared	Analyzed	Dil Fac
	%Yield	Qualifier				
Ba Carrier	88.4		40 - 110	11/11/21 10:31	12/01/21 18:11	1
Y Carrier	80.0		40 - 110	11/11/21 10:31	12/01/21 18:11	1

Lab Sample ID: LCS 160-536040/1-A  
Matrix: Water  
Analysis Batch: 539785

Client Sample ID: Lab Control Sample  
Prep Type: Total/NA  
Prep Batch: 536040

Analyte	Spike Added	LCS Result	LCS Qual	Total Uncert. (2σ+/-)	RL	MDC	Unit	%Rec	%Rec. Limits

Carrier	LCS LCS		Limits
	%Yield	Qualifier	
Ba Carrier	73.7		40 - 110
Y Carrier	77.4		40 - 110

Lab Sample ID: 240-159545-B-1-B MS  
Matrix: Water  
Analysis Batch: 539784

Client Sample ID: Matrix Spike  
Prep Type: Total/NA  
Prep Batch: 536040

Analyte	Sample Result	Sample Qual	Spike Added	MS Result	MS Qual	Total Uncert. (2σ+/-)	RL	MDC	Unit	%Rec	%Rec. Limits

Carrier	MS MS		Limits
	%Yield	Qualifier	
Ba Carrier	80.8		40 - 110
Y Carrier	75.5		40 - 110

Lab Sample ID: 240-159545-L-1-B MSD  
Matrix: Water  
Analysis Batch: 539784

Client Sample ID: Matrix Spike Duplicate  
Prep Type: Total/NA  
Prep Batch: 536040

Analyte	Sample Result	Sample Qual	Spike Added	MSD Result	MSD Qual	Total Uncert. (2σ+/-)	RL	MDC	Unit	%Rec	%Rec. Limits	RER	Limit

Carrier	MSD MSD		Limits
	%Yield	Qualifier	
Ba Carrier	84.6		40 - 110
Y Carrier	76.6		40 - 110

Lab Sample ID: 240-159547-1 MS  
Matrix: Water  
Analysis Batch: 539996

Client Sample ID: 110321NMW-22  
Prep Type: Total/NA  
Prep Batch: 536040

Analyte	Sample Result	Sample Qual	Spike Added	MS Result	MS Qual	Total Uncert. (2σ+/-)	RL	MDC	Unit	%Rec	%Rec. Limits

Carrier	MS MS		Limits
	%Yield	Qualifier	
Ba Carrier	83.0		40 - 110
Y Carrier	81.9		40 - 110

Eurofins TestAmerica, Canton

# QC Sample Results

Client: Dominion Energy Services, Inc.  
 Project/Site: Mount Storm Power Station

Job ID: 240-159519-3  
 SDG: Phase B CCR

## Method: 9320 - Radium-228 (GFPC) (Continued)

**Lab Sample ID: 240-159547-1 MSD**  
**Matrix: Water**  
**Analysis Batch: 539996**

**Client Sample ID: 110321NMW-22**  
**Prep Type: Total/NA**  
**Prep Batch: 536040**

Analyte	Sample	Sample	Spike	MSD	MSD	Total	RL	MDC	Unit	%Rec	%Rec.	RER	RER
	Result	Qual	Added	Result	Qual	Uncert. (2σ+/-)					Limits		Limit
Radium-228	0.606	U	12.1	13.14		1.64	1.00	0.720	pCi/L	103	60 - 140	0.04	1
	<i>MSD</i>	<i>MSD</i>											
<i>Carrier</i>	<i>%Yield</i>	<i>Qualifier</i>	<i>Limits</i>										
<i>Ba Carrier</i>	88.1		40 - 110										
<i>Y Carrier</i>	81.1		40 - 110										

# QC Association Summary

Client: Dominion Energy Services, Inc.  
Project/Site: Mount Storm Power Station

Job ID: 240-159519-3  
SDG: Phase B CCR

## Metals

### Prep Batch: 512106

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-159547-1	110321NMW-22	Total Recoverable	Water	3005A	
240-159547-2	110321NMWFGDW2	Total Recoverable	Water	3005A	
240-159547-3	110321NMW-7	Total Recoverable	Water	3005A	
240-159547-4	110321NMW-10	Total Recoverable	Water	3005A	
240-159547-5	110321NMW-13	Total Recoverable	Water	3005A	
240-159547-6	110321NMW-14	Total Recoverable	Water	3005A	
240-159547-7	110321FBFieldBlank	Total Recoverable	Water	3005A	
MB 240-512106/1-A	Method Blank	Total Recoverable	Water	3005A	
LCS 240-512106/2-A	Lab Control Sample	Total Recoverable	Water	3005A	
LCS 240-512106/3-A	Lab Control Sample	Total Recoverable	Water	3005A	
240-159547-1 MS	110321NMW-22	Total Recoverable	Water	3005A	
240-159547-1 MS	110321NMW-22	Total Recoverable	Water	3005A	
240-159547-1 MSD	110321NMW-22	Total Recoverable	Water	3005A	
240-159547-1 MSD	110321NMW-22	Total Recoverable	Water	3005A	

### Prep Batch: 512112

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-159516-1	110221NMW-6R	Total Recoverable	Water	3005A	
240-159516-2	110221NMW-12R	Total Recoverable	Water	3005A	
MB 240-512112/1-A	Method Blank	Total Recoverable	Water	3005A	
LCS 240-512112/2-A	Lab Control Sample	Total Recoverable	Water	3005A	
LCS 240-512112/3-A	Lab Control Sample	Total Recoverable	Water	3005A	
240-159545-H-1-B MS	Matrix Spike	Total Recoverable	Water	3005A	
240-159545-H-1-C MSD	Matrix Spike Duplicate	Total Recoverable	Water	3005A	
240-159545-H-1-D MS	Matrix Spike	Total Recoverable	Water	3005A	
240-159545-H-1-E MSD	Matrix Spike Duplicate	Total Recoverable	Water	3005A	

### Analysis Batch: 512444

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-159516-1	110221NMW-6R	Total Recoverable	Water	6020B	512112
240-159516-2	110221NMW-12R	Total Recoverable	Water	6020B	512112
240-159547-1	110321NMW-22	Total Recoverable	Water	6020B	512106
240-159547-2	110321NMWFGDW2	Total Recoverable	Water	6020B	512106
240-159547-3	110321NMW-7	Total Recoverable	Water	6020B	512106
240-159547-4	110321NMW-10	Total Recoverable	Water	6020B	512106
240-159547-5	110321NMW-13	Total Recoverable	Water	6020B	512106
240-159547-6	110321NMW-14	Total Recoverable	Water	6020B	512106
240-159547-7	110321FBFieldBlank	Total Recoverable	Water	6020B	512106
MB 240-512106/1-A	Method Blank	Total Recoverable	Water	6020B	512106
MB 240-512112/1-A	Method Blank	Total Recoverable	Water	6020B	512112
LCS 240-512106/3-A	Lab Control Sample	Total Recoverable	Water	6020B	512106
LCS 240-512112/3-A	Lab Control Sample	Total Recoverable	Water	6020B	512112
240-159545-H-1-D MS	Matrix Spike	Total Recoverable	Water	6020B	512112
240-159545-H-1-E MSD	Matrix Spike Duplicate	Total Recoverable	Water	6020B	512112
240-159547-1 MS	110321NMW-22	Total Recoverable	Water	6020B	512106
240-159547-1 MSD	110321NMW-22	Total Recoverable	Water	6020B	512106

### Analysis Batch: 512465

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-159547-1	110321NMW-22	Total Recoverable	Water	6010D	512106
240-159547-2	110321NMWFGDW2	Total Recoverable	Water	6010D	512106

Eurofins TestAmerica, Canton

# QC Association Summary

Client: Dominion Energy Services, Inc.  
Project/Site: Mount Storm Power Station

Job ID: 240-159519-3  
SDG: Phase B CCR

## Metals (Continued)

### Analysis Batch: 512465 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-159547-3	110321NMW-7	Total Recoverable	Water	6010D	512106
240-159547-4	110321NMW-10	Total Recoverable	Water	6010D	512106
240-159547-5	110321NMW-13	Total Recoverable	Water	6010D	512106
240-159547-6	110321NMW-14	Total Recoverable	Water	6010D	512106
240-159547-7	110321FBFieldBlank	Total Recoverable	Water	6010D	512106
MB 240-512106/1-A	Method Blank	Total Recoverable	Water	6010D	512106
LCS 240-512106/2-A	Lab Control Sample	Total Recoverable	Water	6010D	512106
240-159547-1 MS	110321NMW-22	Total Recoverable	Water	6010D	512106
240-159547-1 MSD	110321NMW-22	Total Recoverable	Water	6010D	512106

### Analysis Batch: 512646

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-159516-1	110221NMW-6R	Total Recoverable	Water	6010D	512112
240-159516-2	110221NMW-12R	Total Recoverable	Water	6010D	512112
240-159545-H-1-B MS	Matrix Spike	Total Recoverable	Water	6010D	512112
240-159545-H-1-C MSD	Matrix Spike Duplicate	Total Recoverable	Water	6010D	512112

### Analysis Batch: 512735

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MB 240-512112/1-A	Method Blank	Total Recoverable	Water	6010D	512112
LCS 240-512112/2-A	Lab Control Sample	Total Recoverable	Water	6010D	512112

## General Chemistry

### Analysis Batch: 378469

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-159519-1	110321NMW-22	Total/NA	Water	SM 2540C	
240-159529-1	110221NMW-6R	Total/NA	Water	SM 2540C	
240-159529-2	110221NMW-12R	Total/NA	Water	SM 2540C	
MB 180-378469/2	Method Blank	Total/NA	Water	SM 2540C	
LCS 180-378469/1	Lab Control Sample	Total/NA	Water	SM 2540C	
240-159519-1 DU	110321NMW-22	Total/NA	Water	SM 2540C	
240-159529-1 DU	110221NMW-6R	Total/NA	Water	SM 2540C	

### Analysis Batch: 378475

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-159519-2	110321NMWFGDW2	Total/NA	Water	SM 2540C	
240-159519-4	110321NMW-7	Total/NA	Water	SM 2540C	
240-159519-6	110321NMW-10	Total/NA	Water	SM 2540C	
240-159519-7	110321NMW-13	Total/NA	Water	SM 2540C	
240-159519-8	110321NMW-14	Total/NA	Water	SM 2540C	
240-159519-9	110321FBFieldBlank	Total/NA	Water	SM 2540C	
MB 180-378475/2	Method Blank	Total/NA	Water	SM 2540C	
LCS 180-378475/1	Lab Control Sample	Total/NA	Water	SM 2540C	
240-159519-2 DU	110321NMWFGDW2	Total/NA	Water	SM 2540C	

### Analysis Batch: 514401

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-159516-1	110221NMW-6R	Total/NA	Water	9056A	
240-159516-2	110221NMW-12R	Total/NA	Water	9056A	
MB 240-514401/3	Method Blank	Total/NA	Water	9056A	

Eurofins TestAmerica, Canton

# QC Association Summary

Client: Dominion Energy Services, Inc.  
Project/Site: Mount Storm Power Station

Job ID: 240-159519-3  
SDG: Phase B CCR

## General Chemistry (Continued)

### Analysis Batch: 514401 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
LCS 240-514401/4	Lab Control Sample	Total/NA	Water	9056A	
240-159516-1 MS	110221NMW-6R	Total/NA	Water	9056A	
240-159516-1 MSD	110221NMW-6R	Total/NA	Water	9056A	

### Analysis Batch: 514731

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-159547-1	110321NMW-22	Total/NA	Water	9056A	
240-159547-2	110321NMWFGDW2	Total/NA	Water	9056A	
240-159547-3	110321NMW-7	Total/NA	Water	9056A	
240-159547-4	110321NMW-10	Total/NA	Water	9056A	
240-159547-5	110321NMW-13	Total/NA	Water	9056A	
240-159547-6	110321NMW-14	Total/NA	Water	9056A	
240-159547-7	110321FBFieldBlank	Total/NA	Water	9056A	
MB 240-514731/3	Method Blank	Total/NA	Water	9056A	
LCS 240-514731/4	Lab Control Sample	Total/NA	Water	9056A	
240-159547-1 MS	110321NMW-22	Total/NA	Water	9056A	
240-159547-1 MSD	110321NMW-22	Total/NA	Water	9056A	

## Rad

### Prep Batch: 536024

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-159516-1	110221NMW-6R	Total/NA	Water	PrecSep-21	
240-159516-2	110221NMW-12R	Total/NA	Water	PrecSep-21	
240-159547-1	110321NMW-22	Total/NA	Water	PrecSep-21	
240-159547-2	110321NMWFGDW2	Total/NA	Water	PrecSep-21	
240-159547-3	110321NMW-7	Total/NA	Water	PrecSep-21	
240-159547-4	110321NMW-10	Total/NA	Water	PrecSep-21	
240-159547-5	110321NMW-13	Total/NA	Water	PrecSep-21	
240-159547-6	110321NMW-14	Total/NA	Water	PrecSep-21	
240-159547-7	110321FBFieldBlank	Total/NA	Water	PrecSep-21	
MB 160-536024/24-A	Method Blank	Total/NA	Water	PrecSep-21	
LCS 160-536024/1-A	Lab Control Sample	Total/NA	Water	PrecSep-21	
240-159545-B-1-A MS	Matrix Spike	Total/NA	Water	PrecSep-21	
240-159545-L-1-A MSD	Matrix Spike Duplicate	Total/NA	Water	PrecSep-21	
240-159547-1 MS	110321NMW-22	Total/NA	Water	PrecSep-21	
240-159547-1 MSD	110321NMW-22	Total/NA	Water	PrecSep-21	
240-159547-J-1-A MSD	Matrix Spike Duplicate	Total/NA	Water	PrecSep-21	

### Prep Batch: 536040

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-159516-1	110221NMW-6R	Total/NA	Water	PrecSep_0	
240-159516-2	110221NMW-12R	Total/NA	Water	PrecSep_0	
240-159547-1	110321NMW-22	Total/NA	Water	PrecSep_0	
240-159547-2	110321NMWFGDW2	Total/NA	Water	PrecSep_0	
240-159547-3	110321NMW-7	Total/NA	Water	PrecSep_0	
240-159547-4	110321NMW-10	Total/NA	Water	PrecSep_0	
240-159547-5	110321NMW-13	Total/NA	Water	PrecSep_0	
240-159547-6	110321NMW-14	Total/NA	Water	PrecSep_0	
240-159547-7	110321FBFieldBlank	Total/NA	Water	PrecSep_0	
MB 160-536040/24-A	Method Blank	Total/NA	Water	PrecSep_0	

Eurofins TestAmerica, Canton

# QC Association Summary

Client: Dominion Energy Services, Inc.  
Project/Site: Mount Storm Power Station

Job ID: 240-159519-3  
SDG: Phase B CCR

## Rad (Continued)

### Prep Batch: 536040 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
LCS 160-536040/1-A	Lab Control Sample	Total/NA	Water	PrecSep_0	
240-159545-B-1-B MS	Matrix Spike	Total/NA	Water	PrecSep_0	
240-159545-L-1-B MSD	Matrix Spike Duplicate	Total/NA	Water	PrecSep_0	
240-159547-1 MS	110321NMW-22	Total/NA	Water	PrecSep_0	
240-159547-1 MSD	110321NMW-22	Total/NA	Water	PrecSep_0	

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

# Lab Chronicle

Client: Dominion Energy Services, Inc.  
Project/Site: Mount Storm Power Station

Job ID: 240-159519-3  
SDG: Phase B CCR

**Client Sample ID: 110221NMW-6R**

**Lab Sample ID: 240-159516-1**

**Date Collected: 11/02/21 17:10**

**Matrix: Water**

**Date Received: 11/06/21 10:00**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total Recoverable	Prep	3005A			512112	11/09/21 14:00	SHB	TAL CAN
Total Recoverable	Analysis	6010D		1	512646	11/11/21 20:10	DSH	TAL CAN
Total Recoverable	Prep	3005A			512112	11/09/21 14:00	SHB	TAL CAN
Total Recoverable	Analysis	6020B		1	512444	11/10/21 23:54	AJC	TAL CAN
Total/NA	Analysis	9056A		1	514401	11/24/21 07:41	JWW	TAL CAN
Total/NA	Prep	PrecSep-21			536024	11/11/21 08:56	LPS	TAL SL
Total/NA	Analysis	9315		1	540016	12/03/21 17:47	FLC	TAL SL
Total/NA	Prep	PrecSep_0			536040	11/11/21 10:31	LPS	TAL SL
Total/NA	Analysis	9320		1	539785	12/01/21 18:08	FLC	TAL SL
Total/NA	Analysis	Ra226_Ra228 Pos		1	541059	12/08/21 22:09	MLK	TAL SL

**Client Sample ID: 110221NMW-12R**

**Lab Sample ID: 240-159516-2**

**Date Collected: 11/02/21 15:30**

**Matrix: Water**

**Date Received: 11/06/21 10:00**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total Recoverable	Prep	3005A			512112	11/09/21 14:00	SHB	TAL CAN
Total Recoverable	Analysis	6010D		1	512646	11/11/21 20:14	DSH	TAL CAN
Total Recoverable	Prep	3005A			512112	11/09/21 14:00	SHB	TAL CAN
Total Recoverable	Analysis	6020B		1	512444	11/10/21 23:57	AJC	TAL CAN
Total/NA	Analysis	9056A		1	514401	11/24/21 08:46	JWW	TAL CAN
Total/NA	Prep	PrecSep-21			536024	11/11/21 08:56	LPS	TAL SL
Total/NA	Analysis	9315		1	540016	12/03/21 17:47	FLC	TAL SL
Total/NA	Prep	PrecSep_0			536040	11/11/21 10:31	LPS	TAL SL
Total/NA	Analysis	9320		1	539785	12/01/21 18:08	FLC	TAL SL
Total/NA	Analysis	Ra226_Ra228 Pos		1	541059	12/08/21 22:09	MLK	TAL SL

**Client Sample ID: 110321NMW-22**

**Lab Sample ID: 240-159519-1**

**Date Collected: 11/03/21 10:50**

**Matrix: Water**

**Date Received: 11/06/21 10:00**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	SM 2540C		1	378469	11/10/21 14:59	KMM	TAL PIT

**Client Sample ID: 110321NMWFGDW2**

**Lab Sample ID: 240-159519-2**

**Date Collected: 11/03/21 14:00**

**Matrix: Water**

**Date Received: 11/06/21 10:00**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	SM 2540C		1	378475	11/10/21 15:17	KMM	TAL PIT

# Lab Chronicle

Client: Dominion Energy Services, Inc.  
Project/Site: Mount Storm Power Station

Job ID: 240-159519-3  
SDG: Phase B CCR

**Client Sample ID: 110321NMW-7**  
**Date Collected: 11/03/21 16:20**  
**Date Received: 11/06/21 10:00**

**Lab Sample ID: 240-159519-4**  
**Matrix: Water**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	SM 2540C		1	378475	11/10/21 15:17	KMM	TAL PIT

**Client Sample ID: 110321NMW-10**  
**Date Collected: 11/03/21 14:15**  
**Date Received: 11/06/21 10:00**

**Lab Sample ID: 240-159519-6**  
**Matrix: Water**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	SM 2540C		1	378475	11/10/21 15:17	KMM	TAL PIT

**Client Sample ID: 110321NMW-13**  
**Date Collected: 11/03/21 16:45**  
**Date Received: 11/06/21 10:00**

**Lab Sample ID: 240-159519-7**  
**Matrix: Water**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	SM 2540C		1	378475	11/10/21 15:17	KMM	TAL PIT

**Client Sample ID: 110321NMW-14**  
**Date Collected: 11/03/21 15:30**  
**Date Received: 11/06/21 10:00**

**Lab Sample ID: 240-159519-8**  
**Matrix: Water**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	SM 2540C		1	378475	11/10/21 15:17	KMM	TAL PIT

**Client Sample ID: 110321FBFieldBlank**  
**Date Collected: 11/03/21 13:25**  
**Date Received: 11/06/21 10:00**

**Lab Sample ID: 240-159519-9**  
**Matrix: Water**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	SM 2540C		1	378475	11/10/21 15:17	KMM	TAL PIT

**Client Sample ID: 110221NMW-6R**  
**Date Collected: 11/02/21 17:10**  
**Date Received: 11/06/21 10:00**

**Lab Sample ID: 240-159529-1**  
**Matrix: Water**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	SM 2540C		1	378469	11/10/21 14:59	KMM	TAL PIT

**Client Sample ID: 110221NMW-12R**  
**Date Collected: 11/02/21 15:30**  
**Date Received: 11/06/21 10:00**

**Lab Sample ID: 240-159529-2**  
**Matrix: Water**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	SM 2540C		1	378469	11/10/21 14:59	KMM	TAL PIT



# Lab Chronicle

Client: Dominion Energy Services, Inc.  
Project/Site: Mount Storm Power Station

Job ID: 240-159519-3  
SDG: Phase B CCR

**Client Sample ID: 110321NMW-22**

**Lab Sample ID: 240-159547-1**

**Date Collected: 11/03/21 10:50**

**Matrix: Water**

**Date Received: 11/06/21 10:00**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total Recoverable	Prep	3005A			512106	11/09/21 14:00	SHB	TAL CAN
Total Recoverable	Analysis	6010D		1	512465	11/10/21 19:44	DSH	TAL CAN
Total Recoverable	Prep	3005A			512106	11/09/21 14:00	SHB	TAL CAN
Total Recoverable	Analysis	6020B		1	512444	11/10/21 21:31	AJC	TAL CAN
Total/NA	Analysis	9056A		1	514731	11/27/21 18:12	JWW	TAL CAN
Total/NA	Prep	PrecSep-21			536024	11/11/21 08:56	LPS	TAL SL
Total/NA	Analysis	9315		1	540332	12/05/21 20:09	FLC	TAL SL
Total/NA	Prep	PrecSep_0			536040	11/11/21 10:31	LPS	TAL SL
Total/NA	Analysis	9320		1	539996	12/01/21 18:09	FLC	TAL SL
Total/NA	Analysis	Ra226_Ra228 Pos		1	541059	12/08/21 22:09	MLK	TAL SL

**Client Sample ID: 110321NMWFGDW2**

**Lab Sample ID: 240-159547-2**

**Date Collected: 11/03/21 14:00**

**Matrix: Water**

**Date Received: 11/06/21 10:00**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total Recoverable	Prep	3005A			512106	11/09/21 14:00	SHB	TAL CAN
Total Recoverable	Analysis	6010D		1	512465	11/10/21 20:34	DSH	TAL CAN
Total Recoverable	Prep	3005A			512106	11/09/21 14:00	SHB	TAL CAN
Total Recoverable	Analysis	6020B		1	512444	11/10/21 22:02	AJC	TAL CAN
Total/NA	Analysis	9056A		1	514731	11/27/21 19:12	JWW	TAL CAN
Total/NA	Prep	PrecSep-21			536024	11/11/21 08:56	LPS	TAL SL
Total/NA	Analysis	9315		1	540332	12/05/21 20:10	FLC	TAL SL
Total/NA	Prep	PrecSep_0			536040	11/11/21 10:31	LPS	TAL SL
Total/NA	Analysis	9320		1	539996	12/01/21 18:10	FLC	TAL SL
Total/NA	Analysis	Ra226_Ra228 Pos		1	541059	12/08/21 22:09	MLK	TAL SL

**Client Sample ID: 110321NMW-7**

**Lab Sample ID: 240-159547-3**

**Date Collected: 11/03/21 16:20**

**Matrix: Water**

**Date Received: 11/06/21 10:00**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total Recoverable	Prep	3005A			512106	11/09/21 14:00	SHB	TAL CAN
Total Recoverable	Analysis	6010D		1	512465	11/10/21 20:38	DSH	TAL CAN
Total Recoverable	Prep	3005A			512106	11/09/21 14:00	SHB	TAL CAN
Total Recoverable	Analysis	6020B		1	512444	11/10/21 22:10	AJC	TAL CAN
Total/NA	Analysis	9056A		1	514731	11/27/21 19:32	JWW	TAL CAN
Total/NA	Prep	PrecSep-21			536024	11/11/21 08:56	LPS	TAL SL
Total/NA	Analysis	9315		1	540332	12/05/21 20:11	FLC	TAL SL
Total/NA	Prep	PrecSep_0			536040	11/11/21 10:31	LPS	TAL SL
Total/NA	Analysis	9320		1	539996	12/01/21 18:10	FLC	TAL SL
Total/NA	Analysis	Ra226_Ra228 Pos		1	541059	12/08/21 22:09	MLK	TAL SL

# Lab Chronicle

Client: Dominion Energy Services, Inc.  
Project/Site: Mount Storm Power Station

Job ID: 240-159519-3  
SDG: Phase B CCR

**Client Sample ID: 110321NMW-10**

**Lab Sample ID: 240-159547-4**

**Date Collected: 11/03/21 14:15**

**Matrix: Water**

**Date Received: 11/06/21 10:00**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total Recoverable	Prep	3005A			512106	11/09/21 14:00	SHB	TAL CAN
Total Recoverable	Analysis	6010D		1	512465	11/10/21 20:51	DSH	TAL CAN
Total Recoverable	Prep	3005A			512106	11/09/21 14:00	SHB	TAL CAN
Total Recoverable	Analysis	6020B		1	512444	11/10/21 22:12	AJC	TAL CAN
Total/NA	Analysis	9056A		1	514731	11/27/21 19:53	JWW	TAL CAN
Total/NA	Prep	PrecSep-21			536024	11/11/21 08:56	LPS	TAL SL
Total/NA	Analysis	9315		1	540332	12/05/21 20:11	FLC	TAL SL
Total/NA	Prep	PrecSep_0			536040	11/11/21 10:31	LPS	TAL SL
Total/NA	Analysis	9320		1	539996	12/01/21 18:10	FLC	TAL SL
Total/NA	Analysis	Ra226_Ra228 Pos		1	541059	12/08/21 22:09	MLK	TAL SL

**Client Sample ID: 110321NMW-13**

**Lab Sample ID: 240-159547-5**

**Date Collected: 11/03/21 16:45**

**Matrix: Water**

**Date Received: 11/06/21 10:00**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total Recoverable	Prep	3005A			512106	11/09/21 14:00	SHB	TAL CAN
Total Recoverable	Analysis	6010D		1	512465	11/10/21 20:55	DSH	TAL CAN
Total Recoverable	Prep	3005A			512106	11/09/21 14:00	SHB	TAL CAN
Total Recoverable	Analysis	6020B		1	512444	11/10/21 22:15	AJC	TAL CAN
Total/NA	Analysis	9056A		1	514731	11/27/21 20:13	JWW	TAL CAN
Total/NA	Prep	PrecSep-21			536024	11/11/21 08:56	LPS	TAL SL
Total/NA	Analysis	9315		1	540332	12/05/21 20:11	FLC	TAL SL
Total/NA	Prep	PrecSep_0			536040	11/11/21 10:31	LPS	TAL SL
Total/NA	Analysis	9320		1	539996	12/01/21 18:10	FLC	TAL SL
Total/NA	Analysis	Ra226_Ra228 Pos		1	541059	12/08/21 22:09	MLK	TAL SL

**Client Sample ID: 110321NMW-14**

**Lab Sample ID: 240-159547-6**

**Date Collected: 11/03/21 15:30**

**Matrix: Water**

**Date Received: 11/06/21 10:00**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total Recoverable	Prep	3005A			512106	11/09/21 14:00	SHB	TAL CAN
Total Recoverable	Analysis	6010D		1	512465	11/10/21 20:59	DSH	TAL CAN
Total Recoverable	Prep	3005A			512106	11/09/21 14:00	SHB	TAL CAN
Total Recoverable	Analysis	6020B		1	512444	11/10/21 22:17	AJC	TAL CAN
Total/NA	Analysis	9056A		1	514731	11/27/21 21:13	JWW	TAL CAN
Total/NA	Prep	PrecSep-21			536024	11/11/21 08:56	LPS	TAL SL
Total/NA	Analysis	9315		1	540334	12/05/21 20:15	FLC	TAL SL
Total/NA	Prep	PrecSep_0			536040	11/11/21 10:31	LPS	TAL SL
Total/NA	Analysis	9320		1	539996	12/01/21 18:10	FLC	TAL SL
Total/NA	Analysis	Ra226_Ra228 Pos		1	541059	12/08/21 22:09	MLK	TAL SL

# Lab Chronicle

Client: Dominion Energy Services, Inc.  
 Project/Site: Mount Storm Power Station

Job ID: 240-159519-3  
 SDG: Phase B CCR

**Client Sample ID: 110321FBFieldBlank**

**Lab Sample ID: 240-159547-7**

**Date Collected: 11/03/21 15:20**

**Matrix: Water**

**Date Received: 11/06/21 10:00**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total Recoverable	Prep	3005A			512106	11/09/21 14:00	SHB	TAL CAN
Total Recoverable	Analysis	6010D		1	512465	11/10/21 21:03	DSH	TAL CAN
Total Recoverable	Prep	3005A			512106	11/09/21 14:00	SHB	TAL CAN
Total Recoverable	Analysis	6020B		1	512444	11/10/21 22:20	AJC	TAL CAN
Total/NA	Analysis	9056A		1	514731	11/27/21 21:33	JWW	TAL CAN
Total/NA	Prep	PrecSep-21			536024	11/11/21 08:56	LPS	TAL SL
Total/NA	Analysis	9315		1	540334	12/05/21 20:14	FLC	TAL SL
Total/NA	Prep	PrecSep_0			536040	11/11/21 10:31	LPS	TAL SL
Total/NA	Analysis	9320		1	539996	12/01/21 18:11	FLC	TAL SL
Total/NA	Analysis	Ra226_Ra228 Pos		1	541059	12/08/21 22:09	MLK	TAL SL

**Laboratory References:**

TAL CAN = Eurofins TestAmerica, Canton, 4101 Shuffel Street NW, North Canton, OH 44720, TEL (330)497-9396  
 TAL PIT = Eurofins TestAmerica, Pittsburgh, 301 Alpha Drive, RIDC Park, Pittsburgh, PA 15238, TEL (412)963-7058  
 TAL SL = Eurofins TestAmerica, St. Louis, 13715 Rider Trail North, Earth City, MO 63045, TEL (314)298-8566

# Accreditation/Certification Summary

Client: Dominion Energy Services, Inc.  
Project/Site: Mount Storm Power Station

Job ID: 240-159519-3  
SDG: Phase B CCR

## Laboratory: Eurofins TestAmerica, Canton

The accreditations/certifications listed below are applicable to this report.

Authority	Program	Identification Number	Expiration Date
West Virginia DEP	State	210	12-31-21

## Laboratory: Eurofins TestAmerica, Pittsburgh

The accreditations/certifications listed below are applicable to this report.

Authority	Program	Identification Number	Expiration Date
West Virginia DEP	State	142	11-11-21

## Laboratory: Eurofins TestAmerica, St. Louis

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
West Virginia DEP	State	381	10-31-22

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

Analysis Method	Prep Method	Matrix	Analyte
Ra226_Ra228 Pos		Water	Radium 226 and 228

# Chain of Custody Record

*AA5RS Phase BCR on MSPS-2542021-Phs-Belle 6-1-*


<b>Client Information</b> Client Contact: Rachel Powell Company: Golder Associates Inc. Address: 2108 W Laburnum Ave, Suite 200 City: Richmond State, Zip: VA, 23227 Phone: (804) 358-7900 Email: rachel_powell@golder.com Project Name: Mount Storm Power Station Site:		<b>Sampler</b> Lab PM: Cisneros, Roxanne E-Mail: roxanne.cisneros@Eurofins.com Carner Tracking No(s): 240-87571-30311.1 State of Origin:																					
<b>Due Date Requested:</b> TAT Requested (days): STANDARD TAT Compliance Project: <input type="checkbox"/> Yes <input type="checkbox"/> No PO #: 50153540 WO #: 2013993621 Project #: 24021758 SSOW#:		<b>Analysis Requested</b> Perform MS/MSD (Yes or No) <input checked="" type="checkbox"/> Field Filtered Sample (Yes or No) <input checked="" type="checkbox"/> 9315_Ra228, 9320_Ra228 <input type="checkbox"/> D <input type="checkbox"/> N <input type="checkbox"/> N 2540C_Calcd - TDS <input type="checkbox"/> D <input type="checkbox"/> N <input type="checkbox"/> N 6010C, 6020A, 7470A <input type="checkbox"/> D <input type="checkbox"/> N <input type="checkbox"/> N 9056A_28D - Cl, F, SO4 <input type="checkbox"/> D <input type="checkbox"/> N <input type="checkbox"/> N																					
<b>Sample Identification</b> Level II Data Package 2542021-Phs-Belle FedEx #: 77503657 5217		<b>Matrix</b> (W=water, S=solid, O=wastewater, BI=tissue, A=Air) Sample Type (C=Comp, G=grab) Sample Time Sample Date Preservation Code:																					
10	21NMW-22	Water																					
10	21NMWFGDW2	Water																					
10	110221NMW-6R	Water	1710	11/02/21	G																		
10	21NMW-7	Water																					
10	21NMW-10	Water																					
10	110221NMW-12R	Water	1530	11/02/21	G																		
10	21NMW-13	Water																					
10	21NMW-14	Water																					
10	21FBField Blank	Water																					
10	21FDDuplicate	Water																					
10	21MSMatrixSpike	Water																					
<b>Possible Hazard Identification</b> <input checked="" type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown <input type="checkbox"/> Radiological		<b>Deliverable Requested:</b> I, II, III, IV, Other (specify)			<b>Special Instructions/Note:</b> All samples preserved on ice 240-159516 Chain of Custody																		
<b>Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)</b> <input type="checkbox"/> Return To Client <input checked="" type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months		<b>Special Instructions/QC Requirements:</b>																					
<b>Empty Kit Relinquished by:</b>		<b>Date:</b>		<b>Method of Shipment:</b>																			
<b>Relinquished by:</b> <i>Cell</i>		<b>Date/Time:</b> 11/03/21 0		<b>Company:</b> Golder		<b>Received by:</b> <i>Adam Gama</i>		<b>Date/Time:</b> 11/5/21 1000		<b>Company:</b> Golder		<b>Received by:</b>		<b>Date/Time:</b>		<b>Company:</b>		<b>Received by:</b>		<b>Date/Time:</b>		<b>Company:</b>	
<b>Relinquished by:</b>		<b>Date/Time:</b>		<b>Company:</b>		<b>Received by:</b>		<b>Date/Time:</b>		<b>Company:</b>		<b>Received by:</b>		<b>Date/Time:</b>		<b>Company:</b>		<b>Received by:</b>		<b>Date/Time:</b>		<b>Company:</b>	
<b>Relinquished by:</b>		<b>Date/Time:</b>		<b>Company:</b>		<b>Received by:</b>		<b>Date/Time:</b>		<b>Company:</b>		<b>Received by:</b>		<b>Date/Time:</b>		<b>Company:</b>		<b>Received by:</b>		<b>Date/Time:</b>		<b>Company:</b>	
<b>Custody Seals Intact:</b> <input type="checkbox"/> Yes <input type="checkbox"/> No		<b>Custody Seal No.:</b>		<b>Cooler Temperature(s) °C and Other Remarks:</b>																			



**Eurofins TestAmerica Canton Sample Receipt Form/Narrative  
Canton Facility**


Login # : 159516

Client Golden Site Name \_\_\_\_\_  
 Cooler Received on 11-5-21 Opened on 11-6-21  
 FedEx: 1<sup>st</sup> Grd  Exp UPS FAS Clipper Client Drop Off TestAmerica Courier Other

Cooler unpacked by:  


Receipt After-hours: Drop-off Date/Time \_\_\_\_\_ Storage Location \_\_\_\_\_

TestAmerica Cooler # TA Foam Box Client Cooler Box Other \_\_\_\_\_  
 Packing material used: Bubble Wrap Foam Plastic Bag None Other \_\_\_\_\_  
 COOLANT: Water Blue Ice Dry Ice Water None See Multiple Cooler Form 11-6-21

1. Cooler temperature upon receipt  
 IR GUN# IR-14 (CF +0.1 °C) Observed Cooler Temp. 03 °C Corrected Cooler Temp. 0-4 °C  
 IR GUN #IR-15 (CF +0.2 °C) Observed Cooler Temp. \_\_\_\_\_ °C Corrected Cooler Temp. \_\_\_\_\_ °C
2. Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity Lea  Yes  No  
 -Were the seals on the outside of the cooler(s) signed & dated?  Yes  No  NA  
 -Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)?  Yes  No  NA  
 -Were tamper/custody seals intact and uncompromised?  Yes  No  NA
3. Shippers' packing slip attached to the cooler(s)?  Yes  No
4. Did custody papers accompany the sample(s)?  Yes  No
5. Were the custody papers relinquished & signed in the appropriate place?  Yes  No
6. Was/were the person(s) who collected the samples clearly identified on the COC?  Yes  No
7. Did all bottles arrive in good condition (Unbroken)?  Yes  No
8. Could all bottle labels (ID/Date/Time) be reconciled with the COC?  Yes  No
9. For each sample, does the COC specify preservatives (Y/N), # of containers (Y/N), and sample type of grab/comp (Y/N)?  Yes  No
10. Were correct bottle(s) used for the test(s) indicated?  Yes  No
11. Sufficient quantity received to perform indicated analyses?  Yes  No
12. Are these work share samples and all listed on the COC?  Yes  No
- If yes, Questions 13-17 have been checked at the originating laboratory.
13. Were all preserved sample(s) at the correct pH upon receipt?  Yes  No  NA pH Strip Lot# HC157842
14. Were VOAs on the COC?  Yes  No
15. Were air bubbles >6 mm in any VOA vials?  Yes  No  NA  ← Larger than this.
16. Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # \_\_\_\_\_  Yes  No
17. Was a LL Hg or Me Hg trip blank present?  Yes  No

**Tests that are not checked for pH by Receiving:**  
  
 VOAs  
 Oil and Grease  
 TOC

Contacted PM \_\_\_\_\_ Date \_\_\_\_\_ by \_\_\_\_\_ via Verbal Voice Mail Other \_\_\_\_\_  
 Concerning \_\_\_\_\_

**18. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES**  additional next page Samples processed by: \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

**19. SAMPLE CONDITION**  
 Sample(s) \_\_\_\_\_ were received after the recommended holding time had expired.  
 Sample(s) \_\_\_\_\_ were received in a broken container.  
 Sample(s) \_\_\_\_\_ were received with bubble >6 mm in diameter. (Notify PM)

**20. SAMPLE PRESERVATION**  
 Sample(s) \_\_\_\_\_ were further preserved in the laboratory.  
 Time preserved: \_\_\_\_\_ Preservative(s) added/Lot number(s): \_\_\_\_\_  
 VOA Sample Preservation - Date/Time VOAs Frozen: \_\_\_\_\_


ORIGIN ID: LFA (804) 358-7900  
RICHMOND OFFICE  
2108 W LABURNUM AVENUE  
SUITE 200  
RICHMOND, VA 23227  
UNITED STATES US

SHIP DATE: 02NOV21  
ACTWGT: 50.00 LB  
CAD: 374649ZINET4400  
DIMS: 24x14x16 IN  
BILL THIRD PARTY

TO ROXANNE CISNEROS  
TEST AMERICA LAB  
4101 SHUFFEL ST NW

NORTH CANTON OH 44720  
REF 50153540

DEPT



J212227101801v4

WED - 03 NOV 10:30A

PRIORITY OVERNIGHT

17 of 18


MPS# 7750 2637 3218

0263

Mstr# 7750 2636 9660

0201

XH PHDA 44720 OH-US CLE



56DJ3714BAFE4A

**After printing this label:**  
1. Use the 'Print' button on this page to print your label to your laser or inkjet printer.  
2. Fold the printed page along the horizontal line.  
3. Place label in shipping pouch and affix it to your shipment so that the barcode portion of the label can be read and scanned.  
Warning: Use only the printed original label for shipping. Using a photocopy of this label for shipping purposes is fraudulent and could result in additional billing charges, along with the cancellation of your FedEx account number.  
Use of this system constitutes your agreement to the service conditions in the current FedEx Service Guide, available on fedex.com. FedEx will not be responsible for any claim in excess of \$100 per package, whether the result of loss, damage, delay, non-delivery, misdelivery, or misinformation, unless you declare a higher value, pay an additional charge, document your actual loss and file a timely claim. Limitations found in the current FedEx Service Guide apply. Your right to recover from FedEx for any loss, including intrinsic value of the package, loss of sales, income interest, profit, attorney's fees, costs, and other forms of damage whether direct, incidental, consequential, or special is limited to the greater of \$100 or the authorized declared value. Recovery cannot exceed actual documented loss. Maximum for items of extraordinary value is \$1,000, e.g. jewelry, precious metals, negotiable instruments and other items listed in our Service Guide. Written claims must be filed within strict time limits, see current FedEx Service Guide.



03/04

**Chain of Custody Record**

MSPS-25H2021-A+B,NPDES-F-2-1

<b>Client Information</b>		Lab PM Cisneros, Roxanne		COC No. 240-87570-30310 1	
Client Contact Rachel Powell		E-Mail roxanne.cisneros@Eurofinset.com		Page Page 1 of 2	
Company Golder Associates Inc.		PWSID		Job #	
Address: 2108 W Laburnum Ave, Suite 200 Richmond State, Zip: VA, 23227		Phone (804) 3587-7900		State of Origin VA	
City		Project # 2013993621		Analysis Requested	
State, Zip		Project # 24021758		Preservation Codes:	
Phone		SSOW#		A - HCL B - NaOH C - Zn Acetate D - Nitric Acid E - NaHSO4 F - MeOH G - Amchlor H - Ascorbic Acid I - Ice J - DI Water K - EDTA L - EDA M - Hexane N - None O - AsNaO2 P - Na2O4S Q - Na2SO3 R - Na2S2O3 S - H2SO4 T - TSP Dodecahydrate U - Acetone V - MCAA W - pH 4-5 X - other (specify)	
Email rachel_powell@golder.com		Compliance Project: <input type="checkbox"/> Yes <input type="checkbox"/> No		Other:	
Project Name Mount Storm Power Station		Due Date Requested:		Total Number of Containers	
Site		TAT Requested (days): STANDARD TAT		pH	
Level II Data Package All samples preserved on ice 25A2021 CW A+B NIDES FedEx#: 77502137006		Sample Date		Coord. Temp	
Sample Identification		Sample Time		Special Instructions/Note:	
10 110321NMW-22		1050		1043 6.57 5.89 8.7	
10 110321NMWGDW2		1400		1354 6.48 341.0 11.6	
10 110321NMW-5		1220		1215 6.09 311.9 5.6	
10 21NMW-6R				1614 6.44 480.7 5.5	
10 110321NMW-7		1620		1013 5.14 272.7 5.3	
10 110321NMW-8		1020		1405 4.42 109.7 6.1	
10 110321NMW-10		1415		1639 4.56 91.3 10.6	
10 21NMW-12R				1525 4.78 120.9 10.2	
10 110321NMW-13		1645			
10 110321NMW-14		1530			
10 21NMWGDW3					
<b>Possible Hazard Identification</b> <input checked="" type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown <input type="checkbox"/> Radiological Deliverable Requested: I, II, III, IV, Other (specify)					
<b>Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)</b> <input type="checkbox"/> Return To Client <input checked="" type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months					
<b>Special Instructions/QC Requirements:</b>					
Empty Kit Relinquished by: <i>Calh</i> Date: 11/03/21 0900 Relinquished by: <i>Calh</i> Date: 11/03/21 0900 Relinquished by: _____ Date: _____		Received by: <i>Adam Gentry</i> Received by: _____ Received by: _____		Method of Shipment: _____ Date/Time: 11/5/21 1000 Date/Time: _____ Date/Time: _____	
Custody Seals Intact: <input type="checkbox"/> Yes <input type="checkbox"/> No Custody Seal No.: _____		Cooler Temperature(s) °C and Other Remarks: _____		Company: <i>ETA</i> Company: _____ Company: _____	



- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15






**Eurofins TestAmerica Canton Sample Receipt Form/Narrative**  
**Canton Facility**

Login # : \_\_\_\_\_

Client Bolder Site Name \_\_\_\_\_  
 Cooler Received on 11-5-21 Opened on 11-6-21  
 FedEx: 1<sup>st</sup> Grd  UPS  FAS  Clipper Client Drop Off  TestAmerica Courier  Other \_\_\_\_\_

Cooler unpacked by:  


Receipt After-hours: Drop-off Date/Time \_\_\_\_\_ Storage Location \_\_\_\_\_

TestAmerica Cooler # TA Foam Box  Client Cooler  Box  Other \_\_\_\_\_  
 Packing material used: Bubble Wrap Foam  Plastic Bag  None  Other \_\_\_\_\_  
 COOLANT: Water Blue Ice  Dry Ice  Water  None

1. Cooler temperature upon receipt  See Multiple Cooler Form  
 IR GUN# IR-14 (CF +0.1 °C) Observed Cooler Temp. \_\_\_\_\_ °C Corrected Cooler Temp. \_\_\_\_\_ °C  
 IR GUN #IR-15 (CF +0.2 °C) Observed Cooler Temp. \_\_\_\_\_ °C Corrected Cooler Temp. \_\_\_\_\_ °C
2. Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity 1ea  Yes  No  
 -Were the seals on the outside of the cooler(s) signed & dated?  Yes  No  NA  
 -Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)?  Yes  No  NA  
 -Were tamper/custody seals intact and uncompromised?  Yes  No  NA
3. Shippers' packing slip attached to the cooler(s)?  Yes  No
4. Did custody papers accompany the sample(s)?  Yes  No
5. Were the custody papers relinquished & signed in the appropriate place?  Yes  No
6. Was/were the person(s) who collected the samples clearly identified on the COC?  Yes  No
7. Did all bottles arrive in good condition (Unbroken)?  Yes  No
8. Could all bottle labels (ID/Date/Time) be reconciled with the COC?  Yes  No
9. For each sample, does the COC specify preservatives (Y/N), # of containers (Y/N), and sample type of grab/comp (Y/N)?  Yes  No
10. Were correct bottle(s) used for the test(s) indicated?  Yes  No
11. Sufficient quantity received to perform indicated analyses?  Yes  No
12. Are these work share samples and all listed on the COC?  Yes  No  
 If yes, Questions 13-17 have been checked at the originating laboratory.
13. Were all preserved sample(s) at the correct pH upon receipt?  Yes  No  NA pH Strip Lot# HC157842
14. Were VOAs on the COC?  Yes  No
15. Were air bubbles >6 mm in any VOA vials?  Yes  No  Larger than this.
16. Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # \_\_\_\_\_  Yes  No
17. Was a LL Hg or Me Hg trip blank present? \_\_\_\_\_  Yes  No

Tests that are not checked for pH by Receiving:

VOAs  
 Oil and Grease  
 TOC

Contacted PM \_\_\_\_\_ Date \_\_\_\_\_ by \_\_\_\_\_ via Verbal Voice Mail Other \_\_\_\_\_

Concerning \_\_\_\_\_

**18. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES**  additional next page

Samples processed by: \_\_\_\_\_

\_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

**19. SAMPLE CONDITION**

Sample(s) \_\_\_\_\_ were received after the recommended holding time had expired.  
 Sample(s) \_\_\_\_\_ were received in a broken container.  
 Sample(s) \_\_\_\_\_ were received with bubble >6 mm in diameter. (Notify PM)

**20. SAMPLE PRESERVATION**

Sample(s) \_\_\_\_\_ were further preserved in the laboratory.  
 Time preserved: \_\_\_\_\_ Preservative(s) added/Lot number(s): \_\_\_\_\_

VOA Sample Preservation - Date/Time VOAs Frozen: \_\_\_\_\_



Temperature readings:

Client Sample ID	Lab ID	Container Type	Container		Preservative	
			pH	Temp	Added (mls)	Lot #
1103221NMW-22	240-159519-A-1	Plastic 250ml - with Sulfuric Acid	<2			
1103221NMW-22	240-159519-B-1	Plastic 500ml - with Sulfuric Acid	<2			
1103221NMW-22	240-159519-C-1	Plastic 500ml - with Nitric Acid	<2			
1103221NMW-22	240-159519-D-1	Plastic 500ml - with Nitric Acid	<2			
1103221NMWFGDW2	240-159519-A-2	Plastic 250ml - with Sulfuric Acid	<2			
1103221NMWFGDW2	240-159519-B-2	Plastic 500ml - with Sulfuric Acid	<2			
1103221NMWFGDW2	240-159519-C-2	Plastic 500ml - with Nitric Acid	<2			
1103221NMWFGDW2	240-159519-D-2	Plastic 500ml - with Nitric Acid	<2			
1103221NMW-7	240-159519-A-3	Plastic 250ml - with Sulfuric Acid	<2			
1103221NMW-7	240-159519-B-3	Plastic 500ml - with Sulfuric Acid	<2			
1103221NMW-7	240-159519-C-3	Plastic 500ml - with Nitric Acid	<2			
1103221NMW-7	240-159519-D-3	Plastic 500ml - with Nitric Acid	<2			
1103221NMW-8	240-159519-A-4	Plastic 250ml - with Sulfuric Acid	<2			
1103221NMW-8	240-159519-B-4	Plastic 500ml - with Sulfuric Acid	<2			
1103221NMW-8	240-159519-C-4	Plastic 500ml - with Nitric Acid	<2			
1103221NMW-8	240-159519-D-4	Plastic 500ml - with Nitric Acid	<2			
1103221NMW-10	240-159519-A-5	Plastic 250ml - with Sulfuric Acid	<2			
1103221NMW-10	240-159519-B-5	Plastic 500ml - with Sulfuric Acid	<2			
1103221NMW-10	240-159519-C-5	Plastic 500ml - with Nitric Acid	<2			
1103221NMW-10	240-159519-D-5	Plastic 500ml - with Nitric Acid	<2			
1103221NMW-10	240-159519-A-6	Plastic 250ml - with Sulfuric Acid	<2			
1103221NMW-10	240-159519-B-6	Plastic 500ml - with Sulfuric Acid	<2			
1103221NMW-10	240-159519-C-6	Plastic 500ml - with Nitric Acid	<2			
1103221NMW-10	240-159519-D-6	Plastic 500ml - with Nitric Acid	<2			
1103221NMW-13	240-159519-A-7	Plastic 250ml - with Sulfuric Acid	<2			
1103221NMW-13	240-159519-B-7	Plastic 500ml - with Sulfuric Acid	<2			
1103221NMW-13	240-159519-C-7	Plastic 500ml - with Nitric Acid	<2			
1103221NMW-13	240-159519-D-7	Plastic 500ml - with Nitric Acid	<2			
1103221NMW-14	240-159519-A-8	Plastic 250ml - with Sulfuric Acid	<2			
1103221NMW-14	240-159519-B-8	Plastic 500ml - with Sulfuric Acid	<2			
1103221NMW-14	240-159519-C-8	Plastic 500ml - with Nitric Acid	<2			
1103221NMW-14	240-159519-D-8	Plastic 500ml - with Nitric Acid	<2			
110321 FB FIELD BLANK	240-159519-A-9	Plastic 250ml - with Sulfuric Acid	<2			
110321 FB FIELD BLANK	240-159519-B-9	Plastic 500ml - with Sulfuric Acid	<2			
110321 FB FIELD BLANK	240-159519-C-9	Plastic 500ml - with Nitric Acid	<2			

Client Sample ID

Lab ID

Container Type

Container   Preservative  
pH   Temp   Added (mls)   Lot #

110321 FB FIELD BLANK

240-159519-D-9

Plastic 500ml - with Nitric Acid

<2   \_\_\_\_\_


- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15

# Chain of Custody Record



MS15-25A2021-A+B NPDES-F-1-1

Client Information		Lab PM		Carrier Tracking No(s)		COC No.	
Company: Rachel Powell		Cisneros, Roxanne		240-87570-30310.1		240-87570-30310.1	
Address: 2108 W Laburnum Ave, Suite 200		E-Mail: roxanne.cisneros@eurofinset.com		State of Origin: VA		Page: Page 1 of 2	
City: Richmond		PWSID:		Job #:		Job #:	
State, Zip: VA, 23227		Due Date Requested:		Analysis Requested:		Analysis Requested:	
Phone: (604) 358-7900		TAT Requested (days): STANDARD TAT		Perform MSMSD (Yes or No)		Perform MSMSD (Yes or No)	
Email: rachel_powell@golder.com		Compliance Project: Δ Yes Δ No		Field Filtered Sample (Yes or No)		Field Filtered Sample (Yes or No)	
Project Name: Mount Storm Power Station		FO #: 50153540		S D S N D		S D S N D	
Site: 24021758		WO #: 2013993621		350.1 - Distilled Ammonia		350.1 - Distilled Ammonia	
		Project #: 24021758		200.7 - Chromium		200.7 - Chromium	
		SSOW#: 24021758		333.2 - N/N		333.2 - N/N	
				2540C - Calcd, 2540D, 300.0, 28D		2540C - Calcd, 2540D, 300.0, 28D	
				200.7, 200.8, 245.1		200.7, 200.8, 245.1	
Level II Data Package All Samples Received Date 25A2021 CH A+B NPDES FedEx #: 77502637		Matrix (W=Water, S=solid, O=water, BT=tissue, A=AI)		Total Number of Containers		Total Number of Containers	
Sample Identification	Sample Date	Sample Time	Sample Type (C=comp, G=grab)	Preservation Code:	PH	Cond. uS/cm	Temp °C
10 21NMW-22	-	-	-	Water			
10 21NMWFGDW2	-	-	-	Water			
10 21NMW-5	-	-	-	Water			
10 21NMW-6R	11/02/21	1710	G	Water	1704	6.57	5.6
10 21NMW-7	-	-	-	Water			
10 21NMW-8	-	-	-	Water			
10 21NMW-10	-	-	-	Water			
10 21NMW-12R	11/02/21	1530	G	Water	1526	4.34	6.8
10 21NMW-13	-	-	-	Water			
10 21NMW-14	-	-	-	Water			
10 21NMWFGDW3	11/02/21	1350	G	Water	1347	4.39	6.3



**Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)**  
 Return To Client  Disposal By Lab  Archive For \_\_\_\_\_ Months

**Special Instructions/QC Requirements:**

Received by: *[Signature]* Date/Time: 11/03/21  
 Company: Golder  
 Received by: *[Signature]* Date/Time: 11/03/21  
 Company: Golder  
 Received by: \_\_\_\_\_ Date/Time: \_\_\_\_\_  
 Company: \_\_\_\_\_

Empty Kit Relinquished by: *[Signature]* Date: \_\_\_\_\_  
 Relinquished by: *[Signature]* Date/Time: 11/03/21  
 Company: Golder  
 Relinquished by: \_\_\_\_\_ Date/Time: \_\_\_\_\_  
 Company: \_\_\_\_\_

Custody Seal No.: \_\_\_\_\_  
 Custody Seals Intact: Δ Yes Δ No




# Chain of Custody Record

<b>Client Information</b>		Lab PM: Cisneros, Roxanne		COC No: 240-87570-30310.2	
Client Contact: Rachel Powell		E-Mail: roxanne.cisneros@Eurofins.com		Page: Page 2 of 2	
Company: Golder Associates Inc.		PWSID:		Job #:	
Address: 2108 W Laburnum Ave, Suite 200		Due Date Requested:		Carrier Tracking No(s):	
City: Richmond		TAT Requested (days):		State of Origin: VA	
State, Zip: VA, 23227		STANDARD TAT			
Phone: (804) 358-7900		Compliance Project: Δ Yes Δ No			
Email: rachel_powell@golder.com		PO #:			
Project Name: Mount Storm Power Station		WO #:			
Site:		Project #:			
		SSOW#:			
Level II Data Package All samples preserved for 100 days 25A2021EW A+B MPDES		Sample Date		Sample Time	
Sample Identification: FdEx # 7750-46875365		Sample Date		Sample Time	
10110221NMWFGDW4		11/02/21		1240	
10110221NMWFGDW5		11/02/21		0940	
10110221NMWFGDW6		11/02/21		1115	
10110221FDDuplicate		11/02/21		1410	
10110221MSMatrixSpike		11/02/21		0940	
10110221MSDMatrixSpikeDup		11/02/21		0940	
10110221FField Blank					
Possible Hazard Identification		Poison B		Radiological	
<input checked="" type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Unknown					
Deliverable Requested: I, II, III, IV, Other (specify)					
Empty Kit Relinquished by:		Date:		Time:	
Relinquished by: [Signature]		11/02/21		1100	
Relinquished by: [Signature]		11/02/21		1100	
Relinquished by: [Signature]		11/02/21		1100	
Custody Seals Intact: Δ Yes Δ No		Custody Seal No.:		Company: Golder	
MSPS-25A2021-A+B MPDES-F-1-1				Company: Golder	

**Eurofins TestAmerica Canton Sample Receipt Form/Narrative**  
**Canton Facility**

Login # : \_\_\_\_\_


Client Golden Site Name \_\_\_\_\_  
 Cooler Received on 11-5-21 Opened on 11-6-21  
 FedEx: 1<sup>st</sup> Grd  UPS  FAS  Clipper  Client Drop Off  TestAmerica Courier  Other \_\_\_\_\_

Cooler unpacked by:  


Receipt After-hours: Drop-off Date/Time \_\_\_\_\_ Storage Location \_\_\_\_\_

TestAmerica Cooler # TA Foam Box  Client Cooler  Box  Other \_\_\_\_\_  
 Packing material used: Bubble Wrap Foam  Plastic Bag  None  Other \_\_\_\_\_  
 COOLANT: Water Blue Ice  Dry Ice  Water  None

1. Cooler temperature upon receipt  See Multiple Cooler Form  
 IR GUN# IR-14 (CF +0.1 °C) Observed Cooler Temp. \_\_\_\_\_ °C Corrected Cooler Temp. \_\_\_\_\_ °C  
 IR GUN #IR-15 (CF +0.2 °C) Observed Cooler Temp. \_\_\_\_\_ °C Corrected Cooler Temp. \_\_\_\_\_ °C

- 2. Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity 1ea  Yes  No  NA
    - Were the seals on the outside of the cooler(s) signed & dated?  Yes  No  NA
    - Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)?  Yes  No  NA
    - Were tamper/custody seals intact and uncompromised?  Yes  No  NA
  - 3. Shippers' packing slip attached to the cooler(s)?  Yes  No
  - 4. Did custody papers accompany the sample(s)?  Yes  No
  - 5. Were the custody papers relinquished & signed in the appropriate place?  Yes  No
  - 6. Was/were the person(s) who collected the samples clearly identified on the COC?  Yes  No
  - 7. Did all bottles arrive in good condition (Unbroken)?  Yes  No
  - 8. Could all bottle labels (ID/Date/Time) be reconciled with the COC?  Yes  No
  - 9. For each sample, does the COC specify preservatives (Y/N), # of containers (Y/N), and sample type of grab/comp (Y/N)?  Yes  No
  - 10. Were correct bottle(s) used for the test(s) indicated?  Yes  No
  - 11. Sufficient quantity received to perform indicated analyses?  Yes  No
  - 12. Are these work share samples and all listed on the COC?  Yes  No
- If yes, Questions 13-17 have been checked at the originating laboratory.
- 13. Were all preserved sample(s) at the correct pH upon receipt?  Yes  No  NA pH Strip Lot# HC157842
  - 14. Were VOAs on the COC?  Yes  No
  - 15. Were air bubbles >6 mm in any VOA vials?  Yes  No  NA  Larger than this.
  - 16. Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # \_\_\_\_\_  Yes  No
  - 17. Was a LL Hg or Me Hg trip blank present?  Yes  No

Tests that are not checked for pH by Receiving:  
 VOAs  
 Oil and Grease  
 TOC

Contacted PM \_\_\_\_\_ Date \_\_\_\_\_ by \_\_\_\_\_ via Verbal Voice Mail Other \_\_\_\_\_

Concerning \_\_\_\_\_

**18. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES**  additional next page

Samples processed by: \_\_\_\_\_

**19. SAMPLE CONDITION**

Sample(s) \_\_\_\_\_ were received after the recommended holding time had expired.  
 Sample(s) \_\_\_\_\_ were received in a broken container.  
 Sample(s) \_\_\_\_\_ were received with bubble >6 mm in diameter. (Notify PM)

**20. SAMPLE PRESERVATION**

Sample(s) \_\_\_\_\_ were further preserved in the laboratory.  
 Time preserved: \_\_\_\_\_ Preservative(s) added/Lot number(s): \_\_\_\_\_

VOA Sample Preservation - Date/Time VOAs Frozen: \_\_\_\_\_





Temperature readings:

Client Sample ID	Lab ID	Container Type	Container		Preservative	
			pH	Temp	Added (mls)	Lot #
110221 NMW-6R	240-159529-A-1	Plastic 250ml - with Sulfuric Acid	<2			
110221 NMW-6R	240-159529-B-1	Plastic 500ml - with Sulfuric Acid	<2			
110221 NMW-6R	240-159529-C-1	Plastic 500ml - with Nitric Acid	<2			
110221 NMW-6R	240-159529-D-1	Plastic 500ml - with Nitric Acid	<2			
110221 NMW-12R	240-159529-A-2	Plastic 250ml - with Sulfuric Acid	<2			
110221 NMW-12R	240-159529-B-2	Plastic 500ml - with Sulfuric Acid	<2			
110221 NMW-12R	240-159529-C-2	Plastic 500ml - with Nitric Acid	<2			
110221 NMW-12R	240-159529-D-2	Plastic 500ml - with Nitric Acid	<2			
110221 NMWFGDW3	240-159529-A-3	Plastic 250ml - with Sulfuric Acid	<2			
110221 NMWFGDW3	240-159529-B-3	Plastic 500ml - with Sulfuric Acid	<2			
110221 NMWFGDW3	240-159529-C-3	Plastic 500ml - with Nitric Acid	<2			
110221 NMWFGDW3	240-159529-D-3	Plastic 500ml - with Nitric Acid	<2			
110221 NMWFGDW4	240-159529-A-4	Plastic 250ml - with Sulfuric Acid	<2			
110221 NMWFGDW4	240-159529-B-4	Plastic 500ml - with Sulfuric Acid	<2			
110221 NMWFGDW4	240-159529-C-4	Plastic 500ml - with Nitric Acid	<2			
110221 NMWFGDW4	240-159529-D-4	Plastic 500ml - with Nitric Acid	<2			
110221 NMWFGDW5	240-159529-A-5	Plastic 250ml - with Sulfuric Acid	<2			
110221 NMWFGDW5	240-159529-B-5	Plastic 250ml - with Sulfuric Acid	<2			
110221 NMWFGDW5	240-159529-C-5	Plastic 250ml - with Sulfuric Acid	<2			
110221 NMWFGDW5	240-159529-D-5	Plastic 500ml - with Sulfuric Acid	<2			
110221 NMWFGDW5	240-159529-E-5	Plastic 500ml - with Sulfuric Acid	<2			
110221 NMWFGDW5	240-159529-F-5	Plastic 500ml - with Sulfuric Acid	<2			
110221 NMWFGDW5	240-159529-G-5	Plastic 500ml - with Nitric Acid	<2			
110221 NMWFGDW5	240-159529-H-5	Plastic 500ml - with Nitric Acid	<2			
110221 NMWFGDW5	240-159529-I-5	Plastic 500ml - with Nitric Acid	<2			
110221 NMWFGDW5	240-159529-J-5	Plastic 500ml - with Nitric Acid	<2			
110221 NMWFGDW5	240-159529-K-5	Plastic 500ml - with Nitric Acid	<2			
110221 NMWFGDW5	240-159529-L-5	Plastic 500ml - with Nitric Acid	<2			
110221 NMWFGDW6	240-159529-A-6	Plastic 250ml - with Sulfuric Acid	<2			
110221 NMWFGDW6	240-159529-B-6	Plastic 500ml - with Sulfuric Acid	<2			
110221 NMWFGDW6	240-159529-C-6	Plastic 500ml - with Nitric Acid	<2			
110221 NMWFGDW6	240-159529-D-6	Plastic 500ml - with Nitric Acid	<2			
110221 FD DUPLICATE	240-159529-A-7	Plastic 250ml - with Sulfuric Acid	<2			
110221 FD DUPLICATE	240-159529-B-7	Plastic 500ml - with Sulfuric Acid	<2			
110221 FD DUPLICATE	240-159529-C-7	Plastic 500ml - with Nitric Acid	<2			

Client Sample ID

Lab ID

Container Type

Container    Preservative  
pH    Temp    Added (mls)    Lot #

110221 FD DUPLICATE

240-159529-D-7

Plastic 500ml - with Nitric Acid

<2    \_\_\_\_\_

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15





**Eurofins TestAmerica Canton Sample Receipt Form/Narrative  
Canton Facility**

Login # : 159547

Client Golden Site Name \_\_\_\_\_  
Cooler Received on 11-5-21 Opened on 11-6-21  
FedEx: 1<sup>st</sup> Grd Exp UPS FAS Clipper Client Drop Off TestAmerica Courier Other \_\_\_\_\_

Cooler unpacked by:  
Adam [Signature]

Receipt After-hours: Drop-off Date/Time \_\_\_\_\_ Storage Location \_\_\_\_\_

TestAmerica Cooler # TA Foam Box Client Cooler Box Other \_\_\_\_\_  
Packing material used: Bubble Wrap Foam Plastic Bag None Other \_\_\_\_\_  
COOLANT: Water Blue Ice Dry Ice Water None

1. Cooler temperature upon receipt  See Multiple Cooler Form  
IR GUN# IR-14 (CF +0.1 °C) Observed Cooler Temp. \_\_\_\_\_ °C Corrected Cooler Temp. \_\_\_\_\_ °C  
IR GUN #IR-15 (CF +0.2 °C) Observed Cooler Temp. \_\_\_\_\_ °C Corrected Cooler Temp. \_\_\_\_\_ °C
2. Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity 1ea  Yes  No  NA  
-Were the seals on the outside of the cooler(s) signed & dated?  Yes  No  NA  
-Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)?  Yes  No  NA  
-Were tamper/custody seals intact and uncompromised?  Yes  No  NA
3. Shippers' packing slip attached to the cooler(s)?  Yes  No
4. Did custody papers accompany the sample(s)?  Yes  No
5. Were the custody papers relinquished & signed in the appropriate place?  Yes  No
6. Was/were the person(s) who collected the samples clearly identified on the COC?  Yes  No
7. Did all bottles arrive in good condition (Unbroken)?  Yes  No
8. Could all bottle labels (ID/Date/Time) be reconciled with the COC?  Yes  No
9. For each sample, does the COC specify preservatives (Y/N)  Y  N, # of containers (Y/N)  Y  N, and sample type of grab/comp (Y/N)?  Y  N
10. Were correct bottle(s) used for the test(s) indicated?  Yes  No
11. Sufficient quantity received to perform indicated analyses?  Yes  No
12. Are these work share samples and all listed on the COC?  Yes  No  
If yes, Questions 13-17 have been checked at the originating laboratory.
13. Were all preserved sample(s) at the correct pH upon receipt?  Yes  No  NA pH Strip Lot# HC157842
14. Were VOAs on the COC?  Yes  No
15. Were air bubbles >6 mm in any VOA vials?  Yes  No  Larger than this.
16. Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # \_\_\_\_\_  Yes  No
17. Was a LL Hg or Me Hg trip blank present? \_\_\_\_\_  Yes  No

**Tests that are not checked for pH by Receiving:**  
VOAs  
Oil and Grease  
TOC

Contacted PM \_\_\_\_\_ Date \_\_\_\_\_ by \_\_\_\_\_ via Verbal Voice Mail Other \_\_\_\_\_  
Concerning \_\_\_\_\_

18. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES  additional next page Samples processed by: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

19. SAMPLE CONDITION  
Sample(s) \_\_\_\_\_ were received after the recommended holding time had expired.  
Sample(s) \_\_\_\_\_ were received in a broken container.  
Sample(s) \_\_\_\_\_ were received with bubble >6 mm in diameter. (Notify PM)

20. SAMPLE PRESERVATION  
Sample(s) \_\_\_\_\_ were further preserved in the laboratory.  
Time preserved: \_\_\_\_\_ Preservative(s) added/Lot number(s): \_\_\_\_\_  
VOA Sample Preservation - Date/Time VOAs Frozen: \_\_\_\_\_



Temperature readings: \_\_\_\_\_

Client Sample ID	Lab ID	Container Type	Container		Preservative	
			pH	Temp	Added (mls)	Lot #
1510321NMW-22	240-159547-G-1	Plastic 500ml - with Nitric Acid	<2	_____	_____	_____
1510321NMW-22	240-159547-H-1	Plastic 500ml - with Nitric Acid	<2	_____	_____	_____
1510321NMW-22	240-159547-I-1	Plastic 500ml - with Nitric Acid	<2	_____	_____	_____
1510321NMW-22	240-159547-J-1	Plastic 1 liter - Nitric Acid	<2	_____	_____	_____
1510321NMW-22	240-159547-K-1	Plastic 1 liter - Nitric Acid	<2	_____	_____	_____
1510321NMW-22	240-159547-L-1	Plastic 1 liter - Nitric Acid	<2	_____	_____	_____
1510321NMW-22	240-159547-M-1	Plastic 1 liter - Nitric Acid	<2	_____	_____	_____
1510321NMW-22	240-159547-N-1	Plastic 1 liter - Nitric Acid	<2	_____	_____	_____
1510321NMW-22	240-159547-O-1	Plastic 1 liter - Nitric Acid	<2	_____	_____	_____
110321NMWFGDW2	240-159547-C-2	Plastic 500ml - with Nitric Acid	<2	_____	_____	_____
110321NMWFGDW2	240-159547-D-2	Plastic 1 liter - Nitric Acid	<2	_____	_____	_____
110321NMWFGDW2	240-159547-E-2	Plastic 1 liter - Nitric Acid	<2	_____	_____	_____
110321NMW-7	240-159547-C-3	Plastic 500ml - with Nitric Acid	<2	_____	_____	_____
110321NMW-7	240-159547-D-3	Plastic 1 liter - Nitric Acid	<2	_____	_____	_____
110321NMW-7	240-159547-E-3	Plastic 1 liter - Nitric Acid	<2	_____	_____	_____
110321NMW-10	240-159547-C-4	Plastic 500ml - with Nitric Acid	<2	_____	_____	_____
110321NMW-10	240-159547-D-4	Plastic 1 liter - Nitric Acid	<2	_____	_____	_____
110321NMW-10	240-159547-E-4	Plastic 1 liter - Nitric Acid	<2	_____	_____	_____
110321NMW-13	240-159547-C-5	Plastic 500ml - with Nitric Acid	<2	_____	_____	_____
110321NMW-13	240-159547-D-5	Plastic 1 liter - Nitric Acid	<2	_____	_____	_____
110321NMW-13	240-159547-E-5	Plastic 1 liter - Nitric Acid	<2	_____	_____	_____
110321NMW-14	240-159547-C-6	Plastic 500ml - with Nitric Acid	<2	_____	_____	_____
110321NMW-14	240-159547-D-6	Plastic 1 liter - Nitric Acid	<2	_____	_____	_____
110321NMW-14	240-159547-E-6	Plastic 1 liter - Nitric Acid	<2	_____	_____	_____
110321 FB FEILD BLANK	240-159547-C-7	Plastic 500ml - with Nitric Acid	<2	_____	_____	_____
110321 FB FEILD BLANK	240-159547-D-7	Plastic 1 liter - Nitric Acid	<2	_____	_____	_____
110321 FB FEILD BLANK	240-159547-E-7	Plastic 1 liter - Nitric Acid	<2	_____	_____	_____



240-159519 Waybill



... is Making This Too

urofins

Environment Testing  
TestAmerica

Part # 159470-434 MTW EXP 08/22


ORIGIN ID:PHDA (330) 312-0176  
EUROFINS TESTAMERICA CANTON  
4101 SHUFFEL STREET NJ  
NORTH CANTON, OH 447206900  
UNITED STATES US

SHIP DATE: 08NOV21  
ACT WT: 68.90 LB  
CRD: 0562057/CAFES3506

BILL THIRD PARTY

TO ENVIRONMENTAL SAMPLE RECEIPT  
TESTAMERICA PITTSBURGH  
301 ALPHA DRIVE  
RDC PARK  
PITTSBURGH PA 15238

(412) 963-7068  
DEPT: AL HAIDET



Uncorrected temp  
Thermometer ID

2-G °C

CF: 0

Initials

PT-MR-SR-001 effective 11/8/18

FedEx  
Express



2 of 4

MPS# 9148 7506 8740  
Mstr# 9148 7506 8730

0201

65 AGCA


TUE - 09 NOV 11:30A  
PRIORITY OVERNIGHT

15238  
PA-US PIT



No Not Lift Heinn This Tan

Part # 159470-434 MTW EXP 08/22



eurofin 98

ORIGIN ID: PHDA (330) 312-0176  
EUROFINS TESTAMERICA CANTON  
4101 SHUFFEL STREET NW  
NORTH CANTON, OH 44720S900  
UNITED STATES US

SHIP DATE: 06NOV21  
ACTWT: 88.90 LB  
CAD: 05620577/CAFE3506

BILL THIRD PARTY


TO ENVIRONMENTAL SAMPLE RECEIPT  
TESTAMERICA PITTSBURGH  
301 ALPHA DRIVE  
RIDG PARK  
PITTSBURGH PA 15238

(412) 863-7058  
DEPT: AL HAIDET

Unconnected temp 2.6 °C  
Thermometer ID 8

CF  Initials *AW*

PT-WI-SR-001 effective 11/6/18



TUE - 09 NOV 11:30A  
PRIORITY OVERNIGHT

3 of 4  
MPS# 9148-7506 8751  
0263

Mstr# 9148 7506 8730

0201

65 AGGA

15238  
PA-US PIT



Part # 159470-434 MTW EXP 08/22

Thio Tan





Environment Testing  
TestAmerica

ORIGIN ID: PHDA (330) 312-0176  
EUROFINS TESTAMERICA CANTON  
4101 SHUFFEL STREET NW  
NORTH CANTON, OH 447206900  
UNITED STATES US

SHIP DATE: 08NOV21  
ACTWT: 68.90 LB  
CAD: 0562057/CAFE3506  
BILL: THIRD PARTY

TO ENVIRONMENTAL SAMPLE RECEIPT  
TESTAMERICA PITTSBURGH  
301 ALPHA DRIVE  
RIDC PARK  
PITTSBURGH PA 15238

(412) 863-7058  
DEPT: AL HAIDET



Uncorrected temp 38.8 °C

Thermometer ID

CF Initials Ms

PT-WI-SR-001 effective 11/8/18

FedEx  
Express




TUE - 09 NOV 11:30A  
PRIORITY OVERNIGHT

1 of 4  
TRK# 9148 7506 8730  
0201  
## MASTER ##

65 AGCA

15238  
PA-US PIT



998  
1  
11:30  
A  
8762  
11.09

Environment Testing  
TestAmerica

ORIGIN ID: PHDA (330) 312-0176  
EUROFINS TESTAMERICA CANTON  
4101 SHUFFEL STREET NM  
NORTH CANTON, OH 447206900  
UNITED STATES US

SHIP DATE: 08NOV21  
ACTWGT: 88.90 LB  
CAD: 05620577/CAFE3506

BILL THIRD PARTY

TO ENVIRONMENTAL SAMPLE RECEIPT  
TESTAMERICA PITTSBURGH  
301 ALPHA DRIVE  
RIDC PARK  
PITTSBURGH PA 15238  
(412) 969-7068  
DEPT: AL HAIDET

DEX  
xpress

Undesected temp  
Thermometer ID

CF 0 Initials M6


PT-WI-SR-001 effective 11/01/18

4 of 4  
MPS# 9148 7506 8762  
0263  
Mstr# 9148 7506 8730

TUE - 09 NOV 11:30A  
PRIORITY OVERNIGHT

15238  
PA-US  
PIT

65 AGCA




- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15



240-159547 Waybill

Using This Too

Part # 159470-434 MTW EXP 08/22



Environment Testing  
TestAmerica


ORIGIN ID: PHDA (330) 312-0176  
EUROTINS TESTAMERICA CANTON  
4101 SHUFFEL STREET, NW  
NORTH CANTON, OH 447206900  
UNITED STATES US

SHIP DATE: 08NOV21  
ACTING: 88 90 LE  
CRD: 0562057/CAFE3506

BILL THIRD PARTY

TO ENVIRONMENTAL SAMPLE RECEIPT  
TESTAMERICA PITTSBURGH  
301 ALPHA DRIVE  
RIDC PARK  
PITTSBURGH PA 15238

(412) 863-7058  
DEPT: AL HAIDET



Uncorrected temp  
Thermometer ID

32.6 °C

FedEx  
Express



CF: 0 Initials Mo

PT-W-SR-001 effective 11/8/18

2 of 4

MPS# 9148 7506 8740


Mstr# 9148 7506 8730

0201

65 AGCA


TUE - 09 NOV 11:30A  
PRIORITY OVERNIGHT

15238  
PA-US PIT



**No Not Lift Usinn This Tan**

Part # 159470-434 MTW EXP 08/22



**eurofin 98**

ORIGIN ID:PHDA (330) 312-0176  
EUROFIN TESTAMERICA CANTON  
4101 SHUFFEL STREET NW  
NORTH CANTON, OH 447208900  
UNITED STATES US

SHIP DATE: 08NOV21  
ACTWTG: 68.90 LB  
CAD: 0562057/CAFE3506

BILL THIRD PARTY

**TO ENVIRONMENTAL SAMPLE RECEIPT  
TESTAMERICA PITTSBURGH  
301 ALPHA DRIVE  
RIDG PARK  
PITTSBURGH PA 15238**

(412) 983-7058  
DEPT: AL HAIDET



Unconnected temp

2.6 °C

Thermometer ID

8

CF  Initials **MD**

PT-W-SR-001 effective 11/8/18

**FedEx**  
Express



**TUE - 09 NOV 11:30A  
PRIORITY OVERNIGHT**


3 of 4

MPS# **9148-7506 8751**

Mstr# 9148 7506 8730

**65 AGCA**

15238  
PA-US PIT



PLA Ton



Environment Testing  
TestAmerica

Part # 159470-434 MTW EXP 08/22

ORIGIN ID:PHDA (330) 312-0176  
EUROFINS TESTAMERICA CANTON  
4101 SHUFFEL STREET NJ  
NORTH CANTON, OH 442206900  
UNITED STATES US

SHIP DATE: 09NOV21  
ACTWT: 68.90 LB  
CAD: 0562057/CATFES506  
BILL THIRD PARTY


TO ENVIRONMENTAL SAMPLE RECEIPT  
TESTAMERICA PITTSBURGH  
301 ALPHA DRIVE  
RIDG PARK  
PITTSBURGH PA 15238  
(412) 983-7058  
DEPT: AL HAIDET

Uncorrected temp 3.2 °C  
 Thermometer ID 8  
 CF O Initials Ms  
 PT-WA-SR-001 effective 1/18/18

1 of 4  
TBK# 9148 7506 8730  
0201  
## MASTER ##

TUE - 09 NOV 11:30A  
PRIORITY OVERNIGHT

65 AGCA 15238  
PA-US PIT



11:30 A  
11:09  
8762  
11:30  
11:09


Environment Testing  
TestAmerica

ORIGIN ID: PHDA (330) 312-0176  
EUROFINS TESTAMERICA CANTON  
4101 SHUFFEL STREET NW  
NORTH CANTON, OH 447206900  
UNITED STATES US

SHIP DATE: 08NOV21  
ACTWT: 68.90 LB  
CAD: 0562057/CAFE3506

BILL THIRD PARTY

TO ENVIRONMENTAL SAMPLE RECEIPT  
TESTAMERICA PITTSBURGH  
301 ALPHA DRIVE  
RIDC PARK  
PITTSBURGH PA 15238  
(412) 983-7068  
DEPT: AL HAIDET



2.9 °C  
Unselected temp  
Thermometer ID  
Initials M6

CF G Initials M6  
PT-WI-SF-001 effective 11/01/18


TUE - 09 NOV 11:30A  
PRIORITY OVERNIGHT

4 of 4  
MPS# 9148 7506 8762  
Mstr# 9148 7506 8730

0201

65 AGCA

15238  
PA-US PIT



- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15



# Chain of Custody Record



<b>Client Information (Sub Contract Lab)</b>		Sampler:		Lab PM:		Carrier Tracking No(s)		COC No:	
Client Contact Shipping/Receiving		Phone		Cisneros, Roxanne		State of Origin		240-145409.1	
Company		E-Mail		roxanne.cisneros@Eurofins.com		West Virginia		Page 1 of 1	
TestAmerica Laboratories, Inc.		Address		State Program - West Virginia DEP		Accreditations Required (See note)		Job #	
13715 Rider Trail North,		City		Due Date Requested:		Analysis Requested		240-159547-1	
Earth City		State, Zip		11/21/2021		Perform MS/MSD (Yes or No)		Preservation Codes:	
MO, 63045		PO #:		TAT Requested (days):		Field Filtered Sample (Yes or No)		A - HCL M - Hexane N - None O - AsNaO2 P - Na2O4S Q - Na2SO3 R - Na2SO4 S - H2SO4 T - TSP Dodecahydrate U - Acetone V - MCAA W - pH 4-5 Z - other (specify)	
Phone		WO #:		Project #		9315_Ra226/PreSep_21 Standard Target List		Other:	
314-298-8566(Tel) 314-298-8757(Fax)		Project #		24021758		9320_Ra226/PreSep_0 Standard Target List			
Email		SSOW#:		Sample Date		Ra226_228GFP_C/ Combined Radium-226 and Radium-228		Total Number of Containers	
Project Name:		Sample Time		Sample Type (C=Comp, G=grab)		Matrix (Water, Solid, Overstabil, Other)		Special Instructions/Note:	
Mount Storm Power Station		11/3/21		Water		Water		X	
Site:		11/3/21		Water		Water		6	
1510321NMW-22 (240-159547-1)		10:50 Eastern		Water		Water		2	
110321NMWFGDW2 (240-159547-2)		14:00 Eastern		Water		Water		2	
110321NMW-7 (240-159547-3)		16:20 Eastern		Water		Water		2	
110321NMW-10 (240-159547-4)		14:15 Eastern		Water		Water		2	
110321NMW-13 (240-159547-5)		16:45 Eastern		Water		Water		2	
110321NMW-14 (240-159547-6)		15:30 Eastern		Water		Water		2	
110321 FB FEILD BLANK (240-159547-7)		15:20 Eastern		Water		Water		2	

Note: Since laboratory accreditations are subject to change, Eurofins TestAmerica places the ownership of method, analyte & accreditation compliance upon our subcontract laboratories. This sample shipment is forwarded under chain-of-custody. If the laboratory does not currently maintain accreditation in the State of Origin listed above for analysis/test/matrix being analyzed, the samples must be shipped back to the Eurofins TestAmerica laboratory or other instructions will be provided. Any changes to accreditation status should be brought to Eurofins TestAmerica attention immediately. If all requested accreditations are current to date, return the signed Chain of Custody attesting to said compliance to Eurofins TestAmerica.

**Possible Hazard Identification**

Unconfirmed:  Return To Client  Disposal By Lab  Archive For \_\_\_\_\_ Months

Special Instructions/QC Requirements: \_\_\_\_\_

Empty Kit Relinquished by:		Date:		Time:		Method of Shipment	
Relinquished by: <i>B. B...</i>		11-8-21		1325		FED EX	
Relinquished by: FED EX		Date/Time		Company		Received by: FED EX	
Relinquished by:		Date/Time		Company		Received by: <i>Mikra Korninga</i>	
Custody Seals Intact: <input type="checkbox"/> Yes <input type="checkbox"/> No		Date/Time		Company		Received by: <i>Micha Korninga</i>	
Custody Seal No.:		Date/Time		Company		Date/Time: NOV 09 2021	
Cooler Temperature(s) °C and Other Remarks:		Date/Time		Company		Date/Time: 09:50	
		Date/Time		Company		Company: CTA SN	







**Eurofins TestAmerica, Canton**  
 4101 Shuffel Street NW  
 North Canton, OH 44720  
 Phone: 330-497-9396 Fax: 330-497-0772

TSS  
1BB

**Chain of Custody Record**



fins Environment Testing America

<b>Client Information (Sub Contract Lab)</b>	Sampler:	Lab PM:	240-159529 Chain of Custody
Client Contact:	Phone:	E-Mail:	Page: J8.1
Shipping/Receiving		roxanne.cisneros@Eurofinset.com	Page 1 of 1
Company:	Accreditations Required (See note):		Job #:
TestAmerica Laboratories, Inc.	State Program - West Virginia DEP		240-159529-1

Address:	Due Date Requested:	<b>Analysis Requested</b>				<b>Preservation Codes:</b>																				
301 Alpha Drive, RIDC Park,	11/21/2021																									
City:	TAT Requested (days):	<table border="1"> <tr><td>Field Filtered Sample (Yes or No)</td><td>Perform MS/MSD (Yes or No)</td><td>350-1/ Distilled Ammonia</td><td>2540C_Calc'd TDS</td><td>2540D/ TSS</td></tr> <tr><td>Pittsburgh</td><td></td><td></td><td></td><td></td></tr> <tr><td>State, Zip:</td><td></td><td></td><td></td><td></td></tr> <tr><td>PA, 15238</td><td></td><td></td><td></td><td></td></tr> </table>				Field Filtered Sample (Yes or No)	Perform MS/MSD (Yes or No)	350-1/ Distilled Ammonia	2540C_Calc'd TDS	2540D/ TSS	Pittsburgh					State, Zip:					PA, 15238					A - HCL M - Hexane B - NaOH N - None C - Zn Acetate O - AsNaO2 D - Nitric Acid P - Na2O4S E - NaHSO4 Q - Na2SO3 F - MeOH R - Na2S2O3 G - Amchlor S - H2SO4 H - Ascorbic Acid T - TSP Dodecahydrate I - Ice U - Acetone J - DI Water V - MCAA K - EDTA W - pH 4-5 L - EDA Z - other (specify)
Field Filtered Sample (Yes or No)	Perform MS/MSD (Yes or No)					350-1/ Distilled Ammonia	2540C_Calc'd TDS	2540D/ TSS																		
Pittsburgh																										
State, Zip:																										
PA, 15238																										
Phone:	PO #:																									
412-963-7058(Tel) 412-963-2468(Fax)	WO #:																									
Email:																										
Project Name:	Project #:					<b>Special Instructions/Note:</b>																				
Mount Storm Power Station	24021758																									
Site:	SSOW#:																									

Sample Identification - Client ID (Lab ID)	Sample Date	Sample Time	Sample Type (C=comp, G=grab)	Matrix (W=water, S=solid, O=waste/oil, BT=Tissue, A=Air)	Field Filtered Sample (Yes or No)	Perform MS/MSD (Yes or No)	350-1/ Distilled Ammonia	2540C_Calc'd TDS	2540D/ TSS	Total Number of containers
110221 NMW-6R (240-159529-1)	11/2/21	17:10 Eastern		Water	X	X	X			3
110221 NMW-12R (240-159529-2)	11/2/21	15:30 Eastern		Water	X	X	X			3
110221 NMWFGDW3 (240-159529-3)	11/2/21	13:50 Eastern		Water	X	X	X			3
110221 NMWFGDW4 (240-159529-4)	11/2/21	12:40 Eastern		Water	X	X	X			3
110221 NMWFGDW5 (240-159529-5)	11/2/21	09:40 Eastern		Water	X	X	X			9
110221 NMWFGDW6 (240-159529-6)	11/2/21	11:15 Eastern		Water	X	X	X			3
110221 FD DUPLICATE (240-159529-7)	11/2/21	14:10 Eastern		Water	X	X	X			3

Note: Since laboratory accreditations are subject to change, Eurofins TestAmerica places the ownership of method, analyte & accreditation compliance upon out subcontract laboratories. This sample shipment is forwarded under chain-of-custody. If the laboratory does not currently maintain accreditation in the State of Origin listed above for analysis/tests/matrix being analyzed, the samples must be shipped back to the Eurofins TestAmerica laboratory or other instructions will be provided. Any changes to accreditation status should be brought to Eurofins TestAmerica attention immediately. If all requested accreditations are current to date, return the signed Chain of Custody attesting to said compliance to Eurofins TestAmerica.

<b>Possible Hazard Identification</b>	<b>Sample Disposal ( A fee may be assessed if samples are retained longer than 1 month)</b>
Unconfirmed	<input type="checkbox"/> Return To Client <input type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months
Deliverable Requested: I, II, III, IV, Other (specify)	Special Instructions/QC Requirements:
Primary Deliverable Rank: 2	

Empty Kit Relinquished by:	Date:	Time:	Method of Shipment:
Relinquished by: Brandon	Date/Time: 11-8-21 11:22	Company: JA	Received by: J Watson
Relinquished by:	Date/Time:	Company:	Date/Time: 11-9-21
Relinquished by:	Date/Time:	Company:	Date/Time: 10:20

Custody Seals Intact: <input type="checkbox"/> Yes <input type="checkbox"/> No	Custody Seal No.:	Cooler Temperature(s) °C and Other Remarks:
--	-------------------	---

## Login Sample Receipt Checklist

Client: Dominion Energy Services, Inc.

Job Number: 240-159519-3  
SDG Number: Phase B CCR

**Login Number: 159519**  
**List Number: 2**  
**Creator: Watson, Debbie**

**List Source: Eurofins TestAmerica, Pittsburgh**  
**List Creation: 11/09/21 07:02 PM**

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	N/A	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	



## Login Sample Receipt Checklist

Client: Dominion Energy Services, Inc.

Job Number: 240-159519-3

SDG Number: Phase B CCR

**Login Number: 159529**

**List Number: 2**

**Creator: Watson, Debbie**

**List Source: Eurofins TestAmerica, Pittsburgh**

**List Creation: 11/09/21 07:02 PM**

Question	Answer	Comment
Radioactivity wasn't checked or is <math>\leq</math> background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	N/A	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <math><6\text{mm}</math> (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

## Login Sample Receipt Checklist

Client: Dominion Energy Services, Inc.

Job Number: 240-159519-3  
SDG Number: Phase B CCR

**Login Number: 159529**

**List Number: 3**

**Creator: Kovitch, Christina M**

**List Source: Eurofins TestAmerica, Pittsburgh**

**List Creation: 11/16/21 08:06 AM**

Question	Answer	Comment
Radioactivity wasn't checked or is <math>\leq</math> background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <math><6\text{mm}</math> (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	



## Login Sample Receipt Checklist

Client: Dominion Energy Services, Inc.

Job Number: 240-159519-3  
SDG Number: Phase B CCR

**Login Number: 159547**

**List Number: 2**

**Creator: Korrinhizer, Micha L**

**List Source: Eurofins TestAmerica, St. Louis**

**List Creation: 11/10/21 01:01 AM**

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	N/A	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	





This quality assurance (QA) review is based upon an examination of the data generated from the analyses of the samples collected as part of:

**Mount Storm Power Station Groundwater Sampling  
Samples Collected between: 11/2/2021 and 11/5/2021**

This review was performed with guidance from the associated US EPA data validation guidelines and in accordance with the Quality Assurance Program Plan. These validation guidance documents specifically address analyses performed in accordance with the Contract Laboratory Program (CLP) analytical methods and are not completely applicable to the type of analyses and analytical protocols performed for the US EPA, SW-846, and Standard Methods utilized by the laboratory for these samples. Environmental Standards, Inc. (Environmental Standards) used professional judgment to determine the usability of the analytical results and compliance relative to the US EPA, SW-846, and Standard Methods utilized by the laboratory. This QA review was performed on the data associated with Job Number:

**2401595193**

The findings offered in this report are based on a review of holding times and preservation, method blank results, field blank results, filter blank results, equipment blank results, tubing blank results, matrix spike/matrix spike duplicate recoveries and precision, laboratory control sample/laboratory control sample duplicate recoveries and precision, laboratory and field duplicate precision, total and dissolved results comparisons, and/or positive results between the method detection limit and quantitation limit.

The following results were qualified based on the data verification effort:

Sample	Location	Sample Type	Method	Anayte	T/D	Result	Qual	Reason Code(s)	MDL	QL	Uncertainty	Unit
110221NMW-6R	MW-6R	N	CALC	Radium-226/228	N	3.03	J	BL,BF,L			0.803	pCi/L
110221NMW-6R	MW-6R	N	SW-846 6020B	Cobalt	T	0.22	J	RL	0.19	1.0		ug/L
110221NMW-6R	MW-6R	N	SW-846 6020B	Lithium	T	2.9	J	RL	1.7	8.0		ug/L
110221NMW-6R	MW-6R	N	SW-846 9056A	Chloride	N	0.42	J	RL	0.28	1.0		mg/L
110221NMW-6R	MW-6R	N	SW-846 9315	Radium-226	N	0.392	U	BL,BF	0.392	1.00	0.227	pCi/L
110221NMW-6R	MW-6R	N	SW-846 9320	Radium-228	N	2.64	J+	L	0.904	1.00	0.770	pCi/L
110221NMW-12R	MW-12R	N	CALC	Radium-226/228	N	2.16	J	S,L			0.666	pCi/L
110221NMW-12R	MW-12R	N	SW-846 9056A	Chloride	N	0.52	J	RL	0.28	1.0		mg/L
110221NMW-12R	MW-12R	N	SW-846 9320	Radium-228	N	2.10	J+	L	0.798	1.00	0.647	pCi/L
110221NMW-6R	MW-6R	N	SM 2540C	Total Dissolved Solids	N	230	J	H	10	10		mg/L
110221NMW-12R	MW-12R	N	SM 2540C	Total Dissolved Solids	N	17	J	H	10	10		mg/L
110321NMW-22	MW-22	N	CALC	Radium-226/228	N	0.953	U	BL,BF,S			0.633	pCi/L
110321NMW-22	MW-22	N	SW-846 6020B	Cobalt	T	0.30	J	RL	0.19	1.0		ug/L
110321NMW-22	MW-22	N	SW-846 6020B	Thallium	T	0.48	J	RL	0.20	1.0		ug/L
110321NMW-22	MW-22	N	SW-846 9056A	Chloride	N	0.63	J	RL	0.28	1.0		mg/L
110321NMW-22	MW-22	N	SW-846 9056A	Fluoride	N	0.035	J	RL	0.024	0.050		mg/L
110321NMW-22	MW-22	N	SW-846 9315	Radium-226	N	0.348	U	BL,BF	0.348	1.00	0.199	pCi/L
110321NMWFGDW2	MWFGDW2	N	CALC	Radium-226/228	N	0.567	U	BL,BF,S			0.490	pCi/L
110321NMWFGDW2	MWFGDW2	N	SW-846 6020B	Cadmium	T	0.35	J	RL	0.20	1.0		ug/L
110321NMWFGDW2	MWFGDW2	N	SW-846 6020B	Cobalt	T	0.31	J	RL	0.19	1.0		ug/L
110321NMWFGDW2	MWFGDW2	N	SW-846 6020B	Selenium	T	1.1	J	RL	0.89	5.0		ug/L
110321NMWFGDW2	MWFGDW2	N	SW-846 6020B	Thallium	T	0.83	J	RL	0.20	1.0		ug/L
110321NMWFGDW2	MWFGDW2	N	SW-846 9056A	Chloride	N	0.64	J	RL	0.28	1.0		mg/L
110321NMWFGDW2	MWFGDW2	N	SW-846 9315	Radium-226	N	0.205	U	BL,BF	0.205	1.00	0.145	pCi/L
110321NMW-7	MW-7	N	CALC	Radium-226/228	N	0.347	U	BL,BF,S			0.538	pCi/L
110321NMW-7	MW-7	N	SW-846 6020B	Cobalt	T	0.26	J	RL	0.19	1.0		ug/L
110321NMW-7	MW-7	N	SW-846 6020B	Lithium	T	2.6	J	RL	1.7	8.0		ug/L
110321NMW-7	MW-7	N	SW-846 6020B	Thallium	T	0.21	J	RL	0.20	1.0		ug/L
110321NMW-7	MW-7	N	SW-846 9056A	Chloride	N	0.73	J	RL	0.28	1.0		mg/L
110321NMW-7	MW-7	N	SW-846 9315	Radium-226	N	0.204	U	BL,BF	0.204	1.00	0.133	pCi/L

Sample	Location	Sample Type	Method	Anayte	T/D	Result	Qual	Reason Code(s)	MDL	QL	Uncertainty	Unit
110321NMW-10	MW-10	N	CALC	Radium-226/228	N	1.27	J	BL,BF,L			0.560	pCi/L
110321NMW-10	MW-10	N	SW-846 6020B	Cadmium	T	0.33	J	RL	0.20	1.0		ug/L
110321NMW-10	MW-10	N	SW-846 6020B	Lithium	T	1.8	J	RL	1.7	8.0		ug/L
110321NMW-10	MW-10	N	SW-846 9056A	Chloride	N	0.53	J	RL	0.28	1.0		mg/L
110321NMW-10	MW-10	N	SW-846 9056A	Fluoride	N	0.028	J	RL	0.024	0.050		mg/L
110321NMW-10	MW-10	N	SW-846 9315	Radium-226	N	0.253	U	BL,BF	0.253	1.00	0.141	pCi/L
110321NMW-10	MW-10	N	SW-846 9320	Radium-228	N	1.02	J+	L	0.798	1.00	0.542	pCi/L
110321NMW-13	MW-13	N	CALC	Radium-226/228	N	1.29	J	BL,BF,L			0.532	pCi/L
110321NMW-13	MW-13	N	SW-846 6020B	Beryllium	T	0.64	J	RL	0.62	1.0		ug/L
110321NMW-13	MW-13	N	SW-846 6020B	Cadmium	T	0.44	J	RL	0.20	1.0		ug/L
110321NMW-13	MW-13	N	SW-846 6020B	Lithium	T	3.9	J	RL	1.7	8.0		ug/L
110321NMW-13	MW-13	N	SW-846 6020B	Thallium	T	0.20	J	RL	0.20	1.0		ug/L
110321NMW-13	MW-13	N	SW-846 9315	Radium-226	N	0.523	U	BL,BF	0.523	1.00	0.199	pCi/L
110321NMW-13	MW-13	N	SW-846 9320	Radium-228	N	0.772	J+	L	0.747	1.00	0.493	pCi/L
110321NMW-14	MW-14	N	CALC	Radium-226/228	N	0.969	J	S			0.464	pCi/L
110321NMW-14	MW-14	N	SW-846 6020B	Cadmium	T	0.25	J	RL	0.20	1.0		ug/L
110321NMW-14	MW-14	N	SW-846 6020B	Cobalt	T	0.73	J	RL	0.19	1.0		ug/L
110321NMW-14	MW-14	N	SW-846 6020B	Lithium	T	4.7	J	RL	1.7	8.0		ug/L
110321NMW-14	MW-14	N	SW-846 9056A	Chloride	N	0.33	J	RL	0.28	1.0		mg/L
110321NMW-14	MW-14	N	SW-846 9056A	Fluoride	N	0.045	J	RL	0.024	0.050		mg/L
110321FBFIELDBLANK_1520	Field Blank	FB	CALC	Radium-226/228	N	0.807	J	S			0.425	pCi/L

#### Data Qualifiers

U	The analyte was not detected above the level of the reported sample quantitation limit.
J	Quantitation is approximate due to limitations identified during data validation.
J+	The result is an estimated quantity; the result may be biased high.
J-	The result is an estimated quantity; the result may be biased low.
UJ	This analyte was not detected, but the reporting limit may or may not be higher due to a bias identified during data validation.
R	Unreliable positive result; analyte may or may not be present in sample.

#### Reason Codes and Explanations

BE	Equipment blank contamination. The result should be considered "not-detected."
BF	Field blank contamination. The result should be considered "not-detected."
BL	Laboratory blank contamination. The result should be considered "not-detected."
FD	Field duplicate imprecision.
FG	Total versus Dissolved Imprecision.
H	Holding time exceeded.
L	LCS and LCSD recoveries outside of acceptance limits
LD	Laboratory duplicate imprecision.
LP	LCS/LCSD imprecision.
M	MS and MSD recoveries outside of acceptance limits
MP	MS/MSD imprecision.
Q	Chemical Preservation issue.
RL	Reported Results between the MDL and RL.
S	Radium-226+228 flagged due to reporting protocol for combined results
T	Temperature preservation issue.

X	Percent solids < 50%.
Y	Chemical yield outside of acceptance limits
ZZ	Other

Lab Sample ID	240-159516-1
Sys Sample Code	110221NMW-6R
Sample Name	110221NMW-6R
Sample Date	11/2/2021 5:10:00 PM
Location	MSPS-LFAB-MW-06R / MW-6R
Sample Type	N
Matrix	GW
Parent Sample	

Analytic Method	Chemical Name	CAS Rn	Fraction	Result Unit	Final Result	Final Qual	Reason code	Uncertainty	Final MDL	Final RL	Final QL	Final Detect	Final Report	DF	Basis
CALC	Radium-226/228	RA226/228	N	pCi/L	3.03	J	BL,BF,L	0.803				Y	Yes	1	NA
SW-846 6010D	Boron	7440-42-8	T	ug/L		U			57	57	100	N	Yes	1	NA
SW-846 6020B	Arsenic	7440-38-2	T	ug/L		U			0.75	0.75	5.0	N	Yes	1	NA
	Barium	7440-39-3	T	ug/L	370				2.2	2.2	5.0	Y	Yes	1	NA
	Beryllium	7440-41-7	T	ug/L		U			0.62	0.62	1.0	N	Yes	1	NA
	Cadmium	7440-43-9	T	ug/L		U			0.20	0.20	1.0	N	Yes	1	NA
	Calcium	7440-70-2	T	ug/L	71000				580	580	1000	Y	Yes	1	NA
	Chromium	7440-47-3	T	ug/L		U			2.5	2.5	5.0	N	Yes	1	NA
	Cobalt	7440-48-4	T	ug/L	0.22	J	RL		0.19	0.19	1.0	Y	Yes	1	NA
	Lead	7439-92-1	T	ug/L		U			0.45	0.45	1.0	N	Yes	1	NA
	Lithium	7439-93-2	T	ug/L	2.9	J	RL		1.7	1.7	8.0	Y	Yes	1	NA
	Molybdenum	7439-98-7	T	ug/L		U			1.1	1.1	5.0	N	Yes	1	NA
	Selenium	7782-49-2	T	ug/L		U			0.89	0.89	5.0	N	Yes	1	NA
Thallium	7440-28-0	T	ug/L		U			0.20	0.20	1.0	N	Yes	1	NA	
SW-846 9056A	Chloride	16887-00-6	N	mg/L	0.42	J	RL		0.28	0.28	1.0	Y	Yes	1	NA
	Fluoride	16984-48-8	N	mg/L	0.082				0.024	0.024	0.050	Y	Yes	1	NA
	Sulfate	14808-79-8	N	mg/L	9.3				0.35	0.35	1.0	Y	Yes	1	NA
SW-846 9315	Radium-226	13982-63-3	N	pCi/L	0.392	U	BL,BF	0.227	0.392	0.392	1.00	N	Yes	1	NA
SW-846 9320	Radium-228	15262-20-1	N	pCi/L	2.64	J+	L	0.770	0.904	0.904	1.00	Y	Yes	1	NA

Lab Sample ID	240-159516-2
Sys Sample Code	110221NMW-12R
Sample Name	110221NMW-12R
Sample Date	11/2/2021 3:30:00 PM
Location	MSPS-LFAB-MW-12R / MW-12R
Sample Type	N
Matrix	GW
Parent Sample	

Analytic Method	Chemical Name	CAS Rn	Fraction	Result Unit	Final Result	Final Qual	Reason code	Uncertainty	Final MDL	Final RL	Final QL	Final Detect	Final Report	DF	Basis
CALC	Radium-226/228	RA226/228	N	pCi/L	2.16	J	S,L	0.666				Y	Yes	1	NA
SW-846 6010D	Boron	7440-42-8	T	ug/L		U			57	57	100	N	Yes	1	NA
SW-846 6020B	Arsenic	7440-38-2	T	ug/L		U			0.75	0.75	5.0	N	Yes	1	NA
	Barium	7440-39-3	T	ug/L	14				2.2	2.2	5.0	Y	Yes	1	NA
	Beryllium	7440-41-7	T	ug/L		U			0.62	0.62	1.0	N	Yes	1	NA
	Cadmium	7440-43-9	T	ug/L		U			0.20	0.20	1.0	N	Yes	1	NA
	Calcium	7440-70-2	T	ug/L		U			580	580	1000	N	Yes	1	NA
	Chromium	7440-47-3	T	ug/L		U			2.5	2.5	5.0	N	Yes	1	NA
	Cobalt	7440-48-4	T	ug/L	1.3				0.19	0.19	1.0	Y	Yes	1	NA
	Lead	7439-92-1	T	ug/L		U			0.45	0.45	1.0	N	Yes	1	NA
	Lithium	7439-93-2	T	ug/L		U			1.7	1.7	8.0	N	Yes	1	NA
	Molybdenum	7439-98-7	T	ug/L		U			1.1	1.1	5.0	N	Yes	1	NA
	Selenium	7782-49-2	T	ug/L		U			0.89	0.89	5.0	N	Yes	1	NA
Thallium	7440-28-0	T	ug/L		U			0.20	0.20	1.0	N	Yes	1	NA	
SW-846 9056A	Chloride	16887-00-6	N	mg/L	0.52	J	RL		0.28	0.28	1.0	Y	Yes	1	NA
	Fluoride	16984-48-8	N	mg/L		U			0.024	0.024	0.050	N	Yes	1	NA
	Sulfate	14808-79-8	N	mg/L	4.2				0.35	0.35	1.0	Y	Yes	1	NA
SW-846 9315	Radium-226	13982-63-3	N	pCi/L	0.0647	U		0.158	0.290	0.290	1.00	N	Yes	1	NA
SW-846 9320	Radium-228	15262-20-1	N	pCi/L	2.10	J+	L	0.647	0.798	0.798	1.00	Y	Yes	1	NA

<b>Lab Sample ID</b>	240-159519-1
<b>Sys Sample Code</b>	110321NMW-22
<b>Sample Name</b>	110321NMW-22
<b>Sample Date</b>	11/3/2021 10:50:00 AM
<b>Location</b>	MSPS-BKGD-MW-22 / MW-22
<b>Sample Type</b>	N
<b>Matrix</b>	GW
<b>Parent Sample</b>	

Analytic Method	Chemical Name	CAS Rn	Fraction	Result Unit	Final Result	Final Qual	Reason code	Uncertainty	Final MDL	Final RL	Final QL	Final Detect	Final Report	DF	Basis
SM 2540C	Total Dissolved Solids	TDS	N	mg/L	340				10	10	10	Y	Yes	1	NA

<b>Lab Sample ID</b>	240-159519-2
<b>Sys Sample Code</b>	110321NMWFGDW2
<b>Sample Name</b>	110321NMWFGDW2
<b>Sample Date</b>	11/3/2021 2:00:00 PM
<b>Location</b>	MSPS-BKGD-MWFGDW2 / MWFGDW2
<b>Sample Type</b>	N
<b>Matrix</b>	GW
<b>Parent Sample</b>	

Analytic Method	Chemical Name	CAS Rn	Fraction	Result Unit	Final Result	Final Qual	Reason code	Uncertainty	Final MDL	Final RL	Final QL	Final Detect	Final Report	DF	Basis
SM 2540C	Total Dissolved Solids	TDS	N	mg/L	200				10	10	10	Y	Yes	1	NA

<b>Lab Sample ID</b>	240-159519-4
<b>Sys Sample Code</b>	110321NMW-7
<b>Sample Name</b>	110321NMW-7
<b>Sample Date</b>	11/3/2021 4:20:00 PM
<b>Location</b>	MSPS-LFAB-MW-07 / MW-7
<b>Sample Type</b>	N
<b>Matrix</b>	GW
<b>Parent Sample</b>	

Analytic Method	Chemical Name	CAS Rn	Fraction	Result Unit	Final Result	Final Qual	Reason code	Uncertainty	Final MDL	Final RL	Final QL	Final Detect	Final Report	DF	Basis
SM 2540C	Total Dissolved Solids	TDS	N	mg/L	210				10	10	10	Y	Yes	1	NA



<b>Lab Sample ID</b>	240-159519-6
<b>Sys Sample Code</b>	110321NMW-10
<b>Sample Name</b>	110321NMW-10
<b>Sample Date</b>	11/3/2021 2:15:00 PM
<b>Location</b>	MSPS-LFAB-MW-10 / MW-10
<b>Sample Type</b>	N
<b>Matrix</b>	GW
<b>Parent Sample</b>	

Analytic Method	Chemical Name	CAS Rn	Fraction	Result Unit	Final Result	Final Qual	Reason code	Uncertainty	Final MDL	Final RL	Final QL	Final Detect	Final Report	DF	Basis
SM 2540C	Total Dissolved Solids	TDS	N	mg/L	36				10	10	10	Y	Yes	1	NA

<b>Lab Sample ID</b>	240-159519-7
<b>Sys Sample Code</b>	110321NMW-13
<b>Sample Name</b>	110321NMW-13
<b>Sample Date</b>	11/3/2021 4:45:00 PM
<b>Location</b>	MSPS-LFAB-MW-13 / MW-13
<b>Sample Type</b>	N
<b>Matrix</b>	GW
<b>Parent Sample</b>	

Analytic Method	Chemical Name	CAS Rn	Fraction	Result Unit	Final Result	Final Qual	Reason code	Uncertainty	Final MDL	Final RL	Final QL	Final Detect	Final Report	DF	Basis
SM 2540C	Total Dissolved Solids	TDS	N	mg/L	58				10	10	10	Y	Yes	1	NA

<b>Lab Sample ID</b>	240-159519-8
<b>Sys Sample Code</b>	110321NMW-14
<b>Sample Name</b>	110321NMW-14
<b>Sample Date</b>	11/3/2021 3:30:00 PM
<b>Location</b>	MSPS-LFAB-MW-14 / MW-14
<b>Sample Type</b>	N
<b>Matrix</b>	GW
<b>Parent Sample</b>	

Analytic Method	Chemical Name	CAS Rn	Fraction	Result Unit	Final Result	Final Qual	Reason code	Uncertainty	Final MDL	Final RL	Final QL	Final Detect	Final Report	DF	Basis
SM 2540C	Total Dissolved Solids	TDS	N	mg/L	79				10	10	10	Y	Yes	1	NA

<b>Lab Sample ID</b>	240-159519-9
<b>Sys Sample Code</b>	110321FBBFIELDBLANK
<b>Sample Name</b>	110321FBFieldBlank
<b>Sample Date</b>	11/3/2021 1:25:00 PM
<b>Location</b>	MSPS-FB / Field Blank
<b>Sample Type</b>	FB
<b>Matrix</b>	AQ
<b>Parent Sample</b>	

Analytic Method	Chemical Name	CAS Rn	Fraction	Result Unit	Final Result	Final Qual	Reason code	Uncertainty	Final MDL	Final RL	Final QL	Final Detect	Final Report	DF	Basis
SM 2540C	Total Dissolved Solids	TDS	N	mg/L		U			10	10	10	N	Yes	1	NA

<b>Lab Sample ID</b>	240-159529-1
<b>Sys Sample Code</b>	110221NMW-6R
<b>Sample Name</b>	110221NMW-6R
<b>Sample Date</b>	11/2/2021 5:10:00 PM
<b>Location</b>	MSPS-LFAB-MW-06R / MW-6R
<b>Sample Type</b>	N
<b>Matrix</b>	GW
<b>Parent Sample</b>	

Analytic Method	Chemical Name	CAS Rn	Fraction	Result Unit	Final Result	Final Qual	Reason code	Uncertainty	Final MDL	Final RL	Final QL	Final Detect	Final Report	DF	Basis
SM 2540C	Total Dissolved Solids	TDS	N	mg/L	230	J	H		10	10	10	Y	Yes	1	NA

<b>Lab Sample ID</b>	240-159529-2
<b>Sys Sample Code</b>	110221NMW-12R
<b>Sample Name</b>	110221NMW-12R
<b>Sample Date</b>	11/2/2021 3:30:00 PM
<b>Location</b>	MSPS-LFAB-MW-12R / MW-12R
<b>Sample Type</b>	N
<b>Matrix</b>	GW
<b>Parent Sample</b>	

Analytic Method	Chemical Name	CAS Rn	Fraction	Result Unit	Final Result	Final Qual	Reason code	Uncertainty	Final MDL	Final RL	Final QL	Final Detect	Final Report	DF	Basis
SM 2540C	Total Dissolved Solids	TDS	N	mg/L	17	J	H		10	10	10	Y	Yes	1	NA

Lab Sample ID	240-159547-1
Sys Sample Code	110321NMW-22
Sample Name	110321NMW-22
Sample Date	11/3/2021 10:50:00 AM
Location	MSPS-BKGD-MW-22 / MW-22
Sample Type	N
Matrix	GW
Parent Sample	

Analytic Method	Chemical Name	CAS Rn	Fraction	Result Unit	Final Result	Final Qual	Reason code	Uncertainty	Final MDL	Final RL	Final QL	Final Detect	Final Report	DF	Basis
CALC	Radium-226/228	RA226/228	N	pCi/L	0.953	U	BL,BF,S	0.633				N	Yes	1	NA
SW-846 6010D	Boron	7440-42-8	T	ug/L		U			57	57	100	N	Yes	1	NA
SW-846 6020B	Arsenic	7440-38-2	T	ug/L		U			0.75	0.75	5.0	N	Yes	1	NA
	Barium	7440-39-3	T	ug/L	310				2.2	2.2	5.0	Y	Yes	1	NA
	Beryllium	7440-41-7	T	ug/L		U			0.62	0.62	1.0	N	Yes	1	NA
	Cadmium	7440-43-9	T	ug/L		U			0.20	0.20	1.0	N	Yes	1	NA
	Calcium	7440-70-2	T	ug/L	100000				580	580	1000	Y	Yes	1	NA
	Chromium	7440-47-3	T	ug/L		U			2.5	2.5	5.0	N	Yes	1	NA
	Cobalt	7440-48-4	T	ug/L	0.30	J	RL		0.19	0.19	1.0	Y	Yes	1	NA
	Lead	7439-92-1	T	ug/L		U			0.45	0.45	1.0	N	Yes	1	NA
	Lithium	7439-93-2	T	ug/L	8.3				1.7	1.7	8.0	Y	Yes	1	NA
	Molybdenum	7439-98-7	T	ug/L		U			1.1	1.1	5.0	N	Yes	1	NA
	Selenium	7782-49-2	T	ug/L		U			0.89	0.89	5.0	N	Yes	1	NA
SW-846 9056A	Thallium	7440-28-0	T	ug/L	0.48	J	RL		0.20	0.20	1.0	Y	Yes	1	NA
	Chloride	16887-00-6	N	mg/L	0.63	J	RL		0.28	0.28	1.0	Y	Yes	1	NA
	Fluoride	16984-48-8	N	mg/L	0.035	J	RL		0.024	0.024	0.050	Y	Yes	1	NA
SW-846 9315	Sulfate	14808-79-8	N	mg/L	25				0.35	0.35	1.0	Y	Yes	1	NA
	Radium-226	13982-63-3	N	pCi/L	0.348	U	BL,BF	0.199	0.348	0.348	1.00	N	Yes	1	NA
SW-846 9320	Radium-228	15262-20-1	N	pCi/L	0.606	U		0.601	0.972	0.972	1.00	N	Yes	1	NA

Lab Sample ID	240-159547-2
Sys Sample Code	110321NMWFGDW2
Sample Name	110321NMWFGDW2
Sample Date	11/3/2021 2:00:00 PM
Location	MSPS-BKGD-MWFGDW2 / MWFGDW2
Sample Type	N
Matrix	GW
Parent Sample	

Analytic Method	Chemical Name	CAS Rn	Fraction	Result Unit	Final Result	Final Qual	Reason code	Uncertainty	Final MDL	Final RL	Final QL	Final Detect	Final Report	DF	Basis
CALC	Radium-226/228	RA226/228	N	pCi/L	0.567	U	BL,BF,S	0.490				N	Yes	1	NA
SW-846 6010D	Boron	7440-42-8	T	ug/L		U			57	57	100	N	Yes	1	NA
SW-846 6020B	Arsenic	7440-38-2	T	ug/L		U			0.75	0.75	5.0	N	Yes	1	NA
	Barium	7440-39-3	T	ug/L	260				2.2	2.2	5.0	Y	Yes	1	NA
	Beryllium	7440-41-7	T	ug/L		U			0.62	0.62	1.0	N	Yes	1	NA
	Cadmium	7440-43-9	T	ug/L	0.35	J	RL		0.20	0.20	1.0	Y	Yes	1	NA
	Calcium	7440-70-2	T	ug/L	54000				580	580	1000	Y	Yes	1	NA
	Chromium	7440-47-3	T	ug/L		U			2.5	2.5	5.0	N	Yes	1	NA
	Cobalt	7440-48-4	T	ug/L	0.31	J	RL		0.19	0.19	1.0	Y	Yes	1	NA
	Lead	7439-92-1	T	ug/L		U			0.45	0.45	1.0	N	Yes	1	NA
	Lithium	7439-93-2	T	ug/L	8.3				1.7	1.7	8.0	Y	Yes	1	NA
	Molybdenum	7439-98-7	T	ug/L		U			1.1	1.1	5.0	N	Yes	1	NA
	Selenium	7782-49-2	T	ug/L	1.1	J	RL		0.89	0.89	5.0	Y	Yes	1	NA
	Thallium	7440-28-0	T	ug/L	0.83	J	RL		0.20	0.20	1.0	Y	Yes	1	NA
SW-846 9056A	Chloride	16887-00-6	N	mg/L	0.64	J	RL		0.28	0.28	1.0	Y	Yes	1	NA
	Fluoride	16984-48-8	N	mg/L	0.062				0.024	0.024	0.050	Y	Yes	1	NA
	Sulfate	14808-79-8	N	mg/L	36				0.35	0.35	1.0	Y	Yes	1	NA
SW-846 9315	Radium-226	13982-63-3	N	pCi/L	0.205	U	BL,BF	0.145	0.205	0.205	1.00	N	Yes	1	NA
SW-846 9320	Radium-228	15262-20-1	N	pCi/L	0.362	U		0.468	0.774	0.774	1.00	N	Yes	1	NA



Lab Sample ID	240-159547-3
Sys Sample Code	110321NMW-7
Sample Name	110321NMW-7
Sample Date	11/3/2021 4:20:00 PM
Location	MSPS-LFAB-MW-07 / MW-7
Sample Type	N
Matrix	GW
Parent Sample	

Analytic Method	Chemical Name	CAS Rn	Fraction	Result Unit	Final Result	Final Qual	Reason code	Uncertainty	Final MDL	Final RL	Final QL	Final Detect	Final Report	DF	Basis
CALC	Radium-226/228	RA226/228	N	pCi/L	0.347	U	BL,BF,S	0.538				N	Yes	1	NA
SW-846 6010D	Boron	7440-42-8	T	ug/L		U			57	57	100	N	Yes	1	NA
SW-846 6020B	Arsenic	7440-38-2	T	ug/L		U			0.75	0.75	5.0	N	Yes	1	NA
	Barium	7440-39-3	T	ug/L	99				2.2	2.2	5.0	Y	Yes	1	NA
	Beryllium	7440-41-7	T	ug/L		U			0.62	0.62	1.0	N	Yes	1	NA
	Cadmium	7440-43-9	T	ug/L		U			0.20	0.20	1.0	N	Yes	1	NA
	Calcium	7440-70-2	T	ug/L	55000				580	580	1000	Y	Yes	1	NA
	Chromium	7440-47-3	T	ug/L		U			2.5	2.5	5.0	N	Yes	1	NA
	Cobalt	7440-48-4	T	ug/L	0.26	J	RL		0.19	0.19	1.0	Y	Yes	1	NA
	Lead	7439-92-1	T	ug/L		U			0.45	0.45	1.0	N	Yes	1	NA
	Lithium	7439-93-2	T	ug/L	2.6	J	RL		1.7	1.7	8.0	Y	Yes	1	NA
	Molybdenum	7439-98-7	T	ug/L		U			1.1	1.1	5.0	N	Yes	1	NA
	Selenium	7782-49-2	T	ug/L		U			0.89	0.89	5.0	N	Yes	1	NA
Thallium	7440-28-0	T	ug/L	0.21	J	RL		0.20	0.20	1.0	Y	Yes	1	NA	
SW-846 9056A	Chloride	16887-00-6	N	mg/L	0.73	J	RL		0.28	0.28	1.0	Y	Yes	1	NA
	Fluoride	16984-48-8	N	mg/L	0.090				0.024	0.024	0.050	Y	Yes	1	NA
	Sulfate	14808-79-8	N	mg/L	52				0.35	0.35	1.0	Y	Yes	1	NA
SW-846 9315	Radium-226	13982-63-3	N	pCi/L	0.204	U	BL,BF	0.133	0.204	0.204	1.00	N	Yes	1	NA
SW-846 9320	Radium-228	15262-20-1	N	pCi/L	0.143	U		0.521	0.909	0.909	1.00	N	Yes	1	NA

Lab Sample ID	240-159547-4
Sys Sample Code	110321NMW-10
Sample Name	110321NMW-10
Sample Date	11/3/2021 2:15:00 PM
Location	MSPS-LFAB-MW-10 / MW-10
Sample Type	N
Matrix	GW
Parent Sample	

Analytic Method	Chemical Name	CAS Rn	Fraction	Result Unit	Final Result	Final Qual	Reason code	Uncertainty	Final MDL	Final RL	Final QL	Final Detect	Final Report	DF	Basis
CALC	Radium-226/228	RA226/228	N	pCi/L	1.27	J	BL,BF,L	0.560				Y	Yes	1	NA
SW-846 6010D	Boron	7440-42-8	T	ug/L		U			57	57	100	N	Yes	1	NA
SW-846 6020B	Arsenic	7440-38-2	T	ug/L		U			0.75	0.75	5.0	N	Yes	1	NA
	Barium	7440-39-3	T	ug/L	130				2.2	2.2	5.0	Y	Yes	1	NA
	Beryllium	7440-41-7	T	ug/L		U			0.62	0.62	1.0	N	Yes	1	NA
	Cadmium	7440-43-9	T	ug/L	0.33	J	RL		0.20	0.20	1.0	Y	Yes	1	NA
	Calcium	7440-70-2	T	ug/L	3800				580	580	1000	Y	Yes	1	NA
	Chromium	7440-47-3	T	ug/L		U			2.5	2.5	5.0	N	Yes	1	NA
	Cobalt	7440-48-4	T	ug/L	4.2				0.19	0.19	1.0	Y	Yes	1	NA
	Lead	7439-92-1	T	ug/L		U			0.45	0.45	1.0	N	Yes	1	NA
	Lithium	7439-93-2	T	ug/L	1.8	J	RL		1.7	1.7	8.0	Y	Yes	1	NA
	Molybdenum	7439-98-7	T	ug/L		U			1.1	1.1	5.0	N	Yes	1	NA
	Selenium	7782-49-2	T	ug/L		U			0.89	0.89	5.0	N	Yes	1	NA
Thallium	7440-28-0	T	ug/L		U			0.20	0.20	1.0	N	Yes	1	NA	
SW-846 9056A	Chloride	16887-00-6	N	mg/L	0.53	J	RL		0.28	0.28	1.0	Y	Yes	1	NA
	Fluoride	16984-48-8	N	mg/L	0.028	J	RL		0.024	0.024	0.050	Y	Yes	1	NA
	Sulfate	14808-79-8	N	mg/L	7.7				0.35	0.35	1.0	Y	Yes	1	NA
SW-846 9315	Radium-226	13982-63-3	N	pCi/L	0.253	U	BL,BF	0.141	0.253	0.253	1.00	N	Yes	1	NA
SW-846 9320	Radium-228	15262-20-1	N	pCi/L	1.02	J+	L	0.542	0.798	0.798	1.00	Y	Yes	1	NA

Lab Sample ID	240-159547-5
Sys Sample Code	110321NMW-13
Sample Name	110321NMW-13
Sample Date	11/3/2021 4:45:00 PM
Location	MSPS-LFAB-MW-13 / MW-13
Sample Type	N
Matrix	GW
Parent Sample	

Analytic Method	Chemical Name	CAS Rn	Fraction	Result Unit	Final Result	Final Qual	Reason code	Uncertainty	Final MDL	Final RL	Final QL	Final Detect	Final Report	DF	Basis
CALC	Radium-226/228	RA226/228	N	pCi/L	1.29	J	BL,BF,L	0.532				Y	Yes	1	NA
SW-846 6010D	Boron	7440-42-8	T	ug/L		U			57	57	100	N	Yes	1	NA
SW-846 6020B	Arsenic	7440-38-2	T	ug/L		U			0.75	0.75	5.0	N	Yes	1	NA
	Barium	7440-39-3	T	ug/L	80				2.2	2.2	5.0	Y	Yes	1	NA
	Beryllium	7440-41-7	T	ug/L	0.64	J	RL		0.62	0.62	1.0	Y	Yes	1	NA
	Cadmium	7440-43-9	T	ug/L	0.44	J	RL		0.20	0.20	1.0	Y	Yes	1	NA
	Calcium	7440-70-2	T	ug/L	6700				580	580	1000	Y	Yes	1	NA
	Chromium	7440-47-3	T	ug/L		U			2.5	2.5	5.0	N	Yes	1	NA
	Cobalt	7440-48-4	T	ug/L	1.2				0.19	0.19	1.0	Y	Yes	1	NA
	Lead	7439-92-1	T	ug/L		U			0.45	0.45	1.0	N	Yes	1	NA
	Lithium	7439-93-2	T	ug/L	3.9	J	RL		1.7	1.7	8.0	Y	Yes	1	NA
	Molybdenum	7439-98-7	T	ug/L		U			1.1	1.1	5.0	N	Yes	1	NA
	Selenium	7782-49-2	T	ug/L		U			0.89	0.89	5.0	N	Yes	1	NA
SW-846 9056A	Thallium	7440-28-0	T	ug/L	0.20	J	RL		0.20	0.20	1.0	Y	Yes	1	NA
	Chloride	16887-00-6	N	mg/L		U			0.28	0.28	1.0	N	Yes	1	NA
	Fluoride	16984-48-8	N	mg/L		U			0.024	0.024	0.050	N	Yes	1	NA
SW-846 9315	Sulfate	14808-79-8	N	mg/L		U			0.35	0.35	1.0	N	Yes	1	NA
	Radium-226	13982-63-3	N	pCi/L	0.523	U	BL,BF	0.199	0.523	0.523	1.00	N	Yes	1	NA
SW-846 9320	Radium-228	15262-20-1	N	pCi/L	0.772	J+	L	0.493	0.747	0.747	1.00	Y	Yes	1	NA

Lab Sample ID	240-159547-6
Sys Sample Code	110321NMW-14
Sample Name	110321NMW-14
Sample Date	11/3/2021 3:30:00 PM
Location	MSPS-LFAB-MW-14 / MW-14
Sample Type	N
Matrix	GW
Parent Sample	

Analytic Method	Chemical Name	CAS Rn	Fraction	Result Unit	Final Result	Final Qual	Reason code	Uncertainty	Final MDL	Final RL	Final QL	Final Detect	Final Report	DF	Basis
CALC	Radium-226/228	RA226/228	N	pCi/L	0.969	J	S	0.464				Y	Yes	1	NA
SW-846 6010D	Boron	7440-42-8	T	ug/L		U			57	57	100	N	Yes	1	NA
SW-846 6020B	Arsenic	7440-38-2	T	ug/L		U			0.75	0.75	5.0	N	Yes	1	NA
	Barium	7440-39-3	T	ug/L	58				2.2	2.2	5.0	Y	Yes	1	NA
	Beryllium	7440-41-7	T	ug/L		U			0.62	0.62	1.0	N	Yes	1	NA
	Cadmium	7440-43-9	T	ug/L	0.25	J	RL		0.20	0.20	1.0	Y	Yes	1	NA
	Calcium	7440-70-2	T	ug/L	10000				580	580	1000	Y	Yes	1	NA
	Chromium	7440-47-3	T	ug/L		U			2.5	2.5	5.0	N	Yes	1	NA
	Cobalt	7440-48-4	T	ug/L	0.73	J	RL		0.19	0.19	1.0	Y	Yes	1	NA
	Lead	7439-92-1	T	ug/L		U			0.45	0.45	1.0	N	Yes	1	NA
	Lithium	7439-93-2	T	ug/L	4.7	J	RL		1.7	1.7	8.0	Y	Yes	1	NA
	Molybdenum	7439-98-7	T	ug/L		U			1.1	1.1	5.0	N	Yes	1	NA
	Selenium	7782-49-2	T	ug/L		U			0.89	0.89	5.0	N	Yes	1	NA
Thallium	7440-28-0	T	ug/L		U			0.20	0.20	1.0	N	Yes	1	NA	
SW-846 9056A	Chloride	16887-00-6	N	mg/L	0.33	J	RL		0.28	0.28	1.0	Y	Yes	1	NA
	Fluoride	16984-48-8	N	mg/L	0.045	J	RL		0.024	0.024	0.050	Y	Yes	1	NA
	Sulfate	14808-79-8	N	mg/L	43				0.35	0.35	1.0	Y	Yes	1	NA
SW-846 9315	Radium-226	13982-63-3	N	pCi/L	0.730			0.222	0.180	0.180	1.00	Y	Yes	1	NA
SW-846 9320	Radium-228	15262-20-1	N	pCi/L	0.239	U		0.408	0.690	0.690	1.00	N	Yes	1	NA

Lab Sample ID	240-159547-7
Sys Sample Code	110321FBIELDBLANK_1520
Sample Name	110321FBIELDBLANK
Sample Date	11/3/2021 3:20:00 PM
Location	MSPS-FB / Field Blank
Sample Type	FB
Matrix	AQ
Parent Sample	

Analytic Method	Chemical Name	CAS Rn	Fraction	Result Unit	Final Result	Final Qual	Reason code	Uncertainty	Final MDL	Final RL	Final QL	Final Detect	Final Report	DF	Basis
CALC	Radium-226/228	RA226/228	N	pCi/L	0.807	J	S	0.425				Y	Yes	1	NA
SW-846 6010D	Boron	7440-42-8	T	ug/L		U			57	57	100	N	Yes	1	NA
SW-846 6020B	Arsenic	7440-38-2	T	ug/L		U			0.75	0.75	5.0	N	Yes	1	NA
	Barium	7440-39-3	T	ug/L		U			2.2	2.2	5.0	N	Yes	1	NA
	Beryllium	7440-41-7	T	ug/L		U			0.62	0.62	1.0	N	Yes	1	NA
	Cadmium	7440-43-9	T	ug/L		U			0.20	0.20	1.0	N	Yes	1	NA
	Calcium	7440-70-2	T	ug/L		U			580	580	1000	N	Yes	1	NA
	Chromium	7440-47-3	T	ug/L		U			2.5	2.5	5.0	N	Yes	1	NA
	Cobalt	7440-48-4	T	ug/L		U			0.19	0.19	1.0	N	Yes	1	NA
	Lead	7439-92-1	T	ug/L		U			0.45	0.45	1.0	N	Yes	1	NA
	Lithium	7439-93-2	T	ug/L		U			1.7	1.7	8.0	N	Yes	1	NA
	Molybdenum	7439-98-7	T	ug/L		U			1.1	1.1	5.0	N	Yes	1	NA
	Selenium	7782-49-2	T	ug/L		U			0.89	0.89	5.0	N	Yes	1	NA
Thallium	7440-28-0	T	ug/L		U			0.20	0.20	1.0	N	Yes	1	NA	
SW-846 9056A	Chloride	16887-00-6	N	mg/L		U			0.28	0.28	1.0	N	Yes	1	NA
	Fluoride	16984-48-8	N	mg/L		U			0.024	0.024	0.050	N	Yes	1	NA
	Sulfate	14808-79-8	N	mg/L		U			0.35	0.35	1.0	N	Yes	1	NA
SW-846 9315	Radium-226	13982-63-3	N	pCi/L	0.266			0.151	0.201	0.201	1.00	Y	Yes	1	NA
SW-846 9320	Radium-228	15262-20-1	N	pCi/L	0.542	U		0.397	0.619	0.619	1.00	N	Yes	1	NA

# **APPENDIX C**

## **2020 SECOND SEMI-ANNUAL ASSESSMENT MONITORING PROGRAM EVENT STATISTICAL WORKSHEETS**

**Appendix C**  
**Groundwater Protection Standard Comparison**  
**Confidence Limit Method**

**Date:** February 25, 2021  
**Site Owner:** Dominion Energy  
**Site:** Mt. Storm Power Station - Phase B Landfill  
**Monitoring Well:** MW-14  
**Constituent:** Cobalt

Sample Number	Sample Date	Result (ug/L)	Notes
1	3/15/2016	0.42	Detection
2	6/21/2016	0.15	Detection
3	8/23/2016	0.15	Detection
4	10/12/2016	0.35	Detection
5	4/5/2017	0.18	Detection
6	5/8/2017	1.0	Non-Detect
7	6/20/2017	1.0	Non-Detect
8	8/22/2017	1.0	Non-Detect
9	3/19/2018	0.5	Non-Detect
10	6/5/2018	5.0	Non-Detect
11	10/20/2018	5.0	Non-Detect
12	4/16/2019	1.0	Non-Detect
13	10/29/2019	4.3	Detection
14	4/14/2020	0.24	Detection
15	10/13/2020	18	Detection

**Sample Group Mean (X):** 2.55  
**Sample Group Standard Deviation (S):** 4.62  
**Confidence Level:** 95%  
**Sample Group Count:** 15  
**Degrees of Freedom (n-1):** 14  
**Critical Value (tc):** 1.761  
**Lower Confidence Limit (ug/L):** 0.450  
**Upper Confidence Limit (ug/L):** 4.655

**Groundwater Protection Standard (ug/L):** 6  
**GPS Exceedance Confirmed?:** NO

Note: GPS exceedance indicated if Lower Confidence Limit exceeds the GPS.



**[golder.com](http://golder.com)**