

Dominion EnergyNon-Residential Lighting Systems and Controls Program Rebate Application for North Carolina **Rebate Application for North Carolina**

DENC-NRI SC-Rebate-v0120

INSTRUCTIONS TO APPLY

1. CHECK PROJECT AND EQUIPMENT ELIGIBILITY

 Read all Terms and Conditions carefully on the rebate application to confirm your eligibility to participate in the Non-Residential Lighting Systems and Controls Program. Visit <u>DominionEnergy.com</u> to view the full list of qualifying measures and to select a participating contractor.

2. SUBMIT AN INITIAL ASSESSMENT TO RESERVE FUNDING

- An initial assessment must be completed and submitted for the following types of projects before the work can be initiated:
 - Past participants who have previously received a rebate in the Non-Residential Lighting Systems and Controls Program
 - All projects with LED measures regardless of rebate amount
 - All projects with an estimated rebate amount of \$10,000 or more
 - ► All self-install projects
- Wait until you receive notice that the initial assessment has been reviewed before starting your project with the participating contractor. You will receive a confirmation stating your project has been reviewed and the amount of rebate incentive reserved
- All projects involving exterior lights (Measures 45, 48 to 53) will be contacted for an on-site visit.

3. INSTALL EQUIPMENT OR PERFORM PROJECT WORK

 The incentive reservation allows 120 days to complete your project. You can only submit a rebate application when the project is complete. Contact us if you think your project will require more than 120 days.

4. SUBMIT A REBATE APPLICATION

- Submit a rebate application with a copy of the dated contractor invoice within 45 days of the service date and product invoice(s). All lighting installations are required to submit a copy of the product specification sheet that includes technical data and DLC listing or ENERGY STAR® rating verification.
- · Submit the rebate application in one of three ways below:
 - ► Email: NRLighting@Honeywell.com
 - Fax: 804-515-1587
 - Honeywell Smart Energy ► Mail: 7870 Villa Park Drive, Suite 800 Richmond, VA 23228
- · You may be contacted for a post-installation quality assurance inspection to verify that your application meets program guidelines.

5. RECEIVE INCENTIVE PAYMENT

 When your rebate application is approved, a rebate check will be mailed to you or the participating contactor.

TERMS AND CONDITIONS

These terms and conditions apply to the Non-Residential Lighting Systems and Controls Program ("Program"). The Program has been approved by the North Carolina Utilities Commission.

Any reference in these documents to "Dominion," "Dominion Energy," or "Dominion Energy North Carolina" should be read as a reference to Virginia Electric and Power Company d/b/a Dominion Energy North Carolina, as well as its authorized agents

ENROLLMENT QUALIFICATIONS AND REQUIREMENTS FOR PARTICIPATION

- 1. Service must be performed on or after January 1, 2020.
- 2. Program participant must be a Dominion non-residential customer ("Customer") who is not exempt by statute, not under special contract, has not elected to opt-out of paying the DSM rider, is responsible for the electric bill, and is the owner of the facility or reasonably able to secure permission to complete measures
- 3. Customer is eligible for more than one rebate per location during the program time period, except as stated below.
- 4. Customer who has previously received a rebate for the Non-Residential Lighting Systems and Controls Program is not eligible to receive another rebate for installing the same measure on the same fixture or lamp that previously received an incentive.
- 5. Work must be completed by a participating contractor that is in Dominion's network for this program when the work begins.
- 6. Dominion and/or its designees including program administrators and evaluation contractors reserve the right to review installations to verify completion and measure energy savings to ensure compliance with all program requirements. Such reviews will be made at a time convenient to the applicant. Denial of such verification or misrepresentation of installation location or measure eligibility may result in forfeiture of the rebate.
- 7. Service must be completed in accordance with all laws, codes and other requirements applicable under federal, state and local authority
- 8. The Customer understands that they may be contacted by Dominion via survey or questionnaire to provide feedback regarding Customer satisfaction with the program.

PAYMENT

1. Rebate application must be submitted within 45 days of the service date. It is the customer's responsibility to assure that all requirements of the rebate are met. Failure to provide any of the required information will delay application processing and could result in non-payment.

- 2. Rebate payments are based on the date of service. Customers must abide by the rules and rebate levels in effect on the date of service
- 3. Payment will be issued to the account holder and mailing address on record with the utility unless the Customer has authorized in writing that payment be made to the contractor specified in this document.
- 4. Please allow up to 90 days from the date all required information is received to process your rebate.
- 5. Customer is urged to seek appropriate consultation concerning any tax liabilities that could be associated with the receipt of the rebate

OTHER REQUIREMENTS

- 1. Program procedures, requirements and rebate levels are subject to change or cancellation without notice and are subject to program funds being available and regulatory approval
- 2. Dominion, its parents, subsidiaries, employees, affiliates and agents assume no responsibility for, and make no representations (express or implied) about, the performance of the equipment or equipment warranty, the quality of the work, labor and/or materials supplied, and/or the acts or omissions of the participating contractor.
- 3. By participating in this Program, the Customer hereby agrees to indemnify, defend and hold harmless Dominion, its parents, subsidiaries, employees, affiliates and agents from any and all liability associated with the Program. Dominion shall not be liable for loss or damage to any person or property whatsoever, resulting directly or indirectly from participation in this Program.
- 4. Dominion retains all rights to energy and demand savings resulting from measures installed under this Program for a maximum of four years. Dominion has the exclusive right to enroll, nominate, or offer a bid for energy or demand reductions resulting from measures installed under this Program into load management programs, demand response programs, or auctions operated by PJM Interconnection, L.L.C. ("PJM"), the regional electric transmission entity of which the Company is a member. Customer's participation in the program means that the Customer is consenting to Dominion sharing the Customer's pertinent information with PJM, Dominion's agents and contractors, including, but not limited to, its implementing contractors and its measurement and verification vendor. Pertinent customer information includes, but is not limited to, account holder name, account number, energy usage and billing information, address, other contact information, measures installed, period of installation, demand/energy reductions resulting from measures installed under this Program and the technical basis for such reductions, loss factors, coincidence factors, interactive factors, building type and other information necessary to implement and monitor the Program including other information as required by PJM or any other regulatory authority.
- 5. These Program specific terms and conditions are in addition to the terms and conditions of service currently on file with the North Carolina Utilities Commission and contained in any agreement between the Customer and a Program vendor.





North Carolina Non-Residential Lighting Systems and Controls Program **REBATE APPLICATION**

APPLICATION CHECKLIST	Complete the checklist below and submit al Who is submitting this rebate application? I (YOUR INITIALS) HAVE READ Completed entire rebate application. Attached a copy of the dated invoice from Attached a copy of the invoice for any prolincluded the product specification sheet lighting installations. V Submit in one of three ways:	Customer THE INSTR In the contract oduct purchas that has techn 1. Email: NR 2. Fax: 804-5 3. Mail: Hon	Contracto CUCTIONS A or who performed. ical data and I CLighting@Ho	r ND TERM med the w DLC listing neywell.c Energy ive, Suite	work. g or EN	ID CO	ONDI	TION	IS ON	PAGE	1.		ık fields.
	Service Name on Dominion Energy Account:				Dom	ninior	n Ene	rgy /	Accou	nt Nu	mber		
	Service Address:											I	
	City:	State:	Zip Code:		REBATE PAYMENT METHOD								
AILS	Key Contact Name:		KEB										
DETAILS	Email Address:				I (Your Initials) understand that my rebate incentive in the amount of \$ will be paid								
	Phone Number:				directly to the contractor specified in this document and recognize that I have received the equivalent value							t value	
CUSTOMER	Please select one: I own lease this no	n-residential fa	cility.		of this amount through services provided, unless I check here to have the rebate check sent to me.								
ISO:	The following question is optional:												
ပ	Did the rebate incentive offered by Dominion Ene				to have the work performed? Yes No n Energy North Carolina customer and owner or lessee of the business						:c		
	described above, and that I am authorized to take action				orgy rior	ar ouror	ma odot	011101	ma ovviio	7 07 10000	00 01 1110	Duomoc	
	Customer Name (please print)			Custo	mer Si	gnatu	re				ı	Date	
S	Company Name:			Technicia	n Name	:							
CONTRACTOR DETAILS	Company Street Address				Serv	vice D	ate:						
ORD	City:				Stat	e:		Zip Co	ode:				
ACT	Company Phone:	Email Address:	:							1			
NTR													
00	Technician Signature		Date										



Dominion Energy Account Number:													

DENC-NRLSC-Rebate-v0120

												DENC-NRLSC-Repate-v0120
Build	ing Type (Select	one)										
Education Education Food Sale	- College and University - Elementary and Middle School - High School s - Convenience Store s - Gas Station Convenience Store	Food	ood Sales – Grocery ood Service – Fast Food ood Service – Full Service ealth Care – Inpatient ealth Care – Outpatient			Mercantile - Mercantile - Office – Larg	Hotel, Motel, D - Mall - Retail (not m ge (≥40,000 sq all (<40,000 sc	all) ı ft)	Public Assembly Warehouse and Storage Public Order and Safety – Police and Fire Station Auto Repair Workshop, et Religious Worship Other			i -
T8s, 1	T5s and LEDs											
Rebate ca	annot be processed with I have a different fixture t e serial numbers for your	ype (e	xisting a	nd ne	w) and/	or a di	fferent m	odel nun	nber on y	our new	fixture	
Item No. (on Rebate Chart)	Existing Fixture Type (Provide details)		Existing Quantity	Existir Watta	_	Fixture Ty le details)	/pe		New Quantity	New Wattage	New Fix	cture Model No*
	Location (Indicate quantity in box):		Garage		Exit Sign		Stairwell	Inte	rior Light (exc	ept exit light)		Exterior Light (except garage)
1.	Reason for Work Done: Ret	rofit Early	rly Replacement Retro			lace Brokei	n New	Construction	: Light Power	Density (0.01 t	:0 3.00) -	Watt/sq ft
Item No. (on Rebate Chart)	Existing Fixture Type (Provide details)		Existing Quantity	Existir Watta	_	7.1			New Quantity	New Wattage	New Fix	cture Model No*
	Location (Indicate quantity in box):		Garage		Exit Sign		Stairwell	Inte	rior Light (exc	ept exit light)		Exterior Light (except garage)
2.	Reason for Work Done: Ret	rofit Early	/ Replacemen	t 🗌	Retrofit Rep	lace Brokei	n New	Construction	: Light Power	Density (0.01 t	:0 3.00) -	Watt/sq ft
Item No. (on Rebate Chart)	Existing Fixture Type (Provide details)		Existing Quantity	Existir Watta	_	Fixture Ty le details)	/pe		New Quantity	New Wattage	New Fix	cture Model No*
	Location (Indicate quantity in box):		Garage		Exit Sign		Stairwell	Inte	rior Light (exc	ept exit light)		Exterior Light (except garage)
3.	Reason for Work Done: Ref	rofit Early	/ Replacemen	t 🗌	Retrofit Rep	lace Brokei	n New	Construction	: Light Power	Density (0.01	:0 3.00) -	Watt/sq ft
Item No. (on Rebate Chart)	Existing Fixture Type (Provide details)		Existing Quantity	Existir Watta	0	Fixture Ty le details)	ype		New Quantity	New Wattage	New Fix	cture Model No*
	Location (Indicate quantity in box):		Garage		Exit Sign		Stairwell	Inte	rior Light (exc	ept exit light)		Exterior Light (except garage)
4.	Reason for Work Done: Ret	rofit Early	/ Replacemen	t 🗌	Retrofit Rep	lace Brokei	n New	Construction	: Light Power	Density (0.01 t	:0 3.00) -	Watt/sq ft
Item No. (on Rebate Chart)	Existing Fixture Type (Provide details)		Existing Quantity	Existir Watta	-	Fixture Ty le details)	/pe		New Quantity	New Wattage	New Fix	cture Model No*
	Location (Indicate quantity in box):		Garage		Exit Sign		Stairwell	Inte	rior Light (exc	ept exit light)		Exterior Light (except garage)
5.	Reason for Work Done: Ref	rofit Early	/ Replacemen	t 🗌	Retrofit Rep	lace Brokei	n New	Construction	: Light Power	Density (0.01 t	:0 3.00) –	Watt/sq ft
Item No. (on Rebate Chart)	Existing Fixture Type (Provide details)		Existing Quantity	Existir Watta	-	Fixture Ty le details)	ype		New Quantity	New Wattage	New Fix	cture Model No*
	Location (Indicate quantity in box):		Garage		Exit Sign		Stairwell	Inte	rior Light (exc	ept exit light)		Exterior Light (except garage)
6.	Reason for Work Done: Ret	rofit Early	/ Replacemen	t 🗌	Retrofit Rep	lace Brokei	n New	Construction	: Light Power	Density (0.01	:0 3.00) –	Watt/sq ft
Item No. (on Rebate Chart)	Existing Fixture Type (Provide details)		Existing Quantity	Existir Watta	-	Fixture Ty le details)	/pe		New Quantity	New Wattage	New Fix	cture Model No*
	Location (Indicate quantity in box):		Garage		Exit Sign		Stairwell	Inte	rior Light (exc	ept exit light)		Exterior Light (except garage)
7.	Reason for Work Done: Rea	rofit Early	/ Replacemen	t \square	Retrofit Rep	lace Brokei	n New	Construction	: Light Power	Density (0.01	:0 3.00) –	Watt/sq ft



Dom	inio	n Ene	ergy	Acco	unt l	Num	ber:		

DENC-NRLSC-Rebate-v0120

T8s, T5s and	LEDs (Continued)
--------------	------------------

Rebate cannot be processed with any missing information. All fields marked with an asterisk (*) are optional. Please use a new
line if you have a different fixture type (existing and new) and/or a different model number on your new fixture. If you are able
to capture serial numbers for your fixtures, please enter them on the Data Sheet on Page 7 of the application.

line if you	ı have a different fixture type (e	xisting a	nd new)	and/or a different					
Item No. (on Rebate Chart)	Existing Fixture Type (Provide details)	Existing Quantity	Existing Wattage	New Fixture Type (Provide details)		New Quantity	New Wattage	New Fixture Model No*	
	Location (Indicate quantity in box):	Garage	Exit	Sign Stairv	vell Inter	rior Light (exc	ept exit light)	Exterior Light (except garage)	
8.	Reason for Work Done: Retrofit Early	Replacemen	t Retr	ofit Replace Broken	New Construction:	Light Power	Density (0.01 t	to 3.00) – Watt/sq ft	
Item No. (on Rebate Chart)	Existing Fixture Type (Provide details)	Existing Quantity	Existing Wattage	New Fixture Type (Provide details)		New Quantity	New Wattage	New Fixture Model No*	
	Location (Indicate quantity in box):	Garage	Exit	Sign Stairv	vell Inter	rior Light (exc	ept exit light)	Exterior Light (except garage)	
9.	Reason for Work Done: Retrofit Early	Replacemen	t Retr	ofit Replace Broken	New Construction:	Light Power	Density (0.01 t	to 3.00) – Watt/sq ft	
Item No. (on Rebate Chart)	Existing Fixture Type (Provide details)	Existing Existing Quantity Wattage		New Fixture Type (Provide details)	New Quantity	New Wattage	New Fixture Model No*		
	Location (Indicate quantity in box):	Garage	Exit	Sign Stairv	vell Inter	rior Light (exc	ept exit light)	Exterior Light (except garage)	
10.	Reason for Work Done: Retrofit Early Replacement Retrofit Replace Broken New Construction: Light Power Density (0.01 to 3.00) – Watt/sq ft								
Item No. (on Rebate Chart)	Existing Fixture Type (Provide details)	Existing Quantity	Existing Wattage	New Fixture Type (Provide details)		New Quantity	New Wattage	New Fixture Model No*	
		Duantity Wattage Charde cerains Quantity Wattage Charde cerains Quantity Wattage Charde cerains Quantity Wattage East Sign Stainwell Intervier Light Incorpt content on Light Power Density 0.01 to 3.00 - Westfact Replace Broken New Construction Light Power Density 0.01 to 3.00 - Westfact Replace Grant Past offit Replace Broken New Construction Light Power Density 0.01 to 3.00 - Westfact Replace Grant Past offit Rep							
	Location (Indicate quantity in box):	Garage	Exit	Sign Stairv	vell Inter	rior Light (exc	ept exit light)	Exterior Light (except garage)	
11.		Replacemen	t Retr	ofit Replace Broken	New Construction:	Light Power			
Item No. (on Rebate Chart)	Existing Fixture Type (Provide details)							New Fixture Model No*	
	Location (Indicate quantity in box):	Garage	Exit	Sign Stairv	vell Inter	rior Light (exc	ept exit light)	Exterior Light (except garage)	
12.	Reason for Work Done: Retrofit Early	Replacemen	t Retr	ofit Replace Broken	New Construction:	Light Power	Density (0.01 t	to 3.00) Watt/sq ft	
Item No. (on Rebate Chart)	Existing Fixture Type (Provide details)	Ŭ						New Fixture Model No*	
	Location (Indicate quantity in box):	Garage	Exit	Sign Stairv	vell Inter	rior Light (exc	ept exit light)	Exterior Light (except garage)	
13.					New Construction:			•	
Item No. (on Rebate Chart)	Existing Fixture Type (Provide details)	U				-		New Fixture Model No*	
	Location (Indicate quantity in box):	Garage	Exit	Sign Stairv	vell Inter	rior Light (exc	ept exit light)	Exterior Light (except garage)	
14.	Reason for Work Done: Retrofit Early	Replacemen	t Retr	ofit Replace Broken	New Construction:	Light Power	Density (0.01 t	to 3.00) – Watt/sq ft	
Item No. (on Rebate Chart)	Existing Fixture Type (Provide details)	-	_					New Fixture Model No*	
	Location (Indicate quantity in box):	Garage	Exit	Sign Stairv	vell Inter	rior Light (exce	ept exit light)	Exterior Light (except garage)	
15.	Reason for Work Done: Retrofit Early	Replacemen	t Retr	ofit Replace Broken	New Construction:	Light Power	Density (0.01 t	to 3.00) Watt/sq ft	



Dom	inio	n Ene	ergy	Acco	unt l	Num	ber:		
									ļ

									DENC-NRLSC-Rebate-v0120
Occi	ınan	cv Sensors	(Ma	easures 96 to 98)					
	- p ci.	0, 00,,00,	Z (IIII						
			•	sing information. All f lease enter them on t					you are able to
						on rug			
Item No. (on Rebate Chart)	New Quantity	New Fixture Model No*		Occupancy Sensor Connected Load (0 to 1,000)	Item No. (on Rebate Chart)	New Quantity	New Fixture Model No*		Occupancy Sensor Connected Load (0 to 1,000)
	1			Watts					Watts
	Location	(Indicate quantity in box):		on for Work Done: etrofit Early Replacement		Location	(Indicate quantity in box):		on for Work Done: etrofit Early Replacement
	G	arage Exit Sign	\equiv	etrofit Replace Broken			iarage Exit Sign	\equiv	etrofit Replace Broken
	Ir	nterior Light (except exit light)		ew Construction: Light		lr	nterior Light (except exit light)		ew Construction: Light
1.	E	xterior Light (except garage)	Po	ower Density (0.01 to 3.00)	6.	E	xterior Light (except garage)	Po	ower Density (0.01 to 3.00)
Item No. (on	New	New Fixture Model No*	_	Occupancy Sensor	Item No. (on	New	New Fixture Model No*	_	Occupancy Sensor
Rebate Chart)	Quantity			Connected Load (0 to 1,000)	Rebate Chart)	Quantity			Connected Load (0 to 1,000)
				Watts					Watts
	Location	(Indicate quantity in box):	Reaso	on for Work Done:		Location	(Indicate quantity in box):	Reaso	on for Work Done:
	G	arage Exit Sign	Re	trofit Early Replacement			iarage Exit Sign	Re	etrofit Early Replacement
	le le	nterior Light (except exit light)	\equiv	etrofit Replace Broken			nterior Light (except exit light)	\equiv	etrofit Replace Broken
				ew Construction: Light ower Density (0.01 to 3.00)					ew Construction: Light ower Density (0.01 to 3.00)
2.	E	xterior Light (except garage)	_	Watt/sq ft	7.	E	xterior Light (except garage)	_	Watt/sq ft
Item No. (on Rebate Chart)	New Quantity	New Fixture Model No*		Occupancy Sensor Connected Load (0 to 1,000)	Item No. (on Rebate Chart)	New Quantity	New Fixture Model No*		Occupancy Sensor Connected Load (0 to 1,000)
				Watts					Watts
	Location	(Indicate quantity in box):	Reaso	on for Work Done:		Location	(Indicate quantity in box):	Reaso	on for Work Done:
	G	arage Exit Sign	\equiv	trofit Early Replacement		G	Sarage Exit Sign	=	etrofit Early Replacement
	Ir	nterior Light (except exit light)	\equiv	etrofit Replace Broken		lr.	nterior Light (except exit light)	=	etrofit Replace Broken ew Construction: Light
				ew Construction: Light ower Density (0.01 to 3.00)					ower Density (0.01 to 3.00)
3.		xterior Light (except garage)	_	Watt/sq ft	8.		xterior Light (except garage)		Watt/sq ft
Item No. (on Rebate Chart)	New Quantity	New Fixture Model No*		Occupancy Sensor Connected Load (0 to 1,000)	Item No. (on Rebate Chart)	New Quantity	New Fixture Model No*		Occupancy Sensor Connected Load (0 to 1,000)
				Watts					Watts
	Location	(Indicate quantity in box):	Reaso	on for Work Done:		Location	(Indicate quantity in box):		on for Work Done:
	G	arage Exit Sign	\equiv	etrofit Early Replacement		G	iarage Exit Sign	\equiv	etrofit Early Replacement
	Ir	nterior Light (except exit light)	=	etrofit Replace Broken ew Construction: Light		Ir	nterior Light (except exit light)	=	etrofit Replace Broken ew Construction: Light
	F	xterior Light (except garage)		ower Density (0.01 to 3.00)		F	xterior Light (except garage)		ower Density (0.01 to 3.00)
4.			_	Watt/sq ft	9.		-	_	Watt/sq ft
Item No. (on Rebate Chart)	New Quantity	New Fixture Model No*		Occupancy Sensor Connected Load (0 to 1,000)	Item No. (on Rebate Chart)	New Quantity	New Fixture Model No*		Occupancy Sensor Connected Load (0 to 1,000)
				Watts					Watts
	Location	(Indicate quantity in box):	Reaso	on for Work Done:		Location	(Indicate quantity in box):	Reaso	on for Work Done:
	G	arage Exit Sign	=	etrofit Early Replacement			Sarage Exit Sign	=	etrofit Early Replacement
	Ir	nterior Light (except exit light)	=	etrofit Replace Broken		li li	nterior Light (except exit light)	=	etrofit Replace Broken ew Construction: Light
				ower Density (0.01 to 3.00)					ower Density (0.01 to 3.00)
5.	E	xterior Light (except garage)		Watt/sq ft	10.	E	xterior Light (except garage)	_	Watt/sq ft



D	om	inio	n Ene	ergy	Acco	unt l	Num	ber:		

											DENC-NRLSC-Rebate-v0120
Occu	ipand	y Sens	ors	(Mea	sure 99	9)					
		-		-	_					asterisk (*) are optional. I ge 7 of the application.	f you are able to
Item No. (on Rebate Chart)	New Quantity	New Fixture Mo	odel No	*		Location (Ind		Rea	ason for Work Do	ne (Check one)	Occupancy Sensor Connected Load (0 to 1,000)
1.						Freez	er gerator		Retrofit Early Repla New Construction: Light Power Densit	Watts	
Item No. (on Rebate Chart)	New Quantity	New Fixture Mo	odel No	*		Location (Ind		Rea	ason for Work Do	ne (Check one)	Occupancy Sensor Connected Load (0 to 1,000)
2.						Freez	er		Retrofit Early Repla New Construction: Light Power Densit	Watts	
Item No. (on Rebate Chart)	New Quantity	New Fixture Mo	odel No	*		Location (Ind		Rea	ason for Work Do	ne (Check one)	Occupancy Sensor Connected Load (0 to 1,000)
3.						Freez	er		Retrofit Early Repla New Construction: Light Power Densit	Watts	
							J		Light Fortor Bollon	, (e.e. to e.ee, reat/eq. t	1.000
Occu	ıpand	y Sens	ors	(Mea	sure 10	00)					
Item No. (on Rebate Chart)	Existing F	xisting Fixture Type		Existing Quantity	Existing Wattage			ge	New Low Power Wattage	New Fixture Model No*	Occupancy Sensor Connected Load (0 to 1,000)
											Watts
1.	Location:	ell					Replace	Broke	en New Cor	nstruction: Light Power Density (0.01 to 3	3.00) – Watt/sq ft
Item No. (on Rebate Chart)	Existing F	Fixture Type		Existing Quantity	Existing Wattage	New Quantity	New Watta	ge	New Low Power Wattage	New Fixture Model No*	Occupancy Sensor Connected Load (0 to 1,000)
											Watts
2.	Location:	ell					Replace	Broke	en New Cor	nstruction: Light Power Density (0.01 to 3	3.00) – Watt/sq ft
Item No. (on Rebate Chart)	Existing F	Fixture Type		Existing Quantity	Existing Wattage	New Quantity	New Watta	ge	New Low Power Wattage	New Fixture Model No*	Occupancy Sensor Connected Load (0 to 1,000)
											Watts
3.	Location:	ell					Replace	Broke	en New Cor	nstruction: Light Power Density (0.01 to 3	3.00) – Watt/sq ft
Item No. (on Rebate Chart)	Existing F	Fixture Type		Existing Quantity	Existing Wattage	New Quantity	New Watta	ge	New Low Power Wattage	New Fixture Model No*	Occupancy Sensor Connected Load (0 to 1,000)
											Watts
	Location:	all					Replace	Drol	n	nstruction: Light Power Density (0.01 to 3	200)
Item No. (on			Reason for Work Don Retrofit Early Replace Reason for Work Don Quantity Reason for Work Don Retrofit Early Replace Reason for Work Don		Existing	New	New	DIOK	New Low	New Fixture Model No*	3.00) – Watt/sq ft Occupancy Sensor
Rebate Chart)		7,6-		_	Wattage	Quantity	Watta	ge	Power Wattage		Connected Load (0 to 1,000)
		,									Watts
5.	Location:	Stairwell Retrofit Early Replacem Existing Fixture Type Existing Quantity Occation: Stairwell Reason for Work Done Retrofit Early Replacem Existing Fixture Type Existing Quantity Existing Quantity Existing Quantity Existing Quantity Existing Existing Quantity Existing Pixture Type Retrofit Early Replacem					Replace	Broke	en New Cor	nstruction: Light Power Density (0.01 to 3	3.00) – Watt/sq ft



Dom	inio	n Ene	ergy	Acco	unt l	Num	ber:		

DENC-NRLSC-Rebate-v0120

Data Sheet

Please provide serial numbers that you are able to capture for all installed fixtures you listed in previous pages. All fields marked with an asterisk (*) are optional. Use a separate sheet for additional fixtures.

Item No* (on Rebate Chart)	New Fixture Model No*	New Fixture Serial No*	Location* (Provide detailed description for post-installation inspection)