

## INSTRUCTIONS TO APPLY

### 1 CHECK ELIGIBILITY FOR THE PROGRAM

- Read all Terms and Conditions carefully to confirm your eligibility to participate in the Residential Manufactured Homes Program. Visit [DominionEnergy.com](http://DominionEnergy.com) to learn more about the program and view the full list of qualifying measures.

### 2 SCHEDULE A HOME ENERGY AUDIT AND COMPLETE INSTALLATIONS

- A home energy audit must be completed before any measures are installed. Only one audit is required per location during the program time period. Please contact a participating contractor to schedule your audit.
- Once the home energy audit is complete, you can work with our list of participating contractors to install energy-efficient improvements for your home during the program time period.

### 3 SUBMIT A REBATE APPLICATION

- Submit a rebate application within 45 days of the service date. If you are applying for rebates for Measures 17 to 30, you must include a copy of the dated contractor invoice and/or product specification sheet.
- Submit the rebate application in one of three ways below:
  - Email: [Manufactured@Honeywell.com](mailto:Manufactured@Honeywell.com)
  - Fax: 804-520-3380
  - Mail: Honeywell Smart Energy  
15801 Woods Edge Rd, Bldg 12-2nd Floor • South Chesterfield, VA 23834
- You may be contacted for a post-installation quality assurance inspection to verify that your application meets program guidelines.

### 4 RECEIVE INCENTIVE PAYMENT

- When your rebate application is approved, a rebate check will be mailed to you or the participating contractor.

## TERMS AND CONDITIONS

These terms and conditions apply to the Residential Manufactured Housing Program ("Program"). The Program was approved by the Virginia State Corporation Commission.

Any reference in these documents to "Dominion," "Dominion Energy," or "Dominion Energy Virginia" should be read as a reference to Virginia Electric and Power Company d/b/a Dominion Energy Virginia, as well as its authorized agents and contractors.

### ENROLLMENT QUALIFICATIONS AND REQUIREMENTS FOR PARTICIPATION

- Service must be performed **on or after January 15, 2021.**
- Program participant must be a Dominion residential customer living in a single-family manufactured residence, such as a mobile or manufactured home ("Customer") in the Commonwealth of Virginia. The Customer must receive Electric Supply Service and Electric Delivery Service in accordance with a residential rate schedule, such as Schedule 1. Customer must be the party that is responsible for the electric bill and either own the home or otherwise able to secure permission to complete measures. Customers who do not occupy all-electric homes are eligible for some measures as indicated in the program measures chart.
- Customer is eligible for one rebate application per location for the following direct install measures during the Program time period: Hot Water Appliances, Lighting, Efficient Faucets and Aerators, Filter Replacement, Digital Switch Plate Wall Thermometer, AC Cover for Wall/Window Unit, Door Weatherstripping, Door Sweep, Caulking, Foaming and Poly Tape for Windows (the "Direct Install Measures").
- Customer is eligible for one rebate application per location for the following major measures during the Program time period: Air Sealing, Attic Insulation, Drill and Fill Wall Insulation and Belly Board Insulation.
- Customer may be eligible for more than one rebate application per location for the following major measures during the Program time period: HVAC Tune-Up, Heat Pump Upgrade, Duct Sealing, Heat Pump Water Heater, ECM Fan Motors, Cool Roof, Energy Star® Appliance Installation and Smart Thermostat Installation (collectively with the major measures described in Item 4 above, the "Major Measures").
- Customer is eligible for one HVAC Tune-Up measure per unit during the program time period. HVAC units in operation for less than six (6) months are not eligible to receive a HVAC Tune-Up. Geothermal heat pump units do not qualify. Units must be in working condition prior to tune-up. Any deficiencies identified during the tune-up, including refrigerant charge, must be corrected and noted by technician on the rebate application in order for Customer to qualify for the rebate program.
- Customer is eligible for one Heat Pump Upgrade measure per unit during the program time period. Simultaneous participation in the HVAC Tune-Up and Heat Pump Upgrade measures on the same unit is prohibited.
- Work must be completed by a participating contractor that is in Dominion's network when the work begins.
- Dominion and/or its designees including program administrators and evaluation contractors reserve the right to review installations to verify completion and measure energy savings to ensure compliance with all Program requirements. Such reviews will be made at a time convenient to the Customer. Denial of such verification or misrepresentation of installation location or measure eligibility may result in forfeiture of the rebate.
- Service must be completed in accordance with all laws, codes and other requirements applicable under federal, state and local authority.
- The Customer understands that it may be contacted by Dominion via survey or questionnaire to provide feedback regarding Customer satisfaction with the program.

### PAYMENT

- Rebate application must be submitted within 45 days of the service date.** The contractor submits the rebate application for the Manufactured Housing Program. Failure to provide any of the required information will delay processing of Customer's application and could result in nonpayment. It is the responsibility of the Customer to assure that all requirements for the rebate are met. Dominion retains the right to deny participation to Customer for failure to comply with the enrollment qualifications and requirements for participation.
- Rebate payments are based on the date of service. Customers must abide by the rules and rebate levels in effect on the date of service.
- Payment will be issued to the account holder and mailing address on record with the utility unless the Customer has authorized in writing that payment be made to the contractor specified in this document.
- Please allow up to 90 days from the date all required information is received to process your rebate.**
- Customer is urged to seek appropriate consultation concerning any tax liabilities that could be associated with the receipt of the rebate.

### OTHER REQUIREMENTS

- Program procedures, requirements and rebate levels are subject to change or cancellation without notice and are subject to Program funds being available and regulatory approval.
- Dominion, its parents, subsidiaries, employees, affiliates and agents assume no responsibility for, and make no representations (express or implied) about the performance of the equipment or equipment warranty for equipment supplied or serviced by, the quality of the work or labor performed by, the quality of the materials supplied by, and/or the acts or omissions of, itself or any participating contractor.
- By participating in this Program, the Customer hereby agrees to indemnify, defend and hold harmless Dominion, its parents, subsidiaries, employees, affiliates, contractors, and agents from any and all liability associated with the Program. Dominion shall not be liable for loss or damage to any person or property whatsoever, resulting directly or indirectly from participation in this Program.
- Dominion retains all rights to energy and demand savings resulting from measures installed under this Program for a maximum of four years. Dominion has the exclusive right to enroll, nominate, or offer a bid for energy or demand reductions resulting from measures installed under this Program into load management programs, demand response programs, or auctions operated by PJM Interconnection L.L.C. ("PJM"), the regional electric transmission organization of which the Company is a member. Customer's participation in this Program means that the Customer is consenting to Dominion sharing the Customer's pertinent information with PJM, Dominion's agents, and contractors, including, but not limited to, its implementing contractors and its measurement and verification vendor. Pertinent Customer information includes, but is not limited to, energy usage and billing information, account holder name, address, other contact information, measures installed, period of installation, demand/energy reductions resulting from measures installed under this Program and the technical basis for such reductions, loss factors, coincidence factors, interactive factors, building type, type of appliance at the home, and other information necessary to implement and monitor the Program, including any other information as required by PJM or any other regulatory authority.
- These Program specific terms and conditions are in addition to the terms and conditions of service currently on file with the Virginia State Corporation Commission and contained in any agreement between the Customer and a Program vendor. To the extent there is any conflict among such terms and conditions, these Program specific terms and conditions shall control.



|  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
|  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|

## Building Envelope

Rebate cannot be processed with any missing information.

### A/C COVER FOR WALL / WINDOW UNIT (Measure 17)

|   |
|---|
| <b>Cooling System Type:</b> <input type="checkbox"/> Central A/C <input type="checkbox"/> Packaged System A/C <input type="checkbox"/> Window Unit A/C <input type="checkbox"/> Heat Pump: Air Source <input type="checkbox"/> Heat Pump: Water Source <input type="checkbox"/> Heat Pump: Geothermal, Open Loop (rare) <input type="checkbox"/> Heat Pump: Geothermal, Closed Loop <input type="checkbox"/> Heat Pump: Ductless Mini Split <input type="checkbox"/> None |
| <b>Heating System Type:</b> <input type="checkbox"/> Heat Pump: Air Source <input type="checkbox"/> Heat Pump: Water Source <input type="checkbox"/> Heat Pump: Geothermal, Open Loop (rare) <input type="checkbox"/> Heat Pump: Geothermal, Closed Loop <input type="checkbox"/> Heat Pump: Ductless Mini Split <input type="checkbox"/> Electrical Resistance Heat <input type="checkbox"/> Non-Electric <input type="checkbox"/> None                                  |
| <b>Primary Heating Fuel:</b> <input type="checkbox"/> Electric <input type="checkbox"/> Non-Electric  |
| <b>Reason for Work Done:</b> <input type="checkbox"/> Retrofit Early Replacement <input type="checkbox"/> New Construction <input type="checkbox"/> Retrofit New Install <input type="checkbox"/> Retrofit Replace Broken   |

### DOOR WEATHERSTRIPPING (Measures 18-21)

Air Sealing is not eligible if applying for a rebate for the Door Weatherstripping measures.

Rebate Item # per Measure Chart:

|   |  |
|---|--|
| <b>Cooling System Type:</b> <input type="checkbox"/> Central A/C <input type="checkbox"/> Packaged System A/C <input type="checkbox"/> Window Unit A/C <input type="checkbox"/> Heat Pump: Air Source <input type="checkbox"/> Heat Pump: Water Source <input type="checkbox"/> Heat Pump: Geothermal, Open Loop (rare) <input type="checkbox"/> Heat Pump: Geothermal, Closed Loop <input type="checkbox"/> Heat Pump: Ductless Mini Split <input type="checkbox"/> None |  |
| <b>Heating System Type:</b> <input type="checkbox"/> Heat Pump: Air Source <input type="checkbox"/> Heat Pump: Water Source <input type="checkbox"/> Heat Pump: Geothermal, Open Loop (rare) <input type="checkbox"/> Heat Pump: Geothermal, Closed Loop <input type="checkbox"/> Heat Pump: Ductless Mini Split <input type="checkbox"/> Electrical Resistance Heat <input type="checkbox"/> Non-Electric <input type="checkbox"/> None                                  |  |
| <b>Length, linear ft:</b>   | <b>Primary Heating Fuel:</b> <input type="checkbox"/> Electric <input type="checkbox"/> Non-Electric |
| <b>Reason for Work Done:</b> <input type="checkbox"/> Retrofit Early Replacement <input type="checkbox"/> New Construction <input type="checkbox"/> Retrofit New Install <input type="checkbox"/> Retrofit Replace Broken   |  |

### DOOR SWEEP (Measures 22-25)

Air Sealing is not eligible if applying for a rebate for the Door Sweep measures.

Rebate Item # per Measure Chart:

|   |
|---|
| <b>Cooling System Type:</b> <input type="checkbox"/> Central A/C <input type="checkbox"/> Packaged System A/C <input type="checkbox"/> Window Unit A/C <input type="checkbox"/> Heat Pump: Air Source <input type="checkbox"/> Heat Pump: Water Source <input type="checkbox"/> Heat Pump: Geothermal, Open Loop (rare) <input type="checkbox"/> Heat Pump: Geothermal, Closed Loop <input type="checkbox"/> Heat Pump: Ductless Mini Split <input type="checkbox"/> None |
| <b>Heating System Type:</b> <input type="checkbox"/> Heat Pump: Air Source <input type="checkbox"/> Heat Pump: Water Source <input type="checkbox"/> Heat Pump: Geothermal, Open Loop (rare) <input type="checkbox"/> Heat Pump: Geothermal, Closed Loop <input type="checkbox"/> Heat Pump: Ductless Mini Split <input type="checkbox"/> Electrical Resistance Heat <input type="checkbox"/> Non-Electric <input type="checkbox"/> None                                  |
| <b>Primary Heating Fuel:</b> <input type="checkbox"/> Electric <input type="checkbox"/> Non-Electric  |
| <b>Reason for Work Done:</b> <input type="checkbox"/> Retrofit Early Replacement <input type="checkbox"/> New Construction <input type="checkbox"/> Retrofit New Install <input type="checkbox"/> Retrofit Replace Broken   |

### CAULKING (Measures 26-29)

Air Sealing is not eligible if applying for a rebate for the Caulking measures.

Rebate Item # per Measure Chart:

|   |  |
|---|--|
| <b>Cooling System Type:</b> <input type="checkbox"/> Central A/C <input type="checkbox"/> Packaged System A/C <input type="checkbox"/> Window Unit A/C <input type="checkbox"/> Heat Pump: Air Source <input type="checkbox"/> Heat Pump: Water Source <input type="checkbox"/> Heat Pump: Geothermal, Open Loop (rare) <input type="checkbox"/> Heat Pump: Geothermal, Closed Loop <input type="checkbox"/> Heat Pump: Ductless Mini Split <input type="checkbox"/> None |  |
| <b>Heating System Type:</b> <input type="checkbox"/> Heat Pump: Air Source <input type="checkbox"/> Heat Pump: Water Source <input type="checkbox"/> Heat Pump: Geothermal, Open Loop (rare) <input type="checkbox"/> Heat Pump: Geothermal, Closed Loop <input type="checkbox"/> Heat Pump: Ductless Mini Split <input type="checkbox"/> Electrical Resistance Heat <input type="checkbox"/> Non-Electric <input type="checkbox"/> None                                  |  |
| <b>Ounces, caulk per tube:</b>  | <b>Primary Heating Fuel:</b> <input type="checkbox"/> Electric <input type="checkbox"/> Non-Electric |
| <b>Reason for Work Done:</b> <input type="checkbox"/> Retrofit Early Replacement <input type="checkbox"/> New Construction <input type="checkbox"/> Retrofit New Install <input type="checkbox"/> Retrofit Replace Broken   |  |

|  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
|  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|

## Building Envelope (Continued)

**Rebate cannot be processed with any missing information.**

### FOAMING (Measures 30-33)

**Air Sealing is not eligible if applying for a rebate for the Foaming measures.**

Rebate Item # per Measure Chart:

Cooling System Type:
  Central A/C
  Packaged System A/C
  Window Unit A/C
  Heat Pump: Air Source
  Heat Pump: Water Source
  Heat Pump: Geothermal, Open Loop (rare)
  Heat Pump: Geothermal, Closed Loop
  Heat Pump: Ductless Mini Split
  None

Heating System Type:
  Heat Pump: Air Source
  Heat Pump: Water Source
  Heat Pump: Geothermal, Open Loop (rare)
  Heat Pump: Geothermal, Closed Loop
  Heat Pump: Ductless Mini Split
  Electrical Resistance Heat
  Non-Electric
  None

No. of Cans Used:
 **Primary Heating Fuel:**
 Electric
  Non-Electric

Reason for Work Done:
  Retrofit Early Replacement
  New Construction
  Retrofit New Install
  Retrofit Replace Broken

### POLY TAPE FOR WINDOWS (Measures 34-37)

**Air Sealing is not eligible if applying for a rebate for the Poly Tape measures.**

Rebate Item # per Measure Chart:

Cooling System Type:
  Central A/C
  Packaged System A/C
  Window Unit A/C
  Heat Pump: Air Source
  Heat Pump: Water Source
  Heat Pump: Geothermal, Open Loop (rare)
  Heat Pump: Geothermal, Closed Loop
  Heat Pump: Ductless Mini Split
  None

Heating System Type:
  Heat Pump: Air Source
  Heat Pump: Water Source
  Heat Pump: Geothermal, Open Loop (rare)
  Heat Pump: Geothermal, Closed Loop
  Heat Pump: Ductless Mini Split
  Electrical Resistance Heat
  Non-Electric
  None

No. of Rolls Used:
 **Primary Heating Fuel:**
 Electric
  Non-Electric

Reason for Work Done:
  Retrofit Early Replacement
  New Construction
  Retrofit New Install
  Retrofit Replace Broken

### AIR SEALING (Measures 61-72) Air Sealing is the selected rebate when installing insulation.

Rebate Item # per Measure Chart:

Cooling System Type:
  Central A/C
  Packaged System A/C
  Window Unit A/C
  Heat Pump: Air Source
  Heat Pump: Water Source
  Heat Pump: Geothermal, Open Loop (rare)
  Heat Pump: Geothermal, Closed Loop
  Heat Pump: Ductless Mini Split
  None

Heating System Type:
  Heat Pump: Air Source
  Heat Pump: Water Source
  Heat Pump: Geothermal, Open Loop (rare)
  Heat Pump: Geothermal, Closed Loop
  Heat Pump: Ductless Mini Split
  Electrical Resistance Heat
  Non-Electric
  None

Home's Calculated MVR:
 **CFM Reduction:**
 <20% or <2000CFM = Limited
  20-30% or 2000 to 3000CFM = Moderate
  >30% or 3000CFM = Extensive

CFM 50 Envelope Only Pre-Installation (CFM25 fields are only required when Duct-Testing-Method does NOT = Modified Blower Door Subtraction):

CFM 50 Envelope Only Post-Installation (CFM25 fields are only required when Duct-Testing-Method does NOT = Modified Blower Door Subtraction):

Hours Involved:
 **Primary Heating Fuel:**
 Electric
  Non-Electric

Conditioned Space (Sq Ft):
 No. of Floors:

Reason for Work Done:
  Retrofit Early Replacement
  New Construction
  Retrofit New Install
  Retrofit Replace Broken

|  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
|  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|

## Building Envelope (Continued)

Rebate cannot be processed with any missing information.

### ATTIC INSULATION (Measures 79-102) Rebate only applicable to added insulation up to a total of R-38

Rebate Item # per Measure Chart:

|   |  |  |                                    |
|---|--|--|------------------------------------|
| Area free of moisture issues? <input type="checkbox"/> Yes <input type="checkbox"/> No  |  | Total Area of New Attic Insulation (Sq Ft):  |                                    |
| New Insulation R-Value: <input type="checkbox"/> R19 <input type="checkbox"/> R24 <input type="checkbox"/> R30 <input type="checkbox"/> R38   |  |  |                                    |
| New Insulation Type: <input type="checkbox"/> Dense Pack <input type="checkbox"/> Blown Fiberglass <input type="checkbox"/> Blown Cellulose   |  |  | New Insulation Thickness (Inches): |
| Cooling System Type: <input type="checkbox"/> Central A/C <input type="checkbox"/> Packaged System A/C <input type="checkbox"/> Window Unit A/C <input type="checkbox"/> Heat Pump: Air Source <input type="checkbox"/> Heat Pump: Water Source<br><input type="checkbox"/> Heat Pump: Geothermal, Open Loop (rare) <input type="checkbox"/> Heat Pump: Geothermal, Closed Loop <input type="checkbox"/> Heat Pump: Ductless Mini Split <input type="checkbox"/> None |  |  |                                    |
| Heating System Type: <input type="checkbox"/> Heat Pump: Air Source <input type="checkbox"/> Heat Pump: Water Source <input type="checkbox"/> Heat Pump: Geothermal, Open Loop (rare)<br><input type="checkbox"/> Heat Pump: Geothermal, Closed Loop <input type="checkbox"/> Heat Pump: Ductless Mini Split <input type="checkbox"/> Electrical Resistance Heat <input type="checkbox"/> Non-Electric <input type="checkbox"/> None                                  |  |  |                                    |
| Old Insulation Type: <input type="checkbox"/> Blown Fiberglass <input type="checkbox"/> Blown Cellulose <input type="checkbox"/> Loose Fill Rock Wool <input type="checkbox"/> Fiberglass Batt<br><input type="checkbox"/> Rock Wool Batt <input type="checkbox"/> Denim Batt <input type="checkbox"/> None   |  |  |                                    |
| Old Insulation Thickness (Inches):  | Primary Heating Fuel:<br><input type="checkbox"/> Electric <input type="checkbox"/> Non-Electric |  | No. of Floors:                     |
| Conditioned Space (Sq Ft):  |  | Access Panels Insulated to R19: <input type="checkbox"/> Yes <input type="checkbox"/> No   |                                    |
| Above Sheathing Ventilation: <input type="checkbox"/> Yes <input type="checkbox"/> No   |  | Reason for Work Done: <input type="checkbox"/> Retrofit Early Replacement <input type="checkbox"/> New Construction <input type="checkbox"/> Retrofit New Install <input type="checkbox"/> Retrofit Replace Broken |                                    |

### DRILL & FILL WALL INSULATION (Measures 103-105)

Rebate Item # per Measure Chart:

|   |                                    |  |                                    |
|---|------------------------------------|--|------------------------------------|
| New Insulation Total Wall Area (Sq Ft):   |                                    | New Insulation R-Value: <input type="checkbox"/> R13   |                                    |
| New Insulation Type: <input type="checkbox"/> Dense Pack <input type="checkbox"/> Blown Fiberglass <input type="checkbox"/> Blown Cellulose   |                                    |  | New Insulation Thickness (Inches): |
| Cooling System Type: <input type="checkbox"/> Central A/C <input type="checkbox"/> Packaged System A/C <input type="checkbox"/> Window Unit A/C <input type="checkbox"/> Heat Pump: Air Source <input type="checkbox"/> Heat Pump: Water Source<br><input type="checkbox"/> Heat Pump: Geothermal, Open Loop (rare) <input type="checkbox"/> Heat Pump: Geothermal, Closed Loop <input type="checkbox"/> Heat Pump: Ductless Mini Split <input type="checkbox"/> None |                                    |  |                                    |
| Heating System Type: <input type="checkbox"/> Heat Pump: Air Source <input type="checkbox"/> Heat Pump: Water Source <input type="checkbox"/> Heat Pump: Geothermal, Open Loop (rare)<br><input type="checkbox"/> Heat Pump: Geothermal, Closed Loop <input type="checkbox"/> Heat Pump: Ductless Mini Split <input type="checkbox"/> Electrical Resistance Heat <input type="checkbox"/> Non-Electric <input type="checkbox"/> None                                  |                                    |  |                                    |
| Old Insulation R-Value:<br><input type="checkbox"/> None <input type="checkbox"/> R6  | Old Insulation Thickness (Inches): | Primary Heating Fuel:<br><input type="checkbox"/> Electric <input type="checkbox"/> Non-Electric   | No. of Floors:                     |
| Conditioned Space (Sq Ft):  |                                    | Reason for Work Done: <input type="checkbox"/> Retrofit Early Replacement <input type="checkbox"/> New Construction <input type="checkbox"/> Retrofit New Install <input type="checkbox"/> Retrofit Replace Broken |                                    |

### BELLY BOARD/SUBFLOOR INSULATION (Measures 106-108)

Rebate Item # per Measure Chart:

|   |                                    |  |                |
|---|------------------------------------|--|----------------|
| Area free of moisture issues? <input type="checkbox"/> Yes <input type="checkbox"/> No  |                                    |  |                |
| Cooling System Type: <input type="checkbox"/> Central A/C <input type="checkbox"/> Packaged System A/C <input type="checkbox"/> Window Unit A/C <input type="checkbox"/> Heat Pump: Air Source <input type="checkbox"/> Heat Pump: Water Source<br><input type="checkbox"/> Heat Pump: Geothermal, Open Loop (rare) <input type="checkbox"/> Heat Pump: Geothermal, Closed Loop <input type="checkbox"/> Heat Pump: Ductless Mini Split <input type="checkbox"/> None |                                    |  |                |
| Heating System Type: <input type="checkbox"/> Heat Pump: Air Source <input type="checkbox"/> Heat Pump: Water Source <input type="checkbox"/> Heat Pump: Geothermal, Open Loop (rare)<br><input type="checkbox"/> Heat Pump: Geothermal, Closed Loop <input type="checkbox"/> Heat Pump: Ductless Mini Split <input type="checkbox"/> Electrical Resistance Heat <input type="checkbox"/> Non-Electric <input type="checkbox"/> None                                  |                                    |  |                |
| New Insulation R-Value Minimum $\geq$ R19? <input type="checkbox"/> Yes <input type="checkbox"/> No   |                                    | New Insulation Type: <input type="checkbox"/> Dense Pack <input type="checkbox"/> Blown Fiberglass <input type="checkbox"/> Blown Cellulose  |                |
| New Insulation Area (Sq Ft):  | New Insulation Thickness (Inches): | Primary Heating Fuel:<br><input type="checkbox"/> Electric <input type="checkbox"/> Non-Electric   | No. of Floors: |
| Conditioned Space (Sq Ft):  |                                    | Reason for Work Done: <input type="checkbox"/> Retrofit Early Replacement <input type="checkbox"/> New Construction <input type="checkbox"/> Retrofit New Install <input type="checkbox"/> Retrofit Replace Broken |                |