

DominionEnergy® Non-Residential Lighting Systems and Controls Program Rebate Application for Virginia **Rebate Application for Virginia**

DEV-NRI SC-Rebate-v1019

INSTRUCTIONS TO APPLY

1. CHECK PROJECT AND EQUIPMENT ELIGIBILITY

 Read all Terms and Conditions carefully on the rebate application to confirm your eligibility to participate in the Non-Residential Lighting Systems and Controls Program. Visit <u>DominionEnergy.com</u> to view the full list of qualifying measures and to select a participating contractor.

2. SUBMIT AN INITIAL ASSESSMENT TO RESERVE FUNDING

- An initial assessment must be completed and submitted for the following types of projects before the work can be initiated:
 - Past participants who have previously received a rebate in the Non-Residential Lighting Systems and Controls Program
 - All projects with LED measures regardless of rebate amount
 - All projects with an estimated rebate amount of \$10,000 or more
 - ► All self-install projects
- Wait until you receive notice that the initial assessment has been reviewed before starting your project with the participating contractor. You will receive a confirmation stating your project has been reviewed and the amount of rebate incentive reserved
- All projects involving exterior lights (Measures 45, 48 to 53) will be contacted for an on-site visit.

3. INSTALL EQUIPMENT OR PERFORM PROJECT WORK

 The incentive reservation allows 120 days to complete your project. You can only submit a rebate application when the project is complete. Contact us if you think your project will require more than 120 days.

4. SUBMIT A REBATE APPLICATION

- Submit a rebate application with a copy of the dated contractor invoice within 45 days of the service date and product invoice(s). All lighting installations are required to submit a copy of the product specification sheet that includes technical data and DLC listing or ENERGY STAR® rating verification.
- · Submit the rebate application in one of three ways below:
 - ► Email: NRLighting@Honeywell.com
 - Fax: 804-515-1587
 - Honeywell Smart Energy ► Mail: 7870 Villa Park Drive, Suite 800 Richmond, VA 23228
- · You may be contacted for a post-installation quality assurance inspection to verify that your application meets program guidelines.

5. RECEIVE INCENTIVE PAYMENT

 When your rebate application is approved, a rebate check will be mailed to you or the participating contactor.

TERMS AND CONDITIONS

These terms and conditions apply to the Non-Residential Lighting Systems and Controls Program ("Program"). The Program has been approved by the Virginia State Corporation Commission.

Any reference in these documents to "Dominion," "Dominion Energy," or "Dominion Energy Virginia" should be read as a reference to Virginia Electric and Power Company d/b/a Dominion Energy Virginia, as well as its authorized agents and contractors.

ENROLLMENT QUALIFICATIONS AND REQUIREMENTS FOR PARTICIPATION

- 1. Service must be performed on or after October 1, 2019.
- 2. Program participant must be a Dominion non-residential customer ("Customer") who is not exempt by statute, not under special contract, is responsible for the electric bill, and is the owner of the facility or reasonably able to secure permission to complete measures.
- 3. Customer is eligible for more than one rebate per location during the program time period, except as stated below.
- 4. Customer who has previously received a rebate for the Non-Residential Lighting Systems and Controls Program is not eligible to receive another rebate for installing the same measure on the same fixture or lamp that previously received an incentive.
- 5. Work must be completed by a participating contractor that is in Dominion's network for this program when the work begins
- 6. Dominion and/or its designees including program administrators and evaluation contractors reserve the right to review installations to verify completion and measure energy savings to ensure compliance with all program requirements. Such reviews will be made at a time convenient to the applicant. Denial of such verification or misrepresentation of installation location or measure eligibility may result in forfeiture of the rebate.
- 7 Service must be completed in accordance with all laws, codes and other requirements applicable under federal, state and local authority.
- 8. The Customer understands that they may be contacted by Dominion via survey or questionnaire to provide feedback regarding Customer satisfaction with the program.

PAYMENT

1. Rebate application must be submitted within 45 days of the service date. It is the customer's responsibility to assure that all requirements of the rebate are met. Failure to provide any of the required information will delay application processing and could result in non-payment.

- 2. Rebate payments are based on the date of service. Customers must abide by the rules and rebate levels in effect on the date of service.
- 3. Payment will be issued to the account holder and mailing address on record with the utility unless the Customer has authorized in writing that payment be made to the contractor
- 4. Please allow up to 90 days from the date all required information is received to process your rebate.
- 5. Customer is urged to seek appropriate consultation concerning any tax liabilities that could be associated with the receipt of the rebate.

OTHER REQUIREMENTS

- 1. Program procedures, requirements and rebate levels are subject to change or cancellation without notice and are subject to program funds being available and regulatory approval.
- 2. Dominion, its parents, subsidiaries, employees, affiliates and agents assume no responsibility for, and make no representations (express or implied) about, the performance of the equipment or equipment warranty, the quality of the work, labor and/or materials supplied, and/or the acts or omissions of the participating contractor.
- 3. By participating in this Program, the Customer hereby agrees to indemnify, defend and hold harmless Dominion, its parents, subsidiaries, employees, affiliates and agents from any and all liability associated with the Program. Dominion shall not be liable for loss or damage to any person or property whatsoever, resulting directly or indirectly from participation in this Program.
- 4. Dominion retains all rights to energy and demand savings resulting from measures installed under this Program for a maximum of four years. Dominion has the exclusive right to enroll, nominate, or offer a bid for energy or demand reductions resulting from measures installed under this Program into load management programs, demand response programs, or auctions operated by PJM Interconnection, L.L.C. ("PJM"), the regional electric transmission entity of which the Company is a member. Customer's participation in the program means that the Customer is consenting to Dominion sharing the Customer's pertinent information with PJM, Dominion's agents and contractors, including, but not limited to, its implementing contractors and its measurement and verification vendor. Pertinent customer information includes, but is not limited to, account holder name, account number, energy usage and billing information, address, other contact information, measures installed, period of installation, demand/energy reductions resulting from measures installed under this Program and the technical basis for such reductions, loss factors, coincidence factors, interactive factors, building type and other information necessary to implement and monitor the Program including other information as required by PJM or any other regulatory authority.
- 5. These Program specific terms and conditions are in addition to the terms and conditions of service currently on file with the Virginia State Corporation Commission and contained in any agreement between the Customer and a Program vendor.



Virginia Non-Residential Lighting Systems and Controls Program **REBATE APPLICATION**

APPLICATION CHECKLIST	✓ Submit in one of three ways:	r ND TER	MS AN work. g or EN	ID CO	NDIT	ONS C	ON PA	.GE 1.		k fields.		
	Service Name on Dominion Energy Account:				Dom	inion	Ener	ју Асс	ount l	Numbe	er:	
	Service Address:											
	City:	State:	Zip Code:		DED	ATE	DAV	MENI	F RAE	ТНОІ		
AILS	Key Contact Name:		NED									
DETAILS	Email Address:				I (Your Initials) understand that my rebate incentive in the amount of \$ will be paid							aid
	Phone Number:				directly to the contractor specified in this document and recognize that I have received the equivalent value							t value
CUSTOMER	Please select one: I own lease this non	-residential fac	cility.		of this amount through services provided, unless I check here to have the rebate check sent to me.							
_SN	The following question is optional:											
ပ	Did the rebate incentive offered by Dominion Energy											" 1
	By signing this application, I agree to the above terms and above, and that I am authorized to take action on the Dom			Jominion Er	nergy Virgi	inia cusi	omer and	owner oi	r lessee (ot the bus	iness descr	ibea
	Customer Name (please print)	Custo	omer Si	gnatuı	·e				Date			
S	Company Name:		Technicia	ın Name:	:							
CONTRACTOR DETAILS	Company Street Address				Servi	e Date:						
OR	City:				State		Zip	o Code:				
3ACT	Company Phone:				1							
N H H												
S	Technician Signature											



Dominion Energy Account Number:											

													DEV-NRLSC-Rebate-v1019
Build	ing Type (Sele	ct one)										
Education Education Food Sales	- College and University - Elementary and Middle School - High School s - Convenience Store s - Gas Station Convenience Store	Foo	od Sales – Gro od Service – Fa od Service – Fa alth Care – Inp alth Care – Ou	ast Food ull Servi	ce	Mercant Mercant Office -	– Hotel, Moto ile – Mall ile – Retail (no Large (≥40,00 Small (<40,00	ot mall) 0 sq ft)	y	-	der and Safet d Fire Station		Warehouse and Storage Service – Beauty, Auto Repair Workshop, etc.
T8s, 1	Г5s and LED	S											
Rebate ca	nnot be processed wi have a different fixtu e serial numbers for yo	th any m	existing a	and n	ew) a	and/or a	different	model i	numbe	er on y	our new	fixture	
Item No. (on Rebate Chart)	Existing Fixture Type (Provide details)		Existing Quantity	Exist Watta	-	New Fixtur Provide detai				ew uantity	New Wattage	New Fix	cture Model No*
	Location (Indicate quantity in bo	×):	Garage		Exit Si	gn	Stairwell		Interior	Light (exce	ept exit light)		Exterior Light (except garage)
1.	Reason for Work Done:	Retrofit Ear	ly Replacemer	nt [Retrof	it Replace Bro	oken	lew Constru	ction: Lig	ght Power I	Density (0.01 t	to 3.00) -	Watt/sq ft
Item No. (on Rebate Chart)	Existing Fixture Type (Provide details)		Existing Quantity	Exist Watta		New Fixtur Provide detai				ew uantity	New Wattage	New Fix	cture Model No*
	Location (Indicate quantity in bo	×):	Garage		Exit Si	gn	Stairwell		Interior	Light (exce	ept exit light)		Exterior Light (except garage)
2.	Reason for Work Done:	Retrofit Ear	ly Replacemer	nt [Retrof	it Replace Bro	oken	lew Constru	ction: Lig	ght Power I	Density (0.01 t	to 3.00) -	Watt/sq ft
Item No. (on Rebate Chart)	Existing Fixture Type (Provide details)	Existing Quantity	Exist Watta		New Fixtur Provide detai				ew uantity	New Wattage	New Fix	cture Model No*	
_	Location (Indicate quantity in bo	x):	Garage		Exit Si	gn	Stairwell		Interior	Light (exce	ept exit light)		Exterior Light (except garage)
3. Item No. (on	Reason for Work Done: Existing Fixture Type	Retrofit Ear	y Replacemer Existing	Exist		it Replace Bro New Fixtur		lew Constru		ght Power I ew	Density (0.01 t		Watt/sq ft cture Model No*
Rebate Chart)	(Provide details)		Quantity	Watta		Provide detai				uantity	Wattage	14047 112	auto model 110
	Location (Indicate quantity in bo	x):	Garage		Exit Sig	gn	Stairwell		Interior	Light (exce	ept exit light)		Exterior Light (except garage)
4.	Reason for Work Done:	Retrofit Ear	ly Replacemer	nt 🗌	Retrof	it Replace Bro	oken N	lew Constru	ction: Lig	ght Power I	Density (0.01 t	to 3.00)	Watt/sq ft
Item No. (on Rebate Chart)	Existing Fixture Type (Provide details)		Existing Quantity	Exist Watta	-	New Fixtur Provide detai	, ·			ew uantity	New Wattage	New Fix	cture Model No*
	Location (Indicate quantity in bo	x):	Garage		Exit Sig	gn	Stairwell		Interior	Light (exce	ept exit light)		Exterior Light (except garage)
5.	Reason for Work Done:	Retrofit Ear	ly Replacemer	nt [Retrofi	it Replace Bro	oken N	lew Constru	ction: Lig	ght Power I	Density (0.01 t	to 3.00) -	Watt/sq ft
Item No. (on Rebate Chart)	Existing Fixture Type (Provide details)		Existing Quantity	Exist Watta		New Fixtur Provide detail				ew uantity	New Wattage	New Fix	cture Model No*
	Location (Indicate quantity in bo	x):	Garage		Exit Si	gn	Stairwell		Interior	Light (exce	ept exit light)		Exterior Light (except garage)
6.	Reason for Work Done:	Retrofit Ear	ly Replacemer	nt [Retrof	it Replace Bro	oken	lew Constru	ction: Lig	ght Power I	Density (0.01 t	to 3.00) -	Watt/sq ft
Item No. (on	Existing Fixture Type		Existing	Exist		New Fixtur				ew	New Wattage	New Fix	ture Model No*
Rebate Chart)	(Provide details)		Quantity	Watta	age (Provide detai	(8)		Qt	uantity	Wattage		
			<u> </u> 		<u> </u>				1.				1
_	Location (Indicate quantity in bo	1	Garage		Exit Si		Stairwell				ept exit light)		Exterior Light (except garage)
7.	Reason for Work Done:	☐ Retrofit Ear	ly Replacemer	nt L	Retrof	it Replace Bro	oken L	lew Constru	ction: Lig	ght Power I	Density (0.01 t	to 3.00)	Watt/sq ft



Don	ninio	n Ene	ergy	Acco	unt l	Num	ber:		
									,

DEV-NRLSC-Rebate-v1019

T8s, T5s and LEDs (Continued)

Rebate cannot be processed with any missing information. All fields marked with an asterisk (*) are optional. Please use a new
line if you have a different fixture type (existing and new) and/or a different model number on your new fixture. If you are able
to capture serial numbers for your fixtures, please enter them on the Data Sheet on Page 7 of the application.

line if you	nnot be processed with any m I have a different fixture type (e e serial numbers for your fixtur	existing a	nd new)	and/or a d	lifferent m	odel nun	nber on y	our new	fixture. If you are able
Item No. (on Rebate Chart)	Existing FixtureType (Provide details)	Existing Quantity	Existing Wattage	New Fixture (Provide details)			New Quantity	New Wattage	New Fixture Model No*
	Location (Indicate quantity in box):	Garage	Exit	Sign	Stairwell	Inte	rior Light (exc	ept exit light)	Exterior Light (except garage)
8.	Reason for Work Done: Retrofit Earl	y Replacemer	nt Retr	ofit Replace Brok	en New	Construction:	Light Power	Density (0.01	to 3.00) Watt/sq ft
Item No. (on Rebate Chart)	Existing Fixture Type (Provide details)	Existing Quantity	Existing Wattage	New Fixture (Provide details)			New Quantity	New Wattage	New Fixture Model No*
					-				
	Location (Indicate quantity in box):	Garage	Exit	Sign	Stairwell	Inte	rior Light (exc	ept exit light)	Exterior Light (except garage)
9.		y Replacemer		ofit Replace Brok		Construction			to 3.00) – Watt/sq ft
Item No. (on Rebate Chart)	Existing Fixture Type (Provide details)	Existing Quantity	Existing Wattage	New Fixture (Provide details)			New Quantity	New Wattage	New Fixture Model No*
	Location (Indicate quantity in box):	Garage	Exit	Sign	Stairwell	Inte	rior Light (exc	ept exit light)	Exterior Light (except garage)
10.	Reason for Work Done: Retrofit Earl	y Replacemer	nt Retr	ofit Replace Brok	en New	Construction:	Light Power	Density (0.01	to 3.00) Watt/sq ft
Item No. (on Rebate Chart)	Existing Fixture Type (Provide details)	Existing Quantity	Existing Wattage	New Fixture (Provide details)			New Quantity	New Wattage	New Fixture Model No*
	Location (Indicate quantity in box):	Garage	Exit	Sign	Stairwell	Inte	rior Light (exc	ept exit light)	Exterior Light (except garage)
11.	Reason for Work Done: Retrofit Earl	y Replacemer	nt Retr	ofit Replace Brok	en New	Construction:	Light Power	Density (0.01	to 3.00) – Watt/sq ft
Item No. (on Rebate Chart)	Existing Fixture Type (Provide details)	Existing Quantity	Existing Wattage	New Fixture (Provide details)			New Quantity	New Wattage	New Fixture Model No*
							,	3	
	Location (Indicate quantity in box):	Garage	Exit	Sign	Stairwell	Inte	rior Light (exc	ept exit light)	Exterior Light (except garage)
12.	Reason for Work Done: Retrofit Earl	y Replacemer	nt Retr	ofit Replace Brok	en New	Construction:	Light Power	Density (0.01	to 3.00) Watt/sq ft
Item No. (on Rebate Chart)	Existing Fixture Type (Provide details)	Existing Quantity	Existing Wattage	New Fixture (Provide details)			New Quantity	New Wattage	New Fixture Model No*
	Location (Indicate quantity in box):	Garage	Exit	Sign	Stairwell	Inte	rior Light (exc	ept exit light)	Exterior Light (except garage)
13.		y Replacemer		ofit Replace Brok		Construction:			to 3.00) Watt/sq ft
Item No. (on Rebate Chart)	Existing Fixture Type (Provide details)	Existing Quantity	Existing Wattage	New Fixture (Provide details)			New Quantity	New Wattage	New Fixture Model No*
	Location (Indicate quantity in box):	Garage	Exit	Sign	Stairwell	Inte	rior Light (exc	ept exit light)	Exterior Light (except garage)
14.	Reason for Work Done: Retrofit Earl	y Replacemer	nt Retr	ofit Replace Brok	en New	Construction:	Light Power	Density (0.01	to 3.00) Watt/sq ft
Item No. (on Rebate Chart)	Existing Fixture Type (Provide details)	Existing Quantity	Existing Wattage	New Fixture (Provide details)			New Quantity	New Wattage	New Fixture Model No*
	Location (Indicate quantity in box):	Garage	Exit	Sign	Stairwell	Inte	rior Light (exc	ept exit light)	Exterior Light (except garage)
15.	Reason for Work Done: Retrofit Earl	y Replacemer	nt Retr	ofit Replace Brok	en New	Construction:	Light Power	Density (0.01	to 3.00) – Watt/sq ft



Dom	ninio	n Ene	ergy	Acco	unt l	Num	ber:		

										DEV-NRLSC-Rebate-v1019
Occi	ıpan	cv Sensors	(M	easures 96 to 98)						
			,,,,,,							
Rehate c	annot h	e processed with an	v mis	sing information. All f	ield	s marked v	vith an a	esterisk (*) are ontio	nal If	you are able to
		•	•	lease enter them on t						you are able to
ou.pruiio			,,,				on rug			
Item No. (on	New	New Fixture Model No*		Occupancy Sensor		Item No. (on	New	New Fixture Model No*		Occupancy Sensor
Rebate Chart)	Quantity			Connected Load (0 to 1,000)		Rebate Chart)	Quantity			Connected Load (0 to 1,000)
				Watts						Watts
	Location	(Indicate quantity in box):	Reaso	on for Work Done:			Location	(Indicate quantity in box):	Reaso	on for Work Done:
	G	iarage Exit Sign	Re	etrofit Early Replacement				Sarage Exit Sign	Re	etrofit Early Replacement
			∐ R	etrofit Replace Broken					☐ Re	etrofit Replace Broken
	ır	nterior Light (except exit light)		ew Construction: Light ower Density (0.01 to 3.00)				nterior Light (except exit light)		ew Construction: Light ower Density (0.01 to 3.00)
1.	E	xterior Light (except garage)		Watt/sq ft		6.	E	xterior Light (except garage)		Watt/sq ft
Item No. (on	New	New Fixture Model No*		Occupancy Sensor		Item No. (on	New	New Fixture Model No*		Occupancy Sensor
Rebate Chart)	Quantity			Connected Load (0 to 1,000)		Rebate Chart)	Quantity			Connected Load (0 to 1,000)
				Watts						Watts
	Location	(Indicate quantity in box):	Reaso	on for Work Done:			Location	(Indicate quantity in box):	Reasc	on for Work Done:
	G	iarage Exit Sign	Re	etrofit Early Replacement				arage Exit Sign	Re	etrofit Early Replacement
			∐ R	etrofit Replace Broken					=	etrofit Replace Broken
	Ir	nterior Light (except exit light)	_	ew Construction: Light ower Density (0.01 to 3.00)				nterior Light (except exit light)		ew Construction: Light ower Density (0.01 to 3.00)
2.	E	xterior Light (except garage)		Watt/sq ft		7.	E	xterior Light (except garage)		Watt/sq ft
Item No. (on	New	New Fixture Model No*		Occupancy Sensor		Item No. (on	New	New Fixture Model No*	_	Occupancy Sensor
Rebate Chart)	Quantity			Connected Load (0 to 1,000)		Rebate Chart)	Quantity			Connected Load (0 to 1,000)
				Watts						Watts
	Location	(Indicate quantity in box):		on for Work Done:			Location	(Indicate quantity in box):		on for Work Done:
	G	iarage Exit Sign	\equiv	etrofit Early Replacement etrofit Replace Broken				arage Exit Sign	\equiv	etrofit Early Replacement etrofit Replace Broken
	Ir	nterior Light (except exit light)	\equiv	ew Construction: Light			lı	nterior Light (except exit light)	=	ew Construction: Light
				ower Density (0.01 to 3.00)				interior Linkt (numera norman)		ower Density (0.01 to 3.00)
3.		xterior Light (except garage)		Watt/sq ft		8.		xterior Light (except garage)		Watt/sq ft
Item No. (on	New	New Fixture Model No*		Occupancy Sensor		Item No. (on	New	New Fixture Model No*		Occupancy Sensor
Rebate Chart)	Quantity			Connected Load (0 to 1,000)		Rebate Chart)	Quantity			Connected Load (0 to 1,000)
				Watts						Watts
	Location	(Indicate quantity in box):	Reaso	on for Work Done:			Location	(Indicate quantity in box):	Reaso	on for Work Done:
				etrofit Early Replacement						etrofit Early Replacement
	G	Barage Exit Sign	R	etrofit Replace Broken				Garage Exit Sign	Re	etrofit Replace Broken
	Ir	nterior Light (except exit light)		ew Construction: Light			li	nterior Light (except exit light)		ew Construction: Light
	E	xterior Light (except garage)	Po	ower Density (0.01 to 3.00)			E	xterior Light (except garage)	Po	ower Density (0.01 to 3.00)
4.				Watt/sq ft		9.			_	Watt/sq ft
Item No. (on Rebate Chart)	New Quantity	New Fixture Model No*		Occupancy Sensor Connected Load (0 to 1,000)		Item No. (on Rebate Chart)	New Quantity	New Fixture Model No*		Occupancy Sensor Connected Load (0 to 1,000)
Tiobato Griant,	Quartity			20111100104 2044 (0 10 1,000)		Tiobate Charty	<u> </u>			Commented 20dd (c to 1,000)
				Watts						Watts
	Location	(Indicate quantity in box):	Reaso	on for Work Done:			Location	(Indicate quantity in box):	Reaso	on for Work Done:
		iorago E. it Cier	Re	etrofit Early Replacement				Sarago E. it Ciar	Re	etrofit Early Replacement
		Garage Exit Sign	R	etrofit Replace Broken				Sarage Exit Sign	Re	etrofit Replace Broken
	lr	nterior Light (except exit light)		ew Construction: Light			li	nterior Light (except exit light)		ew Construction: Light
5.	E	xterior Light (except garage)	Po	ower Density (0.01 to 3.00)		10.	E	xterior Light (except garage)	Po	ower Density (0.01 to 3.00)
·.			_	Watt/sq ft		10.			_	Watt/sq ft



Dom	inio	n Ene	ergy	Acco	unt l	Num	ber:	

											DEV-NRLSC-Rebate-v1019
Occu	pand	y Sens	ors	(Mea	sure 99	9)					
		-		7	_					asterisk (*) are optional. l ge 7 of the application.	f you are able to
Item No. (on Rebate Chart)	New Quantity	New Fixture Mo	odel No	*		Location (Ind		Re	ason for Work Do	ne (Check one)	Occupancy Sensor Connected Load (0 to 1,000)
1.						Freez Refri	er		Retrofit Early Repla New Construction: Light Power Densit		Watts
Item No. (on Rebate Chart)	New Quantity	New Fixture Mo	odel No	*		Location (Independent of the Location (Indepe		Re	ason for Work Do	one (Check one)	Occupancy Sensor Connected Load (0 to 1,000)
2.						Freez Refriç	er		Retrofit Early Repla New Construction: Light Power Densit		Watts
Item No. (on Rebate Chart)	New Quantity New Fixture Model No*					Location (Ind		Re	ason for Work Do	ne (Check one)	Occupancy Sensor Connected Load (0 to 1,000)
3.					Freezer Retrofit Early Replacement Retrofit Replace Broken New Construction: Light Power Density (0.01 to 3.00) – Watt/sq ft				Watts		
											'
Occu	pand	y Sens	ors	(Mea	sure 10	00)					
Item No. (on Rebate Chart)	Existing F	ixture Type		Existing Quantity	Existing Wattage	New Quantity	New Watta	ige	New Low Power Wattage	New Fixture Model No*	Occupancy Sensor Connected Load (0 to 1,000)
											Watts
1.	Location:	II		n for Work rofit Early Re			Replace	Brok	en New Co	nstruction: Light Power Density (0.01 to	3.00) – Watt/sq ft
Item No. (on Rebate Chart)	Existing F	ixture Type		Existing Quantity	Existing Wattage	New Quantity	New Watta	ige	New Low Power Wattage	New Fixture Model No*	Occupancy Sensor Connected Load (0 to 1,000)
											Watts
2.	Location:	II		n for Work rofit Early Re			Replace	Brok	en New Co	nstruction: Light Power Density (0.01 to	3.00) – Watt/sq ft
Item No. (on Rebate Chart)	Existing F	ixture Type		Existing Quantity	Existing Wattage	New Quantity	New Watta	ige	New Low Power Wattage	New Fixture Model No*	Occupancy Sensor Connected Load (0 to 1,000)
											Watts
	Location:			n for Work		ck one):					
3.	Stairwe		Ret	rofit Early Re	placement	Retrofit	Replace	Brok	en New Co	nstruction: Light Power Density (0.01 to	
Item No. (on Rebate Chart)	Existing F	ixture Type		Existing Quantity	Existing Wattage	New Quantity	New Watta	ige	New Low Power Wattage	New Fixture Model No*	Occupancy Sensor Connected Load (0 to 1,000)
											Watts
4.	Location:			n for Work rofit Early Re			Replace	Brok	en New Co	nstruction: Light Power Density (0.01 to	3.00) – Watt/sq ft
Item No. (on Rebate Chart)						New Quantity	New Watta	ige	New Low Power Wattage	New Fixture Model No*	Occupancy Sensor Connected Load (0 to 1,000)
											Watts
	Location:		Reaso	n for Work	Done (Che	ck one):				I	1
5.	Stairwell Retrofit Early Replacement Retrofit Replace Broken New Construction: Light Power Density (0.01 to 3.00) – Watt/sq ft										



Dom	ninio	n Ene	ergy	Acco	unt l	Num	ber:	

DEV-NRLSC-Rebate-v1019

Data Sheet

Please provide serial numbers that you are able to capture for all installed fixtures you listed in previous pages. All fields marked with an asterisk (*) are optional. Use a separate sheet for additional fixtures.

Item No* (on Rebate Chart)	New Fixture Model No*	New Fixture Serial No*	Location* (Provide detailed description for post-installation inspection)