

Dominion Non-Residential Lighting Systems and Controls Program Energy® Initial Assessment for Virginia **Initial Assessment for Virginia**

DEV-NRI SC-IA-v1019

INSTRUCTIONS FOR INITIAL ASSESSMENT

This form must be completed and submitted for all projects in the Non-Residential Lighting Systems and Controls Program. You can only begin work through a participating contractor after your initial assessment is reviewed.

1. CHECK PROJECT AND EQUIPMENT ELIGIBILITY

• Read all Terms and Conditions carefully to confirm your eligibility to participate in the Non-Residential Lighting Systems and Controls Program. Visit **DominionEnergy.com** to view the full list of qualifying measures and to select a participating contractor.

2. SUBMIT AN INITIAL ASSESSMENT TO RESERVE FUNDING

- Wait until you receive notice that the initial assessment has been reviewed before starting your project with the participating contractor. You will receive a confirmation stating your project has been reviewed and the amount of rebate incentive reserved.
- All projects involving exterior lights (Measures 45, 48 to 53) will be contacted for an on-site visit.

SUBMIT IN ONE OF THREE WAYS:

3. INSTALL EQUIPMENT OR PERFORM PROJECT WORK

 The incentive reservation allows 120 days to complete your project. You can only submit a rebate application when the project is complete. Contact us if you think your project will require more than 120 days.

4. SUBMIT A REBATE APPLICATION

• Visit **DominionEnergy.com** to download the rebate application. Read all instructions carefully and submit your rebate application including additional requested information within 45 days of the service date.

NRLighting@Honeywell.com Email:

804-515-1587 Fax:

Mail: Honeywell Smart Energy

7870 Villa Park Drive, Suite 800 • Richmond, VA 23228

TERMS AND CONDITIONS

These terms and conditions apply to the Non-Residential Lighting Systems and Controls Program ("Program"). The Program has been approved by the Virginia State Corporation Commission

Any reference in these documents to "Dominion," "Dominion Energy," or "Dominion Energy Virginia" should be read as a reference to Virginia Electric and Power Company d/b/a Dominion Energy Virginia, as well as its authorized agents and contractors

ENROLLMENT QUALIFICATIONS AND REQUIREMENTS FOR PARTICIPATION

- 1. Service must be performed on or after October 1, 2019.
- 2. Program participant must be a Dominion non-residential customer ("Customer") who is not exempt by statute, not under special contract, is responsible for the electric bill, and is the owner of the facility or reasonably able to secure permission to complete measures.
- 3. Customer is eligible for more than one rebate per location during the program time period, except as stated below.
- 4. Customer who has previously received a rebate for the Non-Residential Lighting Systems and Controls Program is not eligible to receive another rebate for installing the same measure on the same fixture or lamp that previously received an incentive.
- 5. Work must be completed by a participating contractor that is in Dominion's network for this program when the work begins.
- 6. Dominion and/or its designees including program administrators and evaluation contractors reserve the right to review installations to verify completion and measure energy savings to ensure compliance with all program requirements. Such reviews will be made at a time convenient to the applicant. Denial of such verification or misrepresentation of installation location or measure eligibility may result in forfeiture of the rebate
- 7. Service must be completed in accordance with all laws, codes and other requirements applicable under federal, state and local authority.
- 8. The Customer understands that they may be contacted by Dominion via survey or questionnaire to provide feedback regarding Customer satisfaction with the program.

PAYMENT

- 1. Rebate application must be submitted within 45 days of the service date. It is the customer's responsibility to assure that all requirements of the rebate are met. Failure to provide any of the required information will delay application processing and could result in non-payment.
- 2. Rebate payments are based on the date of service. Customers must abide by the rules and rebate levels in effect on the date of service.

- 3. Payment will be issued to the account holder and mailing address on record with the utility unless the Customer has authorized in writing that payment be made to the contractor specified in this document.
- 4. Please allow up to 90 days from the date all required information is received to process your rebate.
- 5. Customer is urged to seek appropriate consultation concerning any tax liabilities that could be associated with the receipt of the rebate.

OTHER REQUIREMENTS

- 1. Program procedures, requirements and rebate levels are subject to change or cancellation without notice and are subject to program funds being available and regulatory approval.
- 2. Dominion, its parents, subsidiaries, employees, affiliates and agents assume no responsibility for, and make no representations (express or implied) about, the performance of the equipment or equipment warranty, the quality of the work, labor and/or materials supplied, and/or the acts or omissions of the participating contractor.
- 3. By participating in this Program, the Customer hereby agrees to indemnify, defend and hold harmless Dominion, its parents, subsidiaries, employees, affiliates and agents from any and all liability associated with the Program. Dominion shall not be liable for loss or damage to any person or property whatsoever, resulting directly or indirectly from participation in this Program.
- 4. Dominion retains all rights to energy and demand savings resulting from measures installed under this Program for a maximum of four years. Dominion has the exclusive right to enroll, nominate, or offer a bid for energy or demand reductions resulting from measures installed under this Program into load management programs, demand response programs, or auctions operated by PJM Interconnection, L.L.C. ("PJM"), the regional electric transmission entity of which the Company is a member. Customer's participation in the program means that the Customer is consenting to Dominion sharing the Customer's pertinent information with PJM. Dominion's agents and contractors, including, but not limited to, its implementing contractors and its measurement and verification vendor. Pertinent customer information includes, but is not limited to, account holder name, account number, energy usage and billing information, address, other contact information, measures installed, period of installation, demand/energy reductions resulting from measures installed under this Program and the technical basis for such reductions, loss factors. coincidence factors, interactive factors, building type and other information necessary to implement and monitor the Program including other information as required by PJM or any other regulatory authority.
- 5. These Program specific terms and conditions are in addition to the terms and conditions of service currently on file with the Virginia State Corporation Commission and contained in any agreement between the Customer and a Program vendor.



Virginia Non-Residential Lighting Systems and Controls Program INITIAL ASSESSMENT FOR VIRGINIA

| APPLICATION CHECKLIST | Complete the checklist below and submit a Who is submitting this initial assessment? I (YOUR INITIALS) HAVE REA Completed and signed the initial assess Attached a copy of the product specifica Attached a copy of the Dominion Energy Submit in one of three ways: | Customer Contractor DTHE INSTRUCTIONS AND TE | RIM | IS A | | | | | | n or bl | lank fields. |
|-----------------------|--|---|------|----------|-----------|--------|----------|---------------|------------|----------|--------------|
| | Service Name on Dominion Energy Account: | | ı | Don | inion | Ene | rgy Ac | count N | lumbe | r: | |
| | Service Address: | | | | | | | | | | |
| လ | City: | | | | | | | State: | Zip Co | de: | |
| ETAIL | Key Contact Name: | | | | | | | | | | |
| ER DI | Email Address: | | | | | | | | | | |
| W _O | Phone Number: | | | | | | | | | | |
| CUSTOMER DETAILS | Please select one: I own lease this n | on-residential facility. | | | | | | | | | |
| | By signing this application, I agree to the above terms a above, and that I am authorized to take action on the Do | | Ene | ergy Vii | ginia cus | stomer | and owne | r or lessee (| of the bus | iness de | escribed |
| | Customer Name (please print | Cus | stor | mer S | Signatu | re | | | | Date | |
| ILS | Company Name: | | | | | | | | | | |
| CONTRACTOR DETAILS | Technician Name: | | | | | | Estima | nted Servio | ce Start I | Date: | |
| TOR: | Company Street Address | | | | | | Estima | ted Date o | of Servic | e Com | pletion: |
| TRAC | City: | | | | | | | State: | Zip Co | de: | |
| CON | Company Phone: | Email Address: | | | | | | 1 | 1 | | |



| Dom | inio | n Ene | ergy | Acco | unt l | Num | ber: | |
|-----|------|-------|------|------|-------|-----|------|--|
| | | | | | | | | |
| | | | | | | | | |

| | | | | | | | | | | | | DEV-NRLSC-IA-v1019 |
|--|--|------------------------|---|------------------------|------------|--|--|----------------|----------------------------|---|------------|--|
| Build | ing Type (Sele | ct one |) | | | | | | | | | |
| Education Education Education Food Sales | - College and University - Elementary and Middle School - High School s - Convenience Store s - Gas Station Convenience Store | Foo | nd Sales – Gro nd Service – Fo nd Service – Fo alth Care – Inp alth Care – Ou | ast Food ull Servic | ee [| Mercantile Mercantile Office – La | Hotel, Motel, [e – Mall e – Retail (not r irge (≥40,000 s mall (<40,000 s | nall) q ft) | Police an | ssembly der and Safet d Fire Station s Worship | | Warehouse and Storage Service – Beauty, Auto Repair Workshop, etc. |
| TRe 1 | 「5s and LED | e | | | | | | | | | | |
| Rebate ca | nnot be processed wi have a different fixture e serial numbers for yo | th any m re type (d | existing a | and ne | ew) an | d/or a d | ifferent m | nodel nun | nber on y | our new | fixture | |
| Item No. (on | Existing Fixture Type | | Existing | Existi | _ | w Fixture | Туре | | New | New | New Fix | kture Model No* |
| Rebate Chart) | (Provide details) Location (Indicate quantity in box | x): | Quantity | Watta | Exit Sign | ovide details) | Stairwell | Inte | Quantity erior Light (exc | Wattage ept exit light) | | Exterior Light (except garage) |
| 1. | Bassan far Wark Dane |] _B 6, 5 | D. I. | 🖂 | D | | 🗆 🗸 | 0 | . Links Danier | D | - 0.00 | NATa to La co Go |
| Item No. (on Rebate Chart) | Reason for Work Done: Existing Fixture Type (Provide details) | J Ketrofit Earl | Existing Quantity | Existi Watta | ng Ne | w Fixture ovide details) | | v Construction | New Quantity | New Wattage | | Watt/sq ft xture Model No* |
| | Location (Indicate quantity in box | x): | Garage | | Exit Sign | | Stairwell | Inte | erior Light (exc | ept exit light) | | Exterior Light (except garage) |
| 2. | Reason for Work Done: Retrofit Ea | | y Replacemer | nt 📙 | Retrofit R | eplace Brok | en L New | / Construction | : Light Power | Density (0.01 t | to 3.00) - | Watt/sq ft |
| Item No. (on Rebate Chart) | Existing Fixture Type (Provide details) | | Existing Quantity | Existi Watta | _ | w Fixture ovide details) | Туре | | New Quantity | New Wattage | New Fix | xture Model No* |
| | Location (Indicate quantity in box | d): | Garage | | Exit Sign | | Stairwell | Inte | erior Light (exc | ent evit light) | | Exterior Light (except garage) |
| | | 1 | - | | Exit Oigi: | | | | | | | |
| 3. Item No. (on Rebate Chart) | Reason for Work Done: Existing Fixture Type (Provide details) | Retrofit Earl | y Replacement Existing Quantity | Existi Watta | ng Ne | eplace Brok w Fixture ovide details) | | v Construction | New Quantity | Density (0.01 to New Wattage | | Watt/sq ft xture Model No* |
| | | | | | | | | | | | | |
| | Location (Indicate quantity in box | k): | Garage | | Exit Sign | | Stairwell | Inte | erior Light (exc | ept exit light) | | Exterior Light (except garage) |
| 4. | Reason for Work Done: | Retrofit Earl | y Replacemer | nt 📙 | Retrofit R | eplace Brok | en New | / Construction | : Light Power | Density (0.01 t | to 3.00) - | Watt/sq ft |
| Item No. (on Rebate Chart) | Existing Fixture Type (Provide details) | | Existing Quantity | Existi Watta | _ | w Fixture ovide details) | | | New Quantity | New Wattage | New Fix | xture Model No* |
| | Location (ladicate acceptiblic land | a. | | | Fuit Cian | | Stair wall | Inte | rian Links (num | ant quit links) | | Francisco Links (success access) |
| _ | Location (Indicate quantity in box | 1 | Garage | | Exit Sign | | Stairwell | Inte | erior Light (exc | ohr exir iiğiir) | | Exterior Light (except garage) |
| 5. | Reason for Work Done: | Retrofit Earl | y Replacemer | | | eplace Brok | | v Construction | _ | | | Watt/sq ft |
| Item No. (on Rebate Chart) | Existing Fixture Type (Provide details) | | Existing Quantity | Existi Watta | U | w Fixture ovide details) | , · | | New Quantity | New Wattage | New Fix | xture Model No* |
| | I a a state of the | , | | | F :: 0: | |] ₀ | | | . 22.10 | | J |
| | Location (Indicate quantity in box | (): | Garage | | Exit Sign | | Stairwell | Inte | erior Light (exc | ept exit light) | | Exterior Light (except garage) |
| 6. | Reason for Work Done: | Retrofit Earl | y Replacemer | nt 🔲 | Retrofit R | eplace Brok | en New | Construction | : Light Power | Density (0.01 | to 3.00) - | Watt/sq ft |
| Item No. (on Rebate Chart) | Existing Fixture Type (Provide details) | | Existing Quantity | Existi Watta | _ | w Fixture ovide details) | | | New Quantity | New Wattage | New Fix | xture Model No* |
| | | | | | | | | | | | | |
| | Location (Indicate quantity in box | k): | Garage | | Exit Sign | | Stairwell | Inte | erior Light (exc | ept exit light) | | Exterior Light (except garage) |
| 7. | Reason for Work Done: | Retrofit Earl | y Replacemer | nt 📙 | Retrofit R | eplace Brok | en L New | V Construction | : Light Power | Density (0.01 t | to 3.00) - | Watt/sq ft |



| Dominion Energy Account Num | DCI. | |
|-----------------------------|------|--|
| | | |

DEV-NRLSC-IA-v1019

T8s, T5s and LEDs (Continued)

| Rebate cannot be processed with any missing information. All fields marked with an asterisk (*) are optional. Please use a new |
|---|
| line if you have a different fixture type (existing and new) and/or a different model number on your new fixture. If you are able |
| to capture serial numbers for your fixtures, please enter them on the Data Sheet on Page 7 of the application. |

| | nhave a different fixture type (e e serial numbers for your fixtur | | | | | | | | |
|-------------------------------|---|----------------------|---------------------|---------------------------------|-----------|---------------|-----------------|-----------------|--------------------------------|
| Item No. (on Rebate Chart) | Existing Fixture Type (Provide details) | Existing Quantity | Existing Wattage | New Fixture (Provide details | | | New Quantity | New Wattage | New Fixture Model No* |
| | | | | | | | | | |
| | Location (Indicate quantity in box): | Garage | Exit | Sign | Stairwell | Inte | rior Light (exc | ept exit light) | Exterior Light (except garage) |
| 8. | Reason for Work Done: Retrofit Early | Replacemen | ıt Retr | ofit Replace Brok | en New | Construction: | : Light Power | Density (0.01 | to 3.00) Watt/sq ft |
| Item No. (on Rebate Chart) | Existing Fixture Type (Provide details) | Existing Quantity | Existing Wattage | New Fixture (Provide details | | | New Quantity | New Wattage | New Fixture Model No* |
| | | | | | | | | | |
| | Location (Indicate quantity in box): | Garage | Exit | Sign | Stairwell | Inte | rior Light (exc | ept exit light) | Exterior Light (except garage) |
| 9. | Reason for Work Done: Retrofit Early | Replacemen | t Retr | ofit Replace Brok | en New | Construction: | : Light Power | Density (0.01 | to 3.00) – Watt/sq ft |
| Item No. (on Rebate Chart) | Existing Fixture Type (Provide details) | Existing Quantity | Existing Wattage | New Fixture (Provide details | | | New Quantity | New Wattage | New Fixture Model No* |
| | | | | | | | | | |
| | Location (Indicate quantity in box): | Garage | Exit | Sign | Stairwell | Inte | rior Light (exc | ept exit light) | Exterior Light (except garage) |
| 10. | Reason for Work Done: Retrofit Early | Replacemen | t Retr | ofit Replace Brok | en New | Construction: | : Light Power | Density (0.01 | to 3.00) – Watt/sq ft |
| Item No. (on Rebate Chart) | Existing Fixture Type (Provide details) | Existing Quantity | Existing Wattage | New Fixture (Provide details | | | New Quantity | New Wattage | New Fixture Model No* |
| | | | | | | | | | |
| | Location (Indicate quantity in box): | Garage | Exit | Sign | Stairwell | Inte | rior Light (exc | ept exit light) | Exterior Light (except garage) |
| 11. | Reason for Work Done: Retrofit Early | Replacemen | t Retr | ofit Replace Brok | en New | Construction: | : Light Power | Density (0.01 | to 3.00) Watt/sq ft |
| Item No. (on Rebate Chart) | Existing Fixture Type (Provide details) | Existing Quantity | Existing Wattage | New Fixture (Provide details | | | New Quantity | New Wattage | New Fixture Model No* |
| | | | | | | | | | |
| | Location (Indicate quantity in box): | Garage | Exit | Sign | Stairwell | Inte | rior Light (exc | ept exit light) | Exterior Light (except garage) |
| 12. | Reason for Work Done: Retrofit Early | Replacemen | t Retr | ofit Replace Brok | en New | Construction: | : Light Power | Density (0.01 | to 3.00) Watt/sq ft |
| Item No. (on Rebate Chart) | Existing Fixture Type (Provide details) | Existing Quantity | Existing Wattage | New Fixture (Provide details | | | New Quantity | New Wattage | New Fixture Model No* |
| | | | | | | | | | |
| | Location (Indicate quantity in box): | Garage | Exit | Sign | Stairwell | Inte | rior Light (exc | ept exit light) | Exterior Light (except garage) |
| 13. | Reason for Work Done: Retrofit Early | Replacemen | t Retr | ofit Replace Brok | en New | Construction: | : Light Power | Density (0.01 | to 3.00) Watt/sq ft |
| Item No. (on Rebate Chart) | Existing Fixture Type (Provide details) | Existing Quantity | Existing Wattage | New Fixture (Provide details | | | New Quantity | New Wattage | New Fixture Model No* |
| | | | | | | | | | |
| | Location (Indicate quantity in box): | Garage | Exit | Sign | Stairwell | Inte | rior Light (exc | ept exit light) | Exterior Light (except garage) |
| 14. | Reason for Work Done: Retrofit Early | Replacemen | t Retr | ofit Replace Brok | en New | Construction: | : Light Power | Density (0.01 | to 3.00) Watt/sq ft |
| Item No. (on Rebate Chart) | Existing Fixture Type (Provide details) | Existing Quantity | Existing Wattage | New Fixture (Provide details | | | New Quantity | New Wattage | New Fixture Model No* |
| | | | | | | | | | |
| | Location (Indicate quantity in box): | Garage | Exit | Sign | Stairwell | Inte | rior Light (exc | ept exit light) | Exterior Light (except garage) |
| 15. | Reason for Work Done: Retrofit Early | Replacemen | t Retr | ofit Replace Brok | en New | Construction: | : Light Power | Density (0.01 | to 3.00) – Watt/sq ft |



| | | | | | | | | | | DEV-NRLSC-IA-v10 |)19 |
|-------------------------------|-----------------|-----------------------------------|-------|---|-------|-------------------------------|-----------------|-----------------------------------|----------|---|-----|
| Occi | ıpan | cy Sensors | (M | easures 96 to 98) | | | | | | | |
| Debata | | a muse a consiste and | | oing information All f | امام: | la magnica di v | de on a | ectorial (*) are entic | nal If | vev ere able to | |
| | | | | sing information. All f lease enter them on t | | | | | | you are able to | |
| Item No. (on Rebate Chart) | New Quantity | New Fixture Model No* | | Occupancy Sensor Connected Load (0 to 1,000) | | Item No. (on Rebate Chart) | New Quantity | New Fixture Model No* | | Occupancy Sensor Connected Load (0 to 1,000) | |
| | | | | Watts | | | | | | Watt | s |
| | Location | (Indicate quantity in box): | Reaso | on for Work Done: | | | Location | (Indicate quantity in box): | Reaso | on for Work Done: | |
| | G | arage Exit Sign | | etrofit Early Replacement | | | G | iarage Exit Sign | \equiv | etrofit Early Replacement | |
| | In | nterior Light (except exit light) | | etrofit Replace Broken ew Construction: Light | | | Ir | nterior Light (except exit light) | \equiv | etrofit Replace Broken ew Construction: Light | |
| | | outorior Light (overant garage) | | ower Density (0.01 to 3.00) | | | | vtorior Light (overant garage) | | ower Density (0.01 to 3.00) | |
| 1. | | xterior Light (except garage) | _ | Watt/sq ft | | 6. | | xterior Light (except garage) | _ | Watt/sq | ft |
| Item No. (on Rebate Chart) | New Quantity | New Fixture Model No* | | Occupancy Sensor Connected Load (0 to 1,000) | | Item No. (on Rebate Chart) | New Quantity | New Fixture Model No* | | Occupancy Sensor Connected Load (0 to 1,000) | |
| | | | | Watts | | | | | | Watt | s |
| | Location | (Indicate quantity in box): | | on for Work Done: | | | Location | (Indicate quantity in box): | | on for Work Done: | |
| | G | arage Exit Sign | | etrofit Early Replacement | | | G | iarage Exit Sign | \equiv | etrofit Early Replacement | |
| | In | nterior Light (except exit light) | | etrofit Replace Broken ew Construction: Light | | | Ir | nterior Light (except exit light) | \equiv | etrofit Replace Broken ew Construction: Light | |
| | | xterior Light (except garage) | | ower Density (0.01 to 3.00) | | | | xterior Light (except garage) | | ower Density (0.01 to 3.00) | |
| 2. | | | _ | Watt/sq ft | | 7. | | | _ | Watt/sq | ft |
| Item No. (on Rebate Chart) | New Quantity | New Fixture Model No* | | Occupancy Sensor Connected Load (0 to 1,000) | | Item No. (on Rebate Chart) | New Quantity | New Fixture Model No* | | Occupancy Sensor Connected Load (0 to 1,000) | |
| | | | | Watts | | | | | | Watt | s |
| | Location | (Indicate quantity in box): | | on for Work Done: | | | Location | (Indicate quantity in box): | | on for Work Done: | |
| | G | arage Exit Sign | | etrofit Early Replacement etrofit Replace Broken | | | G | arage Exit Sign | \equiv | etrofit Early Replacement etrofit Replace Broken | |
| | In | nterior Light (except exit light) | | ew Construction: Light | | | Ir | nterior Light (except exit light) | = | ew Construction: Light | |
| | F | xterior Light (except garage) | | ower Density (0.01 to 3.00) | | | F | xterior Light (except garage) | | ower Density (0.01 to 3.00) | |
| 3. | | 3 | _ | Watt/sq ft | | 8. | | | | Watt/sq | ft |
| Item No. (on Rebate Chart) | New Quantity | New Fixture Model No* | | Occupancy Sensor Connected Load (0 to 1,000) | | Item No. (on Rebate Chart) | New Quantity | New Fixture Model No* | | Occupancy Sensor Connected Load (0 to 1,000) | |
| | | | | Watts | | | | | | Watt | s |
| | Location | (Indicate quantity in box): | | on for Work Done: | | | Location | (Indicate quantity in box): | | on for Work Done: | |
| | G | arage Exit Sign | | etrofit Early Replacement etrofit Replace Broken | | | G | iarage Exit Sign | \equiv | etrofit Early Replacement etrofit Replace Broken | |
| | In | nterior Light (except exit light) | | ew Construction: Light | | | Ir | nterior Light (except exit light) | = | ew Construction: Light | |
| 4. | E | xterior Light (except garage) | Po | ower Density (0.01 to 3.00) Watt/sq ft | | 9. | E | xterior Light (except garage) | Po | ower Density (0.01 to 3.00) Watt/sq | ft |
| Item No. (on Rebate Chart) | New Quantity | New Fixture Model No* | | Occupancy Sensor Connected Load (0 to 1,000) | | Item No. (on Rebate Chart) | New Quantity | New Fixture Model No* | | Occupancy Sensor Connected Load (0 to 1,000) | |
| | | | | Watts | | | | | | Watt | s |
| | Location | (Indicate quantity in box): | Reaso | on for Work Done: | | | Location | (Indicate quantity in box): | Reaso | on for Work Done: | ٦ |
| | G | arage Exit Sign | = | etrofit Early Replacement | | | G | iarage Exit Sign | \equiv | etrofit Early Replacement | |
| | | | = | etrofit Replace Broken | | | | | \equiv | etrofit Replace Broken | |
| | | nterior Light (except exit light) | | ew Construction: Light ower Density (0.01 to 3.00) | | | | nterior Light (except exit light) | | ew Construction: Light ower Density (0.01 to 3.00) | |
| 5. | E | xterior Light (except garage) | _ | Watt/sq ft | | 10. | E | xterior Light (except garage) | _ | Watt/sq | ft |



| Domin | ion En | ergy | Acco | unt l | Num | ber: | |
|-------|--------|------|------|-------|-----|------|--|
| | | | | | | | |

| | | | | | | | | | | | DEV-NRLSC-IA-v1019 |
|-------------------------------|-------------------|----------------|---------|--------------------------------|---------------------|------------------------------|-------------------|------|---|--|---|
| Occu | pand | y Sens | ors | (Mea | sure 99 | 9) | | | | | |
| | | - | | - | _ | | | | | asterisk (*) are optional. I ge 7 of the application. | f you are able to |
| Item No. (on Rebate Chart) | New Quantity | New Fixture Mo | odel No | * | | Location (In quantity per le | | Rea | ason for Work Do | one (Check one) | Occupancy Sensor Connected Load (0 to 1,000) |
| 1. | | | | | | Free | ezer rigerator | | Retrofit Early Repla New Construction: Light Power Densit | | Watts |
| Item No. (on Rebate Chart) | New Quantity | New Fixture Mo | odel No | * | | Location (Ir quantity per lo | | Rea | ason for Work Do | one (Check one) | Occupancy Sensor Connected Load (0 to 1,000) |
| 2. | | | | | | Free | ezer | | Retrofit Early Repla New Construction: Light Power Densit | | Watts |
| Item No. (on Rebate Chart) | New Quantity | New Fixture Mo | odel No | * | | Location (In quantity per le | | Rea | ason for Work Do | one (Check one) | Occupancy Sensor Connected Load (0 to 1,000) |
| 3. | | | | | | Free | ezer rigerator | | Retrofit Early Repla New Construction: Light Power Densit | | Watts |
| | | | | | | | | | | | |
| Occu | pand | y Sens | ors | (Mea | sure 10 | 00) | | | | | |
| Item No. (on Rebate Chart) | Existing F | ixture Type | | Existing Quantity | Existing Wattage | New Quantity | New Watta | ige | New Low Power Wattage | New Fixture Model No* | Occupancy Sensor Connected Load (0 to 1,000) |
| | | | | | | | | | | | Watts |
| 1. | Location: | ıll | | on for Work trofit Early Re | | | ït Replace | Brok | en New Cor | nstruction: Light Power Density (0.01 to 3 | 3.00) – Watt/sq ft |
| Item No. (on Rebate Chart) | Existing F | ixture Type | | Existing Quantity | Existing Wattage | New Quantity | New Watta | ige | New Low Power Wattage | New Fixture Model No* | Occupancy Sensor Connected Load (0 to 1,000) |
| 2. Item No. (on | Location: Stairwe | ill | | on for Work trofit Early Re | | | ît Replace | Brok | en New Coo | nstruction: Light Power Density (0.01 to 3 | Watts 8.00) – Watt/sq ft Occupancy Sensor |
| Rebate Chart) | | | | Quantity | Wattage | | Watta | ige | Power Wattage | 1011 1 30010 110000 110 | Connected Load (0 to 1,000) |
| | Lacations | | Danas | on for Work | Dana (Ch. | -1 | | | | | Watts |
| 3. | Location: | ell | | trofit Early Re | | | it Replace | Brok | en New Cor | nstruction: Light Power Density (0.01 to 3 | 3.00) – Watt/sq ft |
| Item No. (on Rebate Chart) | Existing F | ixture Type | | Existing Quantity | Existing Wattage | New Quantity | New Watta | ige | New Low Power Wattage | New Fixture Model No* | Occupancy Sensor Connected Load (0 to 1,000) |
| | | | | | | | | | | | Watts |
| 4. | Location: | ıll | | on for Work trofit Early Re | | | it Replace | Brok | en New Cor | nstruction: Light Power Density (0.01 to 3 | 3.00) – Watt/sq ft |
| Item No. (on Rebate Chart) | Existing F | ixture Type | | Existing Quantity | Existing Wattage | New Quantity | New Watta | ige | New Low Power Wattage | New Fixture Model No* | Occupancy Sensor Connected Load (0 to 1,000) |
| | | | | | | | | | | | Watts |
| | Location: | | | n for Work | | | | | | | • |
| 5. | Stairwe | ell | Re Re | trofit Early Re | placement | Retrof | it Replace | Brok | en New Coi | nstruction: Light Power Density (0.01 to 3 | 3.00) – Watt/sq ft |



| Dom | inio | n Ene | ergy | Acco | unt l | Num | ber: | | |
|-----|------|-------|------|------|-------|-----|------|--|---|
| | | | | | | | | | |
| | | | | | | | | | , |

DEV-NRLSC-IA-v1019

Data Sheet

Please provide serial numbers that you are able to capture for all installed fixtures you listed in previous pages. All fields marked with an asterisk (*) are optional. Use a separate sheet for additional fixtures.

| Item No* (on Rebate Chart) | New Fixture Model No* | New Fixture Serial No* | Location* (Provide detailed description for post-installation inspection) |
|-------------------------------|-----------------------|------------------------|---|
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |